CDA Built for your life







Why choose CDA?



Our assurance of quality

Our on-site testing laboratory ensures that only safe, reliable products are brought to market. We test to the British consumers' exacting standards without compromise.

Dedicated engineers

We use our own dedicated service engineers, equipped with a large range of CDA spare parts allowing them to achieve an excellent first time fix rate.

In-house Customer Care Department

Our in-house Customer Care Department, based at our head office in Nottinghamshire, is made up of highly knowledgeable and experienced staff who will support you throughout the lifetime of your product.

Over 25 years experience

Established for over 25 years, CDA have built a reputation for stylish, innovative and award winning products that consistently deliver outstanding results.

More deliveries to you

CDA delivers to retailers & kitchen studios daily so your new appliances will arrive quickly. All of our stock is held between our 9 acre site in Nottinghamshire and an additional warehouse in Newton. These central locations are ideally located to ensure efficient and fast distribution across the UK.

Part of the Amica group PLC

In December 2015, CDA became part of the Amica Group.

Amica, a kitchen appliance manufacturer based in Poland, operate in 50 countries worldwide and have over 70 years' experience in the industry.

CDA share the same vision of providing the best products possible, as well as our values of good environmental practice, and together we will deliver even more for customers.





Our guarantee

All CDA appliances are covered by a 5 year parts and 2 year labour guarantee for complete peace of mind.




Contents
































Oven functions explained



Oven light

This illuminates the oven cavity for easy viewing of food during cooking.



Defrost

Using the fan only, this oven function circulates the air around the oven cavity, speeding up the natural defrosting process.



Conventional oven

This function uses the top and bottom heating elements only. Natural convection creates a perfect cooking zone in the centre of the oven, ideal for dark fruit cakes and pastries.



Fan-assisted oven

Using the fan to circulate the heat produced by the top and bottom heating elements, this function distributes the heat around the oven to give an even temperature throughout.



Fan ove

Using the circular heating element and the fan, this cooking function circulates heated air around the oven cavity; temperatures are achieved quickly reducing the need for preheating. Both cooking temperature and cooking time can be reduced for a more energy efficient cooking programme. This is perfect for cooking various food types simultaneously as foods are sealed quickly to prevent flavour transfer.



Fan cooking with lower heat

Using the fan element to enhance the main heat being produced by the lower heating element, this function is perfect for cooking pizzas.



Fan cooking with upper heat

Uses the fan element and the top element to create a gentle heat, ideal for reheating already cooked foods or keeping food warm.



Fan with lower heat

The fan circulates the heat produced by the bottom heating element, ideal for one pot dishes such as casseroles or curries.



Browning oven

The perfect finishing touch, using the top element only this function browns and crisps food with conventional heat. This is ideal for cauliflower or macaroni cheese



Warming oven

Using heat produced only by the bottom element, this natural heat is perfect for dough proving and blind baking.



Clean function

Using the eco-clean programme setting, the oven will heat the cavity to around 250°C, loosening grease effectively avoiding the need for harsh oven cleaner chemicals and unnecessary hard work.



Full grill/Half grill

This fully variable grill is ideal for grilling a full family meal.

Some ovens offer a half grill option, using just the centre section for grilling smaller quantities.



Turbo grill

This fully variable grill reaches higher temperatures than a standard grill, ideal for finishing off a crème brulee topping for example.



ned electr

Fanned electric grill/ Half fanned electric grill

This uses the grill element and the fan to circulate the heat around the food.

Some ovens offer a half fanned grill option, using just the centre section for grilling smaller quantities.



Rotisserie electric

Using the grill element, heat is radiated down on to food which is rotating on the rotisserie aiding even browning.



Rotisserie fanned grill

For fast, even cooking, the fan circulates the grill heat around the food as it turns on the rotisserie, creating a perfect crispy finish.



Rotisserie conventional

Using both the top and bottom elements ensures even cooking when using the rotisserie, ideal for pork, chicken and beef.



Steam oven

Cooking with the power of steam alone locks more nutrients into your food.
Steaming is the healthier option for cooking meat, fish, vegetables and fruits.



Pyrolytic cleaning

This function raises the temperature of your oven to 450°C, reducing any food deposits to a fine ash which can then be easily wiped away from the oven interior.

Full pyrolytic clean - 2 hours.



Gas oven

Heat rises from the gas burner at the base of the oven. This method of cooking (hot at the bottom, cooler at the top) is perfect for family meals, as foods can be cooked at different temperatures at the same time.



as gril

This variable gas grill is used with the door ajar, giving you perfect results when grilling chops, burgers and sausages.



ntisserie nas

Our gas range cooker offers a rotisserie option, using either the grill or oven.



Fanned gas oven

Heat rises from the gas burner at the base of the oven and is distributed by a fan, creating an even cooking temperature.



Microwave function

Food is cooked from the outside in using microwaves, making this style of cooking quick and convenient.



Microwave and grill

Food is cooked from the outside in using microwaves with the added feature of the grill browning the food.



Microwave and fan oven

Food is cooked using microwaves and browned on the outside by the fan oven.



All electric, all gas or the best of both with a professional style gas hob and multifunction electric ovens. There is a choice to suit every cook in any kitchen.



Multi-function

Finished in black glass and stainless steel, our range cookers combine good looks with outstanding performance.

The 90cm and 100cm twin cavity dual fuel models boast a large main oven with 8 cooking functions, and a second oven with 4 or 5 functions.

Selected models also have a rotisserie and/or useful storage drawer.

90cm range cookers

Our collection of 90cm range cookers offers full gas or full electric professional twin oven models with a substantial main oven and a useful second oven, or a single large capacity oven.



Useful accessories

Useful accessories such as plate warmer racks and space saver shelves make CDA range cookers the perfect choice for keen cooks.

The RV1200 range cooker is provided with an aluminium pastry plate, as shown below. Please see the accessory section for our full range of optional accessories



Quick guide to range cookers

Our collection of range cookers offers a wide variety of sizes and configurations:

- •All gas, all electric or dual fuel models available.
- •Sizes from 70cm to 120cm wide.
- •One, two or three oven cavities.
- •Five or six hob burners or zones, with an additional griddle plate hob available.

Our all gas range cooker has:

- Automatic ignition.
- •Flame failure a feature designed to close off the gas supply in the event that a burner is accidentally extinguished.
- •LPG conversion kit included.



70cm wide



RV701

- Dual fuel
- 5 burner gas hob
- Twin cavity oven, 2/4 functions
- Stainless steel

More details on p14

100cm wide



RV1002

- Dual fuel
- 6 burner gas hob
- Twin cavity oven, 8/5 functions
- Stainless steel

More details on p19



RV1061

- All electric
- 5 zone ceramic hob
- Twin cavity oven, 8/5 functions
- Stainless steel

More details on p20

90cm wide



RC9322

- All gas
- 6 burner gas hob
- Twin cavity oven, 3/5 functions
- Stainless steel

More details on p15



RV911

- Dual fuel
- 5 burner gas hob
- Single cavity oven, 8 functions
- Stainless steel

More details on p16



- Dual fuel
- 5 burner gas hob
- Twin cavity oven, 8/5 functions
- Stainless steel

RV921

More details on p17



RV961

- All electric
- 5 zone ceramic hob
- Twin cavity oven, 8/5 functions
- Stainless steel

More details on p18

120cm wide



RV1200

- Dual fuel
- 5 burner gas hob and ceramic griddle
- Triple cavity ovens, 8/4/4 functions
- Stainless steel

More details on p21

RV701 70cm twin cavity range cooker, electric ovens, gas hob





main oven

Hob features

- 5 burners
- Wok burner
- Automatic ignition
- Cast iron pan supports Rear back guard
- Flame failure included

Oven features

- · Easy clean enamel interior
- Cooling fan
- Interior halogen lights
- Chromed rack sides with integrated anti-tilt shelves
- Touch control programmable electronic clock/timer
- Double glazed door with removable inner door glass for easy cleaning
- Removable doors
- Main oven side opening door
- Second oven drop down door

Other features

Adjustable feet

Accessories

- Cast iron wok support 2 flat shelves
- 1 space saver shelf
- 1 grill pan with grid 2 grill pan handles
- LPG conversion kit included

Optional accessories

- Griddle, RG1-E
- Telescopic shelf kit (main oven only), TSK1
- Catalytic liners (for main oven only), C5OL
- · Catalytic liners (for second oven only), C6OL
- Pizza stone, ACG10
- Glass oven tray, ACG20

Available in

Stainless steel

Hob specification

- Front left, auxiliary: 1kW
- Front right, rapid: 3kW
- Centre, wok: 3.5kW
- Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW

Technical specification

- · Main oven useable capacity: 53L net
- Second oven useable capacity:
- Rated gas input: 11kW


35L net

- Rated electrical power: 4.28kW
- Power supply required: 20A

Energy efficiency rating

- Energy rating (main oven): A
- Energy rating (Second oven): A







RC9322 90cm twin cavity range cooker, gas ovens, gas hob





main oven

second oven

Hob features

- 6 burners
- Wok burner
- Automatic ignition
- Cast iron pan supports
- Rear back guard
- · Flame failure included

Oven features

- · Easy clean enamel interior
- Cooling fan
- Interior halogen lights
- · Chromed rack sides with integrated anti-tilt shelves
- Minute minder
- Double glazed doors with removable inner door glass for easy cleaning
- · Second oven:
- rotisserie can operate with either grill or oven functions

Other features

- Adjustable feet
- Storage compartment

Accessories

- Cast iron wok support
- · Removable heat deflectors
- 2 + 1 flat shelves
- 2 grill pans with grids
- 2 grill pan handles
- 1 rotisserie kit
- · LPG conversion kit included

Optional accessories

- Griddle, RG1-E
- Catalytic liners (for main oven only), C3OL
- Pizza stone, ACG10

Available in

Stainless steel

Hob specification


- Front left, wok: 3.5kW
- Front centre, auxiliary: 1kW Front right, auxiliary: 1kW
- Rear left, semi-rapid: 1.75kW
- · Rear centre, rapid: 3kW • Rear right, semi-rapid: 1.75kW

Technical specification

- Main oven useable capacity: 67L net
- · Second oven useable capacity: 41L net
- Rated gas input: 17.9kW
- Rated electrical power: 100W
- Power supply required: 3A







RV911 90cm single cavity range cooker, electric oven, gas hob



Hob features

- 5 burners
- Wok burner
- Automatic ignition
- Cast iron pan supports
- Flame failure included

Oven features

- Easy clean enamel interior
- Cooling fan
- Interior halogen lights
- Chromed rack sides with integrated anti-tilt shelves
- Touch control programmable electronic clock/timer
- Triple glazed door with removable inner door glass for easy cleaning
- Removable door

Other features

- Adjustable feet
- Storage compartment

Accessories

- · Cast iron wok support
- 2 flat shelves • 1 grill pan with grid
- LPG conversion kit included

Optional accessories

- Griddle, RG1-E
- · Pizza stone, ACG10

Available in

Stainless steel



Technical specification


- Oven useable capacity: 103L
- Rated gas input: 13.2kW
- Rated electrical power: 3.38kW
- Power supply required: 16A

Energy efficiency rating

• Energy rating: A







RV921 90cm twin cavity range cooker, electric ovens, gas hob



Hob features

- 5 burners
- Wok burner
- Automatic ignition
- Cast iron pan supports
- Flame failure included

Oven features

- Easy clean enamel interior
- Cooling fan
- Interior halogen lights
- · Chromed rack sides with integrated anti-tilt shelves
- Touch control programmable electronic clock/timer · Triple glazed doors with
- removable inner door glass for easy cleaning Removable doors

Other features

- Adjustable feet
- Storage compartment

Accessories

- Cast iron wok support
- 2 + 2 flat shelves
- 2 grill pans with grids
- · LPG conversion kit included

Optional accessories

- · Griddle, RG1-E
- Pizza stone, ACG10

Available in

Stainless steel

Hob specification

- Front left, rapid: 3kW • Front right, rapid: 3kW
- Centre, wok: 3.7kW
- Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW


Technical specification

- Main oven useable capacity: 63L net
- Second oven useable capacity: 32L net
- Rated gas input: 13.2kW
- Rated electrical power: 4.35kW
- Power supply required: 20A


Energy efficiency rating

- Energy rating (main oven): A
- Energy rating (second oven): B









RV961 90cm twin cavity range cooker, electric ovens, ceramic hob



Hob features

- 5 zones including 2 dual zones
- Residual heat indicators

Oven features

- · Easy clean enamel interior
- Cooling fan
- Interior halogen lights
- Chromed rack sides with integrated anti-tilt shelves
- Touch control programmable electronic clock/timer
- Triple glazed door with removable inner door glass for easy cleaning
- Removable doors

Other features

- Adjustable feet
- Storage compartment

Accessories

- 2 + 2 flat shelves
- 2 grill pans with grids

Optional accessories

· Pizza stone, ACG10

Available in

· Stainless steel

Hob specification

- Front left:
- 140mm: 1.1kW - 210mm: 2kW
- Front right, 140mm: 1.2kW
- · Rear left, 140mm: 1.2kW
- Rear right, 180mm: 1.8kW
- · Centre, dual:
- 140mm: 1.1kW
- 250mm: 2kW

Technical specification

- Main oven useable capacity: 63L net
- Second oven useable capacity: 32L net
- Rated electrical power: 12.78kW
- Power supply required: 45A

Energy efficiency rating

- Energy rating (main oven): A
- Energy rating (second oven): B

The 63L capacity in the main oven allows plenty of room to cater for large roasting joints, plus all the trimmings. A second oven provides the flexibility to cook desserts and starters simultaneously.



RV1002 100cm twin cavity range cooker, electric ovens, gas hob



Hob features

- 6 burners
- Wok burner
- Automatic ignition
- Cast iron pan supports
- Rear back guard
- Flame failure included

Oven features

- · Easy clean enamel interior
- Cooling fan
- Interior halogen lights
- · Chromed rack sides with integrated anti-tilt shelves
- Touch control programmable electronic clock/timer
- Double glazed door with removable inner door glass for easy cleaning
- Removable doors

Other features

- Adjustable feet
- Storage drawer

Accessories

- Cast iron wok support
- 2 space saver shelves
- 2 grill pans with grids
- 2 grill pan handles
- 1 rotisserie kit
- · Plate warmer rack/shelf for second oven
- LPG conversion kit included

Optional accessories

- Griddle, RG1-E
- · Catalytic liners (for main oven only), C3OL
- Pizza stone, ACG10
- Glass oven tray, ACG20

Available in

- Stainless steel
- Hob specification
- Front left, triple-ring/wok:
- 3.5kW • Front centre, auxiliary: 1kW
- Front right, triple-ring/wok:
- 3.5kW • Rear left, semi-rapid: 1.75kW
- Rear centre, rapid: 3kW • Rear right, semi-rapid: 1.75kW


Technical specification

- Main oven useable capacity:
- Second oven useable capacity: 45L net
- Rated gas input: 14.5kW
- Rated electrical power: 3.79kW
- Power supply required: 20A

Energy efficiency rating

- Energy rating (main oven): B
- Energy rating (second oven): B







RV1061 100cm twin cavity range cooker, electric ovens, ceramic hob





Hob features

- 12 power levels on dual zones
- 6 power levels on single zones
- Rear back guard
- · Residual heat indicators

Oven features

- · Easy clean enamel interior
- Cooling fan
- Interior halogen lights
- Chromed rack sides with integrated anti-tilt shelves
- Touch control programmable electronic clock/timer
- Double glazed door with removable inner door glass for easy cleaning
- Removable doors

Other features

- Adjustable feet
- Storage drawer

Accessories

- 2 grill pans with grids
- 2 grill pan handles
- 2 space saver shelves • 1 plate warmer rack/shelf
- 1 rotisserie kit

Optional accessories

- Pizza stone, ACG10
- Catalytic liners (for main oven only), C3OL
- Glass oven tray, ACG20

Available in

Stainless steel


- Hob specification
- Front left, 180mm: 1.7kW
- Front right, 145mm: 1.2kW
- · Centre, dual:
- 140mm: 1.1kW
- 250mm: 2.0kW
- · Rear left, 145mm; 1.2kW
- · Rear right, dual: - 120mm: 0.75kW
- 210mm: 2.2kW

Technical specification


- Main oven useable capacity: 70L net
- Second oven useable capacity: 45L net
- Rated electrical power: 12.1kW
- Power supply required: 45A

Energy efficiency rating

- Energy rating (main oven): B
- Energy rating (second oven): B









RV1200 120cm triple cavity range cooker, electric ovens, gas hob and ceramic griddle











second oven (lower left)

Hob features

- 5 gas burners and one ceramic griddle zone
- 12 power levels on griddle zone
- Wok burner
- Automatic ignition
- Cast iron pan supports
- Rear back guard
- · Flame failure included

Oven features

- · Easy clean enamel interior
- Cooling fan
- Interior halogen lights
- · Chromed rack sides with integrated anti-tilt shelves
- · Touch control programmable electronic clock/timer
- · Double glazed door with removable inner door glass for easy cleaning
- · Removable doors

Other features

- Adjustable feet
- Storage drawer

Accessories

- Cast iron wok support
- 2 flat shelves
- 2 space saver shelves • 2 grill pans with grid
- 2 grill pan handles
- 1 aluminium pastry plate
- · LPG conversion kit included

Optional accessories

- · Griddle, RG1-E Catalytic liners (main and second
- ovens), C5OL
- Pizza stone, ACG10
- Glass oven tray, ACG20

Available in

Stainless steel

Hob specification

- Front left, triple-ring/wok: 3.5kW
- Front right, triple-ring/wok: 3.5kW
- · Centre left gas, dual: 4.5kW
- · Centre right, ceramic griddle: 13kW
- Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW


Technical specification

- Top left oven useable capacity: 37L net
- · Lower left oven useable capacity: 59L net
- Top right oven useable capacity: 59L net
- Rated gas input: 15kW
- Rated electrical power: 7.9kW
- Power supply required: 32A

Energy efficiency rating

- Energy rating (main oven): A
- Energy rating (second oven): A
- Energy rating (third oven): A









Single ovens

Our expertise in appliance manufacture means that whichever of our many stylish models you choose, you can be certain of high performance, advanced technology and, of course, reliability.

We understand that your oven needs to do more than just cook food well. That's why we've combined stunning new designs with the best cooking performance possible. With our wide range of ovens, including pyrolytic, touch control and gas models, you are guaranteed to find the perfect oven for your home.



Stylish aesthetics

Our range of single ovens offers considered design features that will complete your kitchen perfectly. From ergonomically designed control knobs to brushed steel finish door handles and side strips, whichever model you choose, you can be sure that every detail has been deliberated to bring you the best in function and style.

Large capacity ovens

CDA's range of single ovens, SK110, SK210, SK310 and SK410, features an extra-large cavity with a gross capacity of 80L. In real terms, this extra usable cooking space, plus additional shelf positions, will allow you to achieve better cooking results with more food in the oven at the same time.

The range features an energy rating of A and built in safety features, such as anti-tilt shelving to reduce accidents removing hot food from the oven, as standard.

With extra shelf positions available on the SK110, SK210, SK310 and SK410 oven models, up to 6 trays of cookies may be baked at once. This extra space means that you will also have no problem roasting a joint of meat, potatoes and vegetables together for a special family meal.



Cutting edge style, performance and reliability



Self-cleaning

Spend less time on chores by chosing a pyrolytic oven. The self-cleaning programme will allow you to get on with other things whilst your oven 'cleans itself'. The programme works by automatically locking the door, for your family's safety, and heating the internal oven cavity to over 450°C to incinerate residual cooking fat or spills to a fine ash. All you need to do is simply wipe the small amount of ash from the bottom of your oven away after the cycle has finished. What's more, running a pyrolytic programme costs around 45p; much cheaper than branded oven cleaners.



Offset lateral halogen lights

The halogen lighting inside the SK310 and SK410 models provides clear illumination whilst cooking, allowing you to easily check the progress of your meal. By removing the need to open the oven door during cooking, an even temperature can be maintained to produce perfect results every time.

Easy clean enamel interior

Our ovens have a smooth, easy clean enamel interior. By using the highest grades of enamel during production, the oven walls are less porous and therefore much less susceptible to absorbing grease and residue from food whilst cooking; this results in an easy to maintain oven with effortless cleaning.




Cool door with removable glass

Our single and double oven range comes with removable door glass for easy cleaning and maintenance. With double glazed doors as standard the range also includes triple and quadruple glazed models, these are cool to the touch even whilst cooking at high temperatures.



Our touch control models, the SK470, SK570, VC801, VK702 and VK902, have discrete icons that are illuminated and clearly visible when in use but barely noticeable when not, leaving an uninterrupted clean line across your integrated CDA appliances.



4 | www.cda.eu | 2

Quick guide to single ovens

CDA offer a choice of designs and features to meet a broad range of tastes.

Products with this icon have a huge 80L gross capacity providing plenty of room to cook for the whole family.





- 5 function gas oven
- Capacity: 54L net · Available in stainless steel or

More details on p28




SC620

- 7 functions
- · Reversible side opening
- Capacity: 59L net



- More details on p28





- Full touch control
- · Capacity: 76L net
- More details on p31



SK510

- 11 functions
- Full touch control

- · Available in stainless steel or



- Pyrolytic
 - Capacity: 59L net

More details on p32





SK381

- 8 functions
- 90cm extra wide capacity
- · Capacity: 87L net More details on p35



SK110

- 4 functions
- Capacity: 76L net More details on p29



SK210

- 4 functions



- Capacity: 76L net More details on p29
- SK310
- 7 functions
- Capacity: 76L net Available in stainless steel or

More details on p30





SK451

- 11 functions
- · Full touch control
- Eco-clean
- Capacity: 65L net More details on p33



- 8 functions
- Touch control programmer
- Capacity: 53L net
- More details on p34



SG120 Five function gas oven







Features

- 60 minute minder
- Easy clean enamel interior
- Interior light
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- · Double glazed removable door with removable inner glass for easy cleaning
- Flame failure included

Accessories

- 2 flat oven shelves
- 1 grill pan with grid
- · LPG conversion kit included

Optional accessories

- · Pizza stone, ACG10
- Glass oven tray, ACG20


Available in

- Stainless steel
- White

Technical specification

- Rated gas input: 2.7kW
- Rated electrical power: 60W
- Power supply required: 3A
- Total useable capacity: 54L net







Stainless steel





SC620 Seven function electric side opening multi-function oven















Supplied with a reversible magnetic close door

Features

- · Touch control programmable clock/timer
- Easy clean enamel interior
- · Interior halogen light
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Triple glazed removable cool door with removable inner glass for easy cleaning
- · Reversible side opening door

Accessories

- 2 flat oven shelves
- 1 grill pan with grid

Optional accessories

- · Pizza stone, ACG10
- Glass oven tray, ACG20

Available in

Stainless steel

Technical specification

- · Rated electrical power: 2kW
- · Power supply required: 13A
- Total useable capacity: 59L net

SK110 Four function electric fan oven

$\times \otimes \square \nabla$

Features

- · Easy clean enamel interior
- Interior halogen light
- · Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- · Double glazed removable door with removable inner glass for easy cleaning
- 6 shelf positions


Accessories

- 2 flat oven shelves
- 1 grill pan with grid

Optional accessories

- Telescopic shelf kit TSK3
- Pizza stone ACG10 Glass oven tray ACG20

Available in Stainless steel



Technical information

- Rated electrical power: 2.16kW
- Power supply required: 13A
- Total useable capacity: 76L net



Single

ovens





With a huge 80L gross capacity, the SK110, SK210, SK310 &SK410 models provide plenty of room to cook for the whole family.

SK210 Four function electric fan oven













Features

- · Touch control programmable clock/timer
- · Easy clean enamel interior
- · Interior halogen light
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- · Double glazed removable door with removable inner glass for easy cleaning
- · 6 shelf positions

Accessories

- 2 flat oven shelves
- 1 grill pan with grid

Optional accessories

- Telescopic shelf kit TSK3
- Pizza stone ACG10
- Glass oven tray ACG20

Available in

Stainless steel

Technical information

· Rated electrical power:

Power supply required: 13A

• Total useable capacity: 76L net

2.16kW

Brushed stainless steel side strips add the perfect finishing touch to our single oven range, providing clean lines and framing the black glass design.

SK310 Seven function electric multi-function oven







Stainless steel





- Touch control programmable clock/timer
- Easy clean enamel interior · Offset lateral halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Triple glazed removable cool door with removable inner glass for easy cleaning
- · 6 shelf positions

Accessories

- 2 flat oven shelves
- 1 grill pan with grid

Optional accessories


- Telescopic shelf kit TSK3
- Pizza stone ACG10
- Glass oven tray ACG20

Available in

- Stainless steel
- Black

Technical information

- Rated electrical power: 2.16kW
- Power supply required: 13A
- Total useable capacity: 76L net



SK410 Ten function electric multi-function LCD oven





Where you see products featuring 'offset lateral halogen lights' we have positioned lights on both sides of the oven cavity. This provides superb illumination across all the oven shelves.





Features

- Full touch control
- LCD display
- · Easy clean enamel interior
- Offset lateral halogen lights Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Triple glazed removable cool door with removable inner glass for easy cleaning
- Booster function for rapid preheat
- Safety key lock

- Memory function
- 6 shelf positions

Accessories

- 2 flat oven shelves • 1 grill pan with grid

Optional accessories


- Telescopic shelf kit TSK3
- Pizza stone ACG10 Glass oven tray ACG20

Available in

Stainless steel

Technical information

- Rated electrical power: 3.1kW
- Power supply required: 13A
- Total useable capacity: 76L net



Top tip The SK451 comes with a useful

temperature probe that will

automatically turn off the oven once

thoroughly.

Self-cleaning

The SK510 has a handy pyrolytic 'self-cleaning' function. Be sure to remove your oven shelves before running the programme to avoid discolouration of the chrome under the high cleaning temperature

SK510 Eleven function LCD pyrolytic oven





The SK510 pyrolytic oven is fitted with a quadruple glazed cool door for safety. The door will automatically lock during the programme to prevent accidentally opening the oven at such a high temperature giving peace of mind during the cleaning cycle.



Black

Stainless steel



Features

- Full touch control
- LCD display
- · Interior halogen light
- Cooling fan
- Safety lock for pyrolytic cleaning functions
- Quadruple glazed removable cool door with removable inner glass for easy cleaning
- · Easy clean enamel interior
- Chromed rack sides with integrated anti-tilt shelves

- Booster function for rapid preheat
- Safety key lock
- Memory function

Accessories

- 2 flat oven shelves
- 1 grill pan with grid

Optional accessories


- Pizza stone ACG10
- Glass oven tray ACG20

Available in

- Stainless steel
- Black

Technical specification

- · Rated electrical power: 3.1kW
- Power supply required: 13A
- Total useable capacity: 59L net



the preselected core temperature of the food has been reached; this is perfect for achieving your preference of roasted meat or to ensure that poultry is cooked

SK451 Eleven function electric multi-function oven





Using the eco-clean programme, the SK451 will heat the cavity to around 250°C loosening grease effectively, avoiding the need for harsh oven cleaner chemicals and unnecessary hard work. Combining this non-invasive programme with the fitted catalytic liners, your oven will stay clean and use minimal energy in the process.



Features

- · Full touch control
- Easy clean enamel interior with catalytic liners
- Offset lateral halogen lights
- Cooling fan
- Triple glazed removable cool door with removable inner glass for easy cleaning
- Defrost function (40°C to 60°C)
- Booster function for rapid preheat
- Programmable recipe function
- Eco-clean function
- Safety key lock

Accessories

- Catalytic liners
- 2 flat oven shelves
- 1 grill pan with grid • Temperature probe

Optional accessories

- · Catalytic liners, C12OL
- Pizza stone, ACG10 Glass oven tray, ACG20
- Available in

Stainless steel

Technical specification

- Rated electrical power: 3.5kW
- Power supply required: 16A
- Total useable capacity: 65L net

⇒ = airflow

with 90cm units and doors to create a true linear effect.

6Q5 Eight function electric Q-style multi-function oven





Co-ordinating products

This oven matches the 4Q4 and 4Q5 hobs as well as the EVQ7 extractor.



- Touch control programmable clock/timer
- Easy clean enamel interior Lateral halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Drop down grill
- Triple glazed removable cool door with removable inner glass for easy cleaning

Accessories

- 1 flat oven shelf
- 1 space saver oven shelf
- 1 glass oven tray
- 1 grill pan with grid
- 2 grill pan handles
- Telescopic shelf kit

Optional accessories


- Catalytic liners, C100L
- Pizza stone, ACG10
- Glass oven tray, ACG20

Available in

Stainless steel

Technical specification

- Rated electrical power: 2.35kW
- Power supply required: 13A
- Total useable capacity: 53L net



SK381 90cm eight function electric multi-function oven



This 90cm wide oven provides a huge internal net capacity of 87L - ideal for entertaining or large families. Three chickens can cook side by side on one shelf.





- Touch control programmable clock/timer
- Extra large cavity
- Easy clean enamel interior
- Twin interior halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable door with removable inner glass for easy cleaning

Accessories

- 1 flat oven shelf
- 1 space saver oven shelf
- 1 grill pan with grid
- 2 grill pan handles

Optional accessories


- Catalytic liners (3 piece), C9OL Pizza stone, ACG10
- Glass oven tray, ACG20

Available in

Stainless steel

Technical specification

- Rated electrical power: 3.05kW
- Power supply required: 16A
- Total useable capacity: 87L net





Build your personalised cooking space by combining any of our compact appliances. Choose from steam and grill, combination microwave grill, fan oven or warming drawers to suit your needs.

Steam cooking

Cooking with steam preserves flavour, vitamins and minerals. Our steam oven makes the process easy and has a refillable reservoir removing the need for connection to the mains water supply.



Compact ovens

Our compact range offers a steam oven and a compact combination model. The VK902 provides a grill, microwave and a fan oven all in one neat space, making it the perfect choice for kitchens where space is limited.

Drawer

A warming drawer is ideal for warming plates, proving bread, melting chocolate, making yoghurt or keeping dishes and cooked food warm. These are so useful that once you've had one you'll never want to do without! As well as warming drawers, we also offer an innovative grill drawer with regulated control and a 30 minute timer-perfect for healthier integrated cooking.





Compact coffee maker

The VC801 automatic coffee maker will make mornings worth waking up for. This built-in 60cm coffee maker brings CDA's sleek styling into your kitchen design whilst offering superb features and functions. It comes with full touch control, multiple grind settings along with adjustable coffee strength and quantity for your perfect hot drink. You can use coffee beans or pre-ground coffee with this machine making it truly flexible to your lifestyle.


Quick guide to compact cooking and microwaves

These versatile compact appliances look stunning when installed together as a bank. Install warming drawers beneath for ultimate cooking flexibility.

We have a choice of microwaves to suit your requirements - freestanding or built-in options are available.

Compact refrigeration

Please see our refrigeration section for the following compact refrigeration products:



· Built-in compact wine cooler - See page 135.



BVB4

• Built-in draught beer dispenser - See page 137.

Microwaves



VM100

- Freestanding microwave
- LED timer and clock
- · Quick start More details on p46



VM200

- Freestanding microwave oven and grill
- LED timer and clock
- Quick start
- More details on p46

Microwaves



VM130

- Built-in microwave oven
- LED timer and clock
- Quick start
- · Available in stainless steel or black

More details on p47



VM230

- Built-in microwave oven and
- LED timer and clock
- Quick start
- · Available in stainless steel or black

More details on p47

Compact appliances



VK702

- Compact steam oven and grill
- Full touch control
- More details on p40



VK902

- LED display

- Compact combination microwave, grill and fan oven · Full touch control
- · LED display

More details on p40

Drawers



VW141

- · Warming drawer
- 6 place settings
- Variable temperature
- Smooth runners
- · Non-slip silicone mat More details on p43



VW152

- Push-push warming drawer
- 6 place settings
- Variable temperature
- Smooth runners
- · Non-slip silicone mat More details on p44

Microwaves



VM451

- Built-in microwave oven, grill and convection oven
- · LED timer and clock
- Auto defrost

More details on p48



VM550

- · Wall unit microwave oven
- LED timer and clock
- Auto defrost

More details on p49

Compact appliances



VC801

- · Compact coffee maker
- 3 coffee strength settings
- Touch control

More details on p41

Drawers



VW281

- · Large warming drawer
- 12 place settings
- Variable temperature Smooth runners
- Non-slip silicone mat
- More details on p45



VW601

- Grill drawer
- Regulated temperature control
- · Smooth runners

More details on p42

VK702 Compact steam oven and grill





Features

- Full touch control
- LED display
- · Interior lateral halogen light
- Stainless steel interior
- Variable temperature
- Variable grill
- Removable 1L water reservoir
- 8 auto-cook programmes
- · Programmable clock/timer Double glazed removable door with removable inner door
- glass for easy cleaning Safety key lock

Accessories

- · Stainless steel steam cooking
- Trivet
- Wire shelf

Available in


Stainless steel

Technical specification • Total useable capacity: 32L net

- Rated electrical power: 31kW
- · Power supply required: 13A

Fitting note

· Should be installed as a built-in appliance.



VK902 Compact combination microwave, grill and fan oven

perfect for gentle defrosting



Features


- Full touch control
- LED display
- 6 microwave power levels -900W max
- Interior light
- Auto defrost
- · Programmable clock/timer
- Cooling fan
- · Double glazed removable door
- Safety key lock

Accessories

- Wire shelf
- Glass turntable 360mm diameter
- · Turntable ring
- Trivet and grill pan

Available in

Stainless steel



Technical specification

- · Total useable capacity: 40L net
- Rated electrical power: 1.19kW
- Power supply required: 13A

Fitting note

 Should be installed as a built-in appliance.



Not only does the VC807 allow you to adjust coffee strength, cup size and grind settings to your taste, its 'bean to cup' single process grinds fresh coffee beans and dispenses perfect coffee in one motion to ensure maximum freshness.

VC801 Fully automatic coffee maker



Features


- Fully automatic
- Full touch control
- Electronic programmer with LCD display
- 3 coffee strength settings
- Steam nozzle
- One or two cups
- · Compatible with ground coffee and coffee beans
- Hot water and steam
- Integral water tank: 1.8L Integral coffee container: 0.2kg
- Low coffee warning
- Low water warning
- · Removable drip tray
- Adjustable grind setting
- · Integrated coffee grinder

Available in

Stainless steel


Technical specification

- Rated electrical power: 1.35kW
- Power supply required: 13A
- Pump pressure: 15Bar





Adjustable coffee dispenser



VW601 Grill drawer

Features

- Cooling fan
- Temperature regulated control
- Variable grill
- Smooth, soft close runners
- Power indicator light
- 30 minute timer
- Removable drawer

Available in

Stainless steel



Removable grill tray


Technical specification

- Rated electrical power: 1.83kW
- Power supply required: 13A





This versatile grill drawer is designed to be used beneath a compact cooking appliance.



VW141 Warming drawer

Features

- Fan heat
- Temperature adjustable from 30°C to 80°C
- 6 place settings
- Smooth runners
- Non-slip silicone mat
- Power indicator light


Available in


Stainless steel

Technical specification

- Rated electrical power: 432W
 max
- Power supply required: 3A
- Maximum capacity: 25kg







VW152 Push-push warming drawer

Features

• Fan heat

• Temperature adjustable from 40°C to 80°C

- 6 place settings
- Smooth runners
- Non-slip silicone mat
- Power indicator light
- Push-push opening


Available in

Stainless steel

Technical specification

- Rated electrical power: 0.44kW
- Power supply required: 3A
- Maximum capacity: 20kg





VW281 Large warming drawer

Features

- Fan heat
- Temperature adjustable from 30°C to 80°C
- 12 place settings
- Smooth runners
- Non-slip silicone mat
- Power indicator light


Available in

Stainless steel

Technical specification

- Rated electrical power: 432W max
- Power supply required: 3A
- Maximum capacity: 25kg









Features


- Auto defrost Quick start
- LED timer
- 5 microwave power levels -900W max
- Interior lateral light
- Acoustic end of programme signal
- · Left hand hinged door
- Safety key lock

Accessories

- Glass turntable 315mm diameter
- Turntable ring

Available in

Stainless steel



Technical specification

• Total useable capacity: 25L net

• Rated electrical power: 1.45kW

Power supply required: 13A

VM200 Freestanding microwave oven and grill

Technical specification

• Total useable capacity: 25L net

Rated electrical power: 1.45kW

Power supply required: 13A

Features

- Microwave function
- Grill function
- Microwave/grill function
- Auto defrost
- Quick start
- LED timer and clock
- 5 microwave power levels -900W max
- Grill rating 1kW
- Interior lateral light
- Acoustic end of programme
- Left hand hinged door
- Safety key lock


Accessories

- Glass turntable 315mm diameter
- Turntable ring
- Trivet

Available in

Stainless steel





VM130 Built-in microwave oven



Stainless steel



Black

Features

- Auto defrost
- Quick start
- LED timer
- 5 microwave power levels -900W max
- Interior lateral light
- Acoustic end of programme
- · Left hand hinged door

Safety key lock

Accessories

- Glass turntable 315mm diameter
- Turntable ring

Available in

- Stainless steel
- Black

Technical specification

- Total useable capacity: 25L net
- Rated electrical power: 1.45kW
- Power supply required: 13A

⇒ = airflow

VM230 Built-in microwave oven and grill

Features

Microwave function

- Grill function
- Microwave/grill function
- Auto defrost
- Quick start
- LED timer and clock
- 5 microwave power levels -900W max
- Grill rating 1kW
- Interior lateral light
- Acoustic end of programme
- · Left hand hinged door
- Safety key lock

Accessories

- Glass turntable 315mm diameter
- Turntable ring
- Trivet

Available in


- Stainless steel
- Black




- Rated electrical power: 1.45kW
- Power supply required: 13A



Stainless steel





VM451 Built-in microwave oven, grill and convection oven

Features

- Microwave function
- Grill function
- Convection oven function
- Microwave/grill function
- Microwave/convection oven function
- Grill/convection function
- Combination cooking function
- Auto defrost
- 10 auto-cook programmes
- Quick start
- LED timer and clock5 microwave power levels -
- 900W max
 Grill rating 1.1kW
- · Convection oven rating -
- 2.5kW (maximum temperature on convection programme is 220°C)
- Interior lateral light
- Acoustic end of programme signal
- Left hand hinged door
- Safety key lock

Accessories

- Glass turntable 315mm diameter
- Turntable ring
- Trivet

Available in

Stainless steel

Technical specification

- Total useable capacity: 25L net
- Rated electrical power: 2.5kW
- Power supply required: 13A

Please note

- This microwave oven has a convection oven function but is not intended to be used as a substitute for a standard oven.
- Not suitable for built-under worktop fitting.



$\frac{45}{560+8}$ $\frac{380+2}{550}$ min $\frac{380+2}{594}$ = airflow

VM550 Wall unit microwave oven

Features

- Microwave function
- Manual defrost
- Auto defrost
- 8 auto-cook programmes
- Quick start
- LED timer and clock
- 5 microwave power levels -700W max
- Interior lateral light
- Acoustic end of programme signal
- Left hand hinged doorSafety key lock
- Salety Key lock

Accessories

- Glass turntable 245mm diameter
- Turntable ring

Available in

Stainless steel


Technical specification

- Total useable capacity: 17L net
- Rated electrical power: 1.05kW
- Power supply required: 5A

Please note

 Not suitable for built-under worktop fitting.







Programmable timers on all double oven models allow you to automate cooking times, leaving you to get on with everything else.

DC740 and DC940 double ovens

Choose between the DC740 & DC940 for useful extra cooking space at either an under counter 'built-under' or eye level 'built-in' height and design your cooking space around you.



DK1151 double tower oven

Our double tower oven, the DK1151 offers the flexibility of two full size single oven cavities combined into one appliance. What's more, each oven may be individually controlled and comes with full multi-function cooking options.





DK751, DK951 and DK1151 double ovens

The DK751, DK951 & DK1151 models sharpen up the styling with black glass that is opaque until the internal light is switched on, providing uninterrupted clean lines throughout your kitchen when you are not cooking. With multi-function main ovens on these models you will have more flexibility in cooking style at your fingertips.



9Q6 Q-style double oven

Our Q-style double oven can be matched to a four or five burner gas hob and a stunning circular extractor which are all designed to perfectly complement each other.

Quick guide to double ovens

The CDA range of double ovens includes both built-in and built-under models to suit your kitchen.

All double ovens are A rated in both oven cavities.



DC740

- Built-under
- 4/3 functions
- Touch control programmer
- · Available in stainless steel, white and black

More details on p54



DC940

- Built-in
- 4/3 functions
- · Touch control programmer
- Available in stainless steel, white and black

More details on p55

Choose from either a built-in double oven, to install ? and cook at eye level, or a built-under model that fits beneath your worktop making the most of low fits beneath your world-op making the most of low level space.



DK751

- Built-under
- 3/8 functions
- Touch control programmer More details on p56



DK951

- Built-in
- 3/8 functions
- · Touch control programmer More details on p57



- · Built-in tower oven
- 8/8 functions
- · Touch control programmer More details on p58



- Built-in
- 3/10 functions
- · Touch control programmer More details on p59



DK1151

9Q6

DC740 Built-under electric double oven









Features

- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Removable doors
- Double glazed doors
- Main oven
- Touch control programmable electronic clock/timer

Accessories

- Grill pan with grid
- 3 flat oven shelves

Optional accessories

- Pizza stone, ACG10
- Glass oven tray, ACG20

Available in

- Stainless steel
- Black
- White

Technical specification

- Top oven useable capacity: 34L net
- Main oven useable capacity: 50L net
- Rated electrical power: 4.3kW
- Power supply required: 20A

Fitting note

 Please ensure you check that there is sufficient clearance above built-under ovens when fitting the relevant hob.







Stainless steel





Black

DC940 Built-in electric double oven







top oven

Features

- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Removable doors
- · Double glazed doors
- Main oven
- Touch control programmable electronic clock/timer

Accessories

- Grill pan with grid
- 3 flat oven shelves

Optional accessories

- Pizza stone, ACG10
- Glass oven tray, ACG20

Available in

- Stainless steel Black
- White

Technical specification

- Top oven useable capacity: 34L net
- Main oven useable capacity: 59L net
- Rated electrical power: 4.3kW
- Power supply required: 20A






Stainless steel

Black





24 (22 BL/WH)

DK751 Built-under electric double oven













top oven

Features

- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable doors with removable inner glass for easy cleaning
- Main oven
- Touch control programmable electronic clock/timer

Accessories

- 2 flat oven shelves
- 1 space saver oven shelf • 1 grill pan with grid
- 2 grill pan handles

Optional accessories

- · Catalytic liners (top oven only),
- Catalytic liners (main oven only), C7OL
- Pizza stone, ACG10
- Glass oven tray, ACG20

Available in

Stainless steel

Technical specification

- Top oven useable capacity: 37L net
- Main oven useable capacity: 50L net
- Rated electrical power: 4.08kW
- Power supply required: 20A

Fitting note

• Please ensure you check that there is sufficient clearance above built-under ovens when fitting the relevant hob.





DK951 Built-in electric double oven











top oven

Features

- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable doors with removable inner glass for easy cleaning
- Main oven
- Touch control programmable electronic clock/timer
- Lateral halogen light

Accessories

- 2 flat oven shelves
- 1 space saver oven shelf
- 1 grill pan with grid
- 2 grill pan handles

Optional accessories

- · Catalytic liners (top oven only), C6OL
- · Catalytic liners (lower oven only), C10OL
- Pizza stone, ACG10
- Glass oven tray, ACG20

Available in


Stainless steel

Technical specification

- Top oven useable capacity: 37L net
- Main oven useable capacity: 59L net
- Rated electrical power: 4.4kW
- Power supply required: 20A







DK1151 Built-in electric double tower oven













bottom oven





top oven

Features

- Easy clean enamel interior Interior halogen lights
- Lateral halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable doors with removable inner glass for easy cleaning
- Top oven
- Touch control programmable electronic clock/timer

Accessories

- 2 flat oven shelves
- 2 space saver oven shelves
- 2 grill pans with grids
- 2 grill pan handles

Optional accessories

- · Catalytic liners (2 required), C10OL
- Pizza stone, ACG10
- Glass oven tray, ACG20

Available in

Stainless steel


Technical specification

- Top oven useable capacity: 59L net
- Bottom oven useable capacity: 59L net
- Rated electrical power: 4.77kW
- Power supply required: 25A



This double tower oven has the capacity of two full size ovens, providing plenty of cooking space.





9Q6 Built-in electric designer double oven











top oven

Features

- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Removable door
- Top oven
- Double glazed cool door with removable inner glass for easy cleaning
- Main oven
- Full touch control (functions and programmer)
- Triple glazed cool door with removable glass for easy cleaning
- Drop down grill
- Lateral halogen light
- Booster programme for rapid preheat

Accessories

- 2 flat oven shelves
- 1 space saver oven shelf
- 1 glass oven tray
- 1 grill pan with grid
- 2 grill pan handles
- · Telescopic shelf kit (lower oven only)

Optional accessories

- · Catalytic liners (top oven only), C6OL
- · Catalytic liners (main oven only), C100L
- Pizza stone, ACG10
- Glass oven tray, ACG20

Available in

Stainless steel

Technical specification

- Top oven useable capacity: 37L net
- Main oven useable capacity: 59L net
- Rated electrical power: 5.6kW
- Power supply required: 25A








Co-ordinating products

The 9Q6 oven matches the EVQ7 extractor and the 4Q4 and 4Q5 hobs.



Hobs Everyone has their preference and we offer everything from bridging induction hobs to professional style gas hobs in sizes from domino to extra wide.

Look out for our bridging induction hots which allow you to turn two zones into one large induction surface, maximising your cooking space.



Induction hobs

Not only is an induction hob quick to reach temperature by transferring heat directly to the pan by electromagnetic induction, it also reduces the energy losses associated with heat escape making it more accurate to control. Choose induction for quicker cooking, an easy to clean hob surface and precision control.

The specific requirement for cooking on an induction hob is that only ferromagnetic pans will work (a magnet will stick to the base of the pan if it is compatible with induction hobs). High quality, flat based pans work best with induction and new pans will carry this symbol on the packaging to show they can be used:





Best of both

Combining the best of cooking on induction with gas, the HNG7410 bridges both technologies with 4 induction zones plus a single gas wok burner. The induction side includes a timer, slider controls and extra safety features making it perfect for family cooking. With the addition of a gas burner, this model becomes suitable for most types of cookware and cooking styles.

Ceramic hobs

Ceramic hobs are popular choices and are available in a wide range of sizes from 30cm through to 90cm. Choose between manual and touch control, also look out for dual and triple heating zones which are ideal for larger pans and stock pots.



Gas hobs

Options range from single or two burner domino hobs to professional style six burner models for maximum cooking space. Our Q-style range and gas on glass designs add an aesthetic wow factor to your kitchen.



Domino hobs

Combine multiple domino hobs to create a flexible work area with a variety of cooking styles. Choose from gas, ceramic, induction or even a ceramic griddle.



Quick guide to gas hobs

Our range of gas hobs offers a wide choice. This comprehensive collection includes 1 and 2 burner domino hobs. functional 4 burner hobs and stunning 5 and 6 burner hobs for the most professional kitchen.

We have included beautiful, solid cast iron pan supports as standard with most of our hobs, whilst the HCG301, HG6150 and HG6250 have enamelled pan supports if you prefer a dishwashable option.



All CDA gas hobs have automatic ignition and a flame failure device "Flame Safe," as standard.

Flame Safe is a feature designed to close off the gas supply in the event that a burner is accidentally extinguished.


Gas



HCG301

- 2 burners
- · Enamel pan support
- Front control

More details on p64



HG6150

- 4 burners
- · Enamel pan supports
- Side control

More details on p64

Gas



HG7500

- 4 burners
- · Cast iron pan supports
- 2 wok burners (1 dual control)
- Front control

More details on p66



HG9350

- 5 burners
- Cast iron pan supports
- Wok burner
- Front control

More details on p67

Gas on glass



HG3601

- · Single burner gas on alass
- · Cast iron pan support
- Wok burner
- Front control

More details on p69



- 2 burner gas on glass
- · Cast iron pan supports
- Front control

More details on p69

Gas on glass



HVG620

- 4 burner gas on glass
- · Cast iron pan supports
- Front control
- Available in stainless steel and black More details on p68



- **HVG720** • 5 burner gas on glass
- · Cast iron pan supports
- Wok burner
- Front control
- Available in stainless steel and black

More details on p68

Gas



HG6250

- 4 burners
- · Enamel pan supports
- Wok burner
- Front control
- · Available in stainless steel and

More details on p64



HG6350

- 4 burners
- · Cast iron pan supports
- Wok burner Front control

More details on p65



HG7250

- 5 burners
- Cast iron pan supports
- Wok burner
- Front control

More details on p65



HG7350

- 5 burners
- Cast iron pan supports
- Wok burner Front control

More details on p65

Gas



HG9320

- 6 burners
- · Cast iron pan supports
- Wok burner
- Side control

More details on p67

Gas on glass



HVG66

- 4 burner gas on glass
- · Cast iron pan supports
- Front control

More details on p69



HVG77

- 5 burner gas on glass



- Cast iron pan supports
- Wok burner
- Front control

More details on p70



HVG96

• 5 burner gas on glass

More details on p70

- Cast iron pan supports
- Wok burner

Front control



HVG93

- · 4 burner gas on glass
- Cast iron pan supports
- Wok burner
- Front control

More details on p70

Q-style



4Q4

- 4 burner
- Cast iron pan supports
- Front control

More details on p71



4Q5

- 5 burner · Cast iron pan supports
- Central wok burner
- Front control More details on p71



HCG301 Domino two burner gas hob

Features

- Front control
- Enamel pan support
- Automatic ignition
- Flame failure included

Accessories

· LPG conversion kit included

Optional accessories

Domino joint strip, AHJ30

Available in


Stainless steel

Technical specification

Burners:

- Front, semi-rapid: 1.75kW
- · Rear, rapid: 3kW
- Rated gas input: 4.75kW
- Rated electrical power: 1W • Power supply required: 3A





HG6150 Four burner gas hob

Features

- Side control
- Enamel pan supports
- Automatic ignition
- Flame failure included

Accessories

LPG conversion kit included

Available in


Stainless steel

Technical specification

Burners:

- Front left, rapid: 3kW
- Front right, auxiliary: 1kW
- Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 7.5kW
- Rated electrical power: 1W
- Power supply required: 3A







HG6250 Four burner gas hob

Features

- Front control
- Enamel pan supports
- Automatic ignition
- Flame failure included Wok burner

Accessories

· LPG conversion kit included

Available in

- · Stainless steel
- Black


Technical specification

- Front left, triple ring/wok:
- Front right, auxiliary: 1kW
- Rear right, semi-rapid: 1.75kW

• Rated gas input: 8.3kW

- Power supply required: 3A





Burners:

- 3 8kW
- Rear left, semi-rapid: 1.75kW

- Rated electrical power: 1W



HG6350 Four burner gas hob

Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure included Wok burner

Accessories

- Wok support
- LPG conversion kit included

Available in


- Stainless steel
- LPG gas version, HG6350LSS

Technical specification

Burners:

- Front left, triple ring/wok: 3.8kW
- Front right, auxiliary: 1kW
- Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 8.3kW
- Rated electrical power: 1W
- Power supply required: 3A







Hobs

HG7250 Five burner gas hob

Features

- Front control
- Cast iron pan supports
- Automatic ignition
- · Flame failure included
- Wok burner

Accessories

- Wok support
- · LPG conversion kit included


Available in

Black

Technical specification

Burners:

- Front left, rapid: 3kW
- Front right, auxiliary: 1kW
- · Centre, triple ring/wok: 3.8kW Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 11.3kW
- Rated electrical power: 2W • Power supply required: 3A





HG7350 Five burner gas hob

Features

- Front control Cast iron pan supports
- Automatic ignition
- Flame failure included Wok burner

Accessories

- Wok support
- · LPG conversion kit included

Available in

Stainless steel

Technical specification

Burners:


- Front left, semi-rapid: 1.75kW
- Front right, auxiliary: 1kW
- Centre, triple ring/wok: 3.8kW
- Rear left, semi-rapid: 1.75kW

• Rated gas input: 11.3kW

• Rear right, rapid: 3kW

• Rated electrical power: 2W • Power supply required: 3A







HG7500 Four burner gas hob

Features

- 2 wok burners (1 dual control)
- Front control
- Cast iron pan supports
- Automatic ignitionFlame failure included

Accessories

- Wok support (not shown)
- LPG conversion kit included


Available in

Stainless steel

Technical specification

Burners:

- Rear central, semi-rapid: 1.75kW
- Right, triple ring/wok: 3.5kW
- Front central, auxiliary: 1kW
- Left, dual burner: 4.2kW
- Rated gas input: 10.45kW
- Rated electrical power: 1WPower supply required: 3A
- . .





HG9350 Five burner gas hob

Features

- Wok burner
- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure included

Accessories

- Wok support
- · LPG conversion kit included

Available in


Stainless steel

Technical specification

Burners:

- Front central, auxiliary: 1kW
- Front right, semi-rapid burner:
 1.75kW
- Left, wok burner: 3.8kW
- Rear central, rapid burner: 3kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 11.3kW
- Rated electrical power: 2W
- Power supply required: 3A







HG9320 Six burner gas hob

Features

- Wok burner
- Side control
- Cast iron pan supports
- Automatic ignition
- Flame failure included

Accessories

- Wok support
- LPG conversion kit included

Available in


Stainless steel

Technical specification

Burners:

- Front left, triple ring/wok: 3.5kW
- Front centre, auxiliary: 1kWFront right, auxiliary: 1kW
- Rear left, semi-rapid: 1.75kW
- Rear centre, rapid: 3kWRear right, semi-rapid: 1.75kW
- Rated gas input: 12kW
- Rated electrical power: 1.1W
- Power supply required: 3A







HVG620 Four burner gas on glass hob

Features

- Bevelled edges
- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure included

Accessories

LPG conversion kit included

Available in


- Stainless steel
- Black

Technical specification

Burners:

- Front left, rapid: 3kW
- Front right, auxiliary: 1kW
- Rear left, semi-rapid: 1.75kWRear right, semi-rapid: 1.75kW
- .
- Rated gas input: 7.5kW
- Rated electrical power: 1.1WPower supply required: 3A

Flame Safe





Black



Bevelled glass edges

HVG720 Five burner gas on glass hob

Features

- Bevelled edges
- Front control
- Wok burner
- Cast iron pan supports
- Automatic ignition
- Flame failure included

Accessories

- Wok support (not shown)
- LPG conversion kit included

Available in


- Stainless steel
- Black

Technical specification

Burners:

- Front left, auxiliary: 1kW
- Front right, semi-rapid: 1.75kW
- Centre, wok: 3.8kW
- Rear left, rapid: 3kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 11.3kW
- Rated electrical power: 1.1W
- Power supply required: 3A

Flam Safe





Black



Bevelled glass edges

HG3601 Domino single burner gas on glass hob

Features

- Wok burner
- Front control
- Cast iron pan supports
- Automotic ignition
- Automatic ignition
- Flame failure included

Accessories

- Wok support (not shown)
- · LPG conversion kit included

Available in


Frameless

Technical specification

Burner:

- Centre, triple ring/wok: 3.5kW
- Rated gas input: 3.5kW
- Rated electrical power: 1W
- · Power supply required: 3A







HG3602 Domino two burner gas on glass hob

Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure included

Accessories

LPG conversion kit included


Available in

Frameless

Technical specification

- Burners:
- Front, semi-rapid: 1.75kW
- Rear, rapid: 3kW
- Rated gas input: 4.75kW
- Rated electrical power: 1W
- Power supply required: 3A

Flame Safe





HVG66 Four burner gas on glass hob

Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure included

Accessories

LPG conversion kit included

Available in


Black

Technical specification

Burners:

- Front left, auxiliary: 1kW
- Front right, semi-rapid: 1.75kW
- Rear left, rapid: 3kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 7.5kWRated electrical power: 1W
- Power supply required: 3A







HVG77 Five burner gas on glass hob

Features

- Wok burner
- Front control
- Cast iron pan supports
- Automatic ignition
- · Flame failure included

Accessories

- Wok support
- · LPG conversion kit included

Available in


Black

Technical specification

Burners:

- Front left, rapid: 3kW
- Front right, auxiliary: 1kW
- Centre, wok: 3.5kW
- · Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 11kW
- Rated electrical power: 1W
- · Power supply required: 3A







HVG96 Five burner gas on glass hob

Features

- Wok burner
- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure included

Accessories

- Wok support (not shown)
- · LPG conversion kit included


Available in

Black

Technical specification

- Burners:
- · Front left, rapid: 3kW
- Front centre, auxiliary: 1kW
- Centre right, wok: 3.5kW Rear left, semi-rapid: 1.75kW
- Rear centre, semi-rapid: 1.75kW
- Rated gas input: 11kW
- Rated electrical power: 1W
- Power supply required: 3A







HVG93 Four burner gas on glass linear hob

Features

- Wok burner
- Front control
- Cast iron pan supports
- Automatic ignition
- · Flame failure included

Accessories

- Wok support (not shown)
- · LPG conversion kit included

Available in

Black




Technical specification

Burners:

- Left, wok: 3.5kW
- Centre left, auxiliary: 1kW
- Centre right, semi-rapid: 1.75kW
- Right, rapid: 3kW
- Rated gas input: 9.25kW
- Rated electrical power: 1W
- · Power supply required: 3A

Co-ordinating products

EDD91 downdraft extractors.



4Q4 Four burner Q-style gas hob

Features

- Front control
- Cast iron pan supports
- Automatic ignition
- · Flame failure included

Accessories

· LPG conversion kit included

Available in

Stainless steel

Technical specification

Burners:

- Front left, auxiliary: 1kW
- Front right, semi-rapid: 1.75kW
- · Rear left, rapid: 3kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 7.5kW
- Rated electrical power: 1W
- · Power supply required: 3A





Hobs



Co-ordinating products

This hob matches the 6Q5 and 9Q6 ovens as well as the EVQ7 extractor.

4Q5 Five burner Q-style gas hob

Features

- Wok burner
- Front control
- · Cast iron pan supports
- Automatic ignition
- Flame failure included

Accessories

- Wok support
- LPG conversion kit included

Available in


Stainless steel

Technical specification

Burners:

- Front left, rapid: 3kW
- Front right, auxiliary: 1kW
- · Centre, wok: 3.5kW
- Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW
- · Rated gas input: 11kW
- · Rated electrical power: 1W
- Power supply required: 3A







Co-ordinating products

This hob matches the 6Q5 and 9Q6 ovens as well as the EVQ7 extractor.





0000

Quick guide to electric hobs

Our range of electric hobs includes a comprehensive selection of both manual and touch control 2, 4 and 5 zone ceramic hobs, hightech induction hobs and domino hobs which you can put together in different combinations to suit your requirements.

All CDA ceramic and induction hobs have the following features:

- · Easy clean surface
- Shatterproof ceramic safety glass
- · Residual heat indicators

Domino



HCC310

- Griddle domino hob
- Front control
- · Stainless steel More details on p74



- 2 plate electric domino hob
- Front control
- Stainless steel


More details on p74

Ceramic



HC3621

- · 2 zone ceramic domino hob
- Front touch control More details on p75



HC6211

- 4 zone ceramic hob
- Side control
- More details on p75

Ceramic

HE6051


Side control

Stainless steel

4 plate electric hob

More details on p74

Electric



HC6311

- 4 zone ceramic hob
- Front control

More details on p76

Induction



- 4 zone ceramic hob
- Front touch control More details on p76



- 5 zone ceramic hob
- Front touch control
- More details on p76

Ceramic



HC9621

- 5 zone ceramic hob
- · Front touch control More details on p77




• 4 zone ceramic hob

HC9626

- · Front touch control
- More details on p77

HN3621

- 2 zone domino





HN6111

- 4 zone induction hob
- Front touch control More details on p78



HN6411

- 4 zone eco induction hob
- Front touch control
- More details on p79



HN6731

- 4 zone induction hob
- Front touch control
- Bridging function
- More details on p80

Induction



HN6841

- · 4 zone induction hob
- Front touch control
- Bridging function
- Illuminated front edge More details on p81



HN9611

- 5 zone induction hob
- Front touch control
- Bridging function More details on p82

Induction



HN9841

- 6 zone induction hob
- Front touch control
- Bridging function More details on p83





HN9626

- 4 zone induction hob
- Front touch control More details on p84





HNG7410

- 4 zone induction hob
- Single wok burner
- Front touch control More details on p85



HCC310 Domino griddle hob

Features

- Single ceramic griddle cook directly on glass
- 12 power levels with indicator light
- Front control
- Easy clean surface


Optional accessories

Domino joining strip, AHJ30

Available in

· Stainless steel

- Technical specification
- Rated electrical power: 1.3kWPower supply required: 13A





HCE340 Domino two plate electric hob

Features

- Front control
- 6 power levels with indicator light
- 2 rapid plates

Optional accessories


Domino joining strip, AHJ30

Available in

· Stainless steel

Technical specification

- Hot plates:
- Front, 145mm rapid: 1.5kW
- Rear, 180mm rapid: 2kW
- Rated electrical power: 3.5kW
- Power supply required: 20A





HE6051 Four plate electric hob

Features

- Side control
- 6 power levels with indicator light
- 2 rapid plates


Available in

Stainless steel

Technical specification

Hot plates:

- Front left, 180mm rapid: 2kW
- Front right, 145mm: 1kW
- Rear left, 145mm rapid: 1.5kW
- Rear right, 180mm: 1.5kW
- Rated electrical power: 6.0kW
- Power supply required: 30A





HC3621 Domino two zone ceramic hob

Features

- Front control
- Electronic touch control
- 9 power levels
- Easy clean surface
- Ceramic shatterproof safety

 class
- Residual heat indicators
- Overflow detection
- 99 minute timer
- LED display
- Safety key lock
- Auto safety switch off
- Temperature limiter
- Time limit security system


Available in


Frameless

Technical specification

Zones:

- Front, 145mm: 1.2kW
- Rear, 180mm: 1.8kW
- Rated electrical power: 3kW
- Power supply required: 13A





Top tip Always use the zone size that is closest to the size of the pan that you are using. You will maximise energy efficiency by not wasting heat that escapes from around your pan edges.

HC6211 Four zone ceramic hob

Features

- Side control
- 6 power levels with indicator light
- Easy clean surface
- Ceramic shatterproof safety glass
- Residual heat indicators
- Temperature limiter


Available in


Frameless

Technical specification

Zones:

- Front left, 180mm: 1.8kW
- Front right, 145mm: 1.2kWRear left, 145mm: 1.2kW
- Rear right, 180mm: 1.8W
- Rated electrical power: 6.0kW
- Power supply required: 30A





HC6311 Four zone ceramic hob

Features

- Front control
- 6 power levels with indicator light
- Easy clean surface
- Ceramic shatterproof safety
- · Residual heat indicators
- Temperature limiter


Available in


Frameless

Technical specification

Zones:

- Front left, 180mm: 1.8kW
- Front right, 145mm: 1.2kW
- Rear left, 145mm: 1.2kW
- · Rear right, 180mm: 1.8W
- Rated electrical power: 6.0kW
- Power supply required: 30A





HC6621 Four zone ceramic hob

Features

- Front control
- Electronic touch control
- 9 power levels
- Easy clean surface
- Ceramic shatterproof safety alass
- · Residual heat indicators
- Overflow detection
- Overheat detection
- LED display
- Safety key lock
- Auto safety switch off Temperature limiter
- · Time limit security system


Available in


Frameless

Technical specification

Zones:

- Front left, 210mm: 2.3kW
- Front right, 145mm: 1.2kW
- Rear left, 145mm: 1.2kW · Rear right, 180mm: 1.8W
- Rated electrical power: 6.5kW
- Power supply required: 30A






HC7621 Five zone ceramic hob

Features

- Front control
- Electronic touch control
- 9 power levels
- Easy clean surface
- Ceramic shatterproof safety
- · Residual heat indicators
- 99 minute timer
- LED display
- Safety key lock
- Overflow detection Overheat detection
- · Auto safety switch off
- Time limit security system
- Temperature limiter
- Available in
- Frameless

Technical specification

- Front left (triple): -120mm: 0.8kW -175mm: 1.6kW -210mm:
- 2.3kW
- Front right, 145mm: 1.2kW
- Centre (dual): -170mm: 1.5kW -256mm: 2.2kW
- Rear left, 145mm: 1.2kW
- Rear right, 180mm: 1.8kW
- Rated electrical power: 8.7kW
- Power supply required: 40A



HC9621 Five zone ceramic hob

Features

- Front control
- Electronic touch control
- 9 power levels
- Easy clean surface
- Ceramic shatterproof safety
- Residual heat indicators
- 99 minute timer
- LED display
- Safety key lock
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system • Temperature limiter


Available in


Frameless

Technical specification

Zones:

- Front left (triple): -120mm: 0.8kW -175mm: 1.6kW -210mm: 2.3kW
- Front right, 145mm: 1.2kW
- Centre (dual): -170mm: 1.5kW -256mm: 2.2kW
- Rear left, 145mm: 1.2kW
- · Rear right, 180mm: 1.8kW
- Rated electrical power: 8.7kW
- Power supply required: 40A







HC9626 Four zone ceramic linear hob

Features

- Front control
- Electronic touch control
- 9 power levels
- · Easy clean surface
- Ceramic shatterproof safety glass
- Residual heat indicators
- 99 minute timer
- LED display
- Safety key lock
- Overflow detection Overheat detection
- · Auto safety switch off
- · Time limit security system Temperature limiter

Available in

Frameless



Technical specification


Zones:

1.7kW

- Front left (triple): -120mm: 0.8kW -175mm: 1.6kW -210mm: 2.3kW
- · Centre left, 145mm:1.2kW
- · Centre right (dual): -120mm: 0.7kW -180mm:
- Front right (dual): -120mm: 0.7kW -180mm: 1.7kW
- · Rated electrical power: 6.9kW
- · Power supply required: 30A

Co-ordinating product

This hob matches the 3D9 and EDD91 downdraft extractors, together they will both fit into a standard 600mm worktop depth.





HN3621 Domino two zone induction hob

Features

- Front control
- Electronic touch control
- 9 power levels
- Timer
- Keep warm function
- Easy clean surface
- Ceramic shatterproof safety glass
- Residual heat indicators
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- LED display
- Safety key lock
- Auto safety switch off
- Time limit security system

Available in

Frameless


Technical specification

Zones:

- Front, 160mm: 1.4kW
- Rear, 160mm: 1.4kW
- Rated electrical power: 2.8kW
- Power supply required: 13A

Fitting note

 Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.





HN6111 Four zone induction hob

Features

- Front control
- · Electronic touch control
- 9 power levels
- Booster function on all zones
- 99 minute timer
- Keep warm functionEasy clean surface
- Ceramic shatterproof safety
- Residual heat indicators
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- LED display
- Safety key lock
- Auto safety switch off
- Time limit security system

Available in

Frameless

Technical specification


Zones:

- Front left, 210mm: 2kW, 3kW with booster
- Front right, 160mm: 1.2kW, 1.4kW with booster
- Rear left, 160mm: 1.2kW,
 1.4kW with booster
- Rear right, 210mm: 2kW, 3kW with booster
- Rated electrical power: 7.4kW
- Power supply required: 32A

Fitting note

 Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.





HN6411 Four zone eco induction hob

Features

- Front control
- · Electronic touch control
- 9 power levels
- Booster function on all zones
- Easy clean surfaceResidual heat indicators
- Overheat detection
- Overflow detection
- Automatic pan detectionSmall object detection
- Power share system
- LED display
- 99 minute timerSafety key lock
- Auto safety switch off
- · Time limit security system

Available in

Frameless


Technical specification

Zones:

- Front left, 210mm: 1.5kW, 2kW with booster
- Front right, 145mm: 1.2kW, 1.6kW with booster
- Rear left, 145mm: 1.2kW, 1.6kW with booster
- Rear right, 210mm: 1.5kW, 2kW with booster
- Rated electrical power:
 2.8/3.5/6/7.2kW (configurable)
- Power supply required: 13-32A (configurable)
- If the hob is configured for use with a supply below 32A, the hob will automatically regulate the power consumption so as not to exceed the power available.

Fitting note

 Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.





Our bridging induction hots provide maximum flexibility, allowing you to turn two zones into one large induction surface for cooking with larger pots and pans.

HN6731 Four zone induction hob

Features

- Electronic touch control
- Front control
- Left zones bridging function
- 9 power levelsBooster function on all zones
- 99 minute timer
- Pause/restart function
- Keep warm function
- Easy clean surface
- Ceramic shatterproof safety glass
- Residual heat indicators
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- LED displaySafety key lock
- Auto safety switch off
- Time limit security system

Available in

Frameless


Technical specification

Zones:

- Front left: 160mm, 1.4kW, 2kW with booster
- Front right: 160mm, 1.2kW, 1.4kW with booster
- Rear left: 160mm, 1.2kW, 1.4kW with booster
- Rear right: 210mm, 2.3kW, 3kW with booster
- Rated electrical power: 7.1kW
- Power supply required: 32A

Fitting note

 Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.







HN6841 Four zone induction hob with illuminated front edge

Features

- · Side bevelled edges
- Illuminated front edge
- Front control
- Electronic touch and slide control
- 9 power levels
- Booster function on all zones
- Left zones can be bridged
- Right zones can be bridged
- 99 minute timer
- Pause/restart function
- Melt function
- Keep warm function
- Simmer function
- Easy clean surface
- Ceramic shatterproof safety glass
- Residual heat indicators
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- LED display
- Safety key lock
- Auto safety switch offTime limit security system

Available in

Frameless

Technical specification

Zones:


- Front left: 220mm x 190mm, 2.2kW, 3.7kW with booster
- Front right: 220mm x 190mm,
 2.2kW, 3.7kW with booster
- Rear left: 220mm x 190mm,
 2.2kW, 3.7kW with booster
- Rear right: 220mm x 190mm,
 2.2kW, 3.7kW with booster
- Rated electrical power: 7.4kW
- Power supply required: 32A

Fitting note

 Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.



Illuminated front edge





Side bevelled glass edges



HN9611 Five zone induction hob

Features

- Front control
- Electronic touch control
- Left zones bridging function
- Right zones bridging function
- 9 power levels
- Booster function on all zones
- 99 minute timer
- Pause/restart function
- Melt function
- Keep warm function
- Simmer function
- Easy clean surface
- Ceramic shatterproof safety glass
- Residual heat indicators
- Overflow detection
- Overheat detectionAutomatic pan detection
- Small object detection
- LED display
- Safety key lock
- Auto safety switch off
- Time limit security system

Available in

• Frameless

Technical specification

Zones:

- Front left: 210mm, 2.1kW, 3.7kW with booster
- Front right: 210mm, 2.1kW, 3.7kW with booster
- Rear left: 210mm, 2.1kW, 3.7kW with booster
- Rear centre: 260mm, 2.6kW, 3.7kW with booster
- Rear right: 210mm, 2.1kW,
 3.7kW with booster
- Rated electrical power: 11.1kW
- Power supply required: 45A

Fitting note

 Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.



HN9841 Six zone induction hob

Features

- Front control
- Electronic touch and slide control
- Left zones bridging function
- Centre zones bridging function
- Right zones bridging function
- 9 power levels
- Booster function on all zones
- 99 minute timer
- Pause/restart function
- Melt function
- Keep warm function
- Simmer function
- Easy clean surface
- Ceramic shatterproof safety glass
- Residual heat indicators
- Overheat detection
- Overflow detection
- Automatic pan detectionSmall object detection
- LED display
- Safety key lock
- Auto safety switch off
- Time limit security system
- Temperature limiter
- Side and front bevelled edges

Available in

Frameless


Technical specification


Zones:


- Front left, 220mm: 2.1kW, 3.7kW with booster
- Front centre, 220mm: 2.1kW, 3.7kW with booster
- Front right, 220mm: 2.1kW, 3.7kW with booster
- Rear left, 220mm: 2.1kW, 3.7kW with booster
- Rear centre, 220mm: 2.1kW, 3.7kW with booster
- Rear right, 220mm: 2.1kW, 3.7kW with booster
- Rated electrical power: 11.1kWPower supply required: 45A
- Fower supply required. 45A

Fitting notes

 Please ensure that you check that there is sufficient clearance when fitting the induction hobs over both single and built-under double ovens and that adequate ventilation is provided.







HN9626 Four zone linear induction hob

Features

- Front control
- Electronic touch control
- 9 power levels
- Booster function on all zones
- 99 minute timer
- · Pause/restart function
- Keep warm function Easy clean surface
- Ceramic shatterproof safety glass
- Overheat detection
- Overflow detection
- Automatic pan detection
- Small object detection
- LED display
- Safety key lock Auto safety switch off
- Time limit security system
- Temperature limiter

Available in

Frameless

Technical specification

Zones:

- Front left, 220mm: 2.3kW, 3kW with booster
- Centre left, 180mm: 1.2kW, 1.4kW with booster
- · Centre right, 180mm: 1.2kW, 1.4kW with booster
- Front right, 220mm: 2.3kW, 3kW with booster
- Rated electrical power: 7.4kW
- Power supply required: 32A

Fitting notes

• Please ensure that you check that there is sufficient clearance when fitting the induction hobs over both single and built-under double ovens and that adequate ventilation is provided.





Co-ordinating products

This hob matches the 3D9 and EDD91 downdraft extractors.



HNG7410 Four zone induction hob with single gas wok burner

Features

- Bevelled edges
- Front control
- · Electronic touch control Induction and gas combination
- 9 power levels
- Booster function (on 2
- induction zones)
- 99 minute timer
- Automatic cooking function (induction zones)
- Automatic electronic touch control gas ignition
- Cast iron pan supports
- Residual heat indicators Overheat detection
- Overflow detection
- · Auto safety switch off Wok burner
- Flame failure included

Accessories Wok support (not shown)

Available in

Frameless

Technical specification

Burners/zones:


- Left middle, dual wok: 5kW (gas)
- · Middle rear, 215mm: 2.3kW, 3kW with booster
- Middle front, 175mm: 1.4kW • Rear right, 175mm: 1.4kW
- · Front right, 215mm: 2.3kW,
- 3kW with booster
- Rated gas input: 5kW
- Rated electrical power: 7.4kW
- Power supply required: 32A


Please note

• This hob is supplied in natural gas only.

Fitting note

· Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.









Keep your kitchen smelling fresh and clean with one of our stylish extractors.

Automatic cut-off timer

The residual smells of cooking can leave a bad taste in the mouth and they don't stop being produced when the hob is switched off. That's why many touch control models offer an automatic cut-off timer to continue working until the residual steam and odours are removed from your home.





Filter maintenance

A helpful saturated filter warning light lets you know when the dishwashable grease filters require cleaning, or the charcoal filters need replacing. Maintaining the filters allows your extractor to work safely at its best. By keeping your extractor running efficiently, you'll keep your energy bills in check and your home smelling great.



Ducted/re-circulating

Choose between ducting your extractor outside or recirculating filtered, cleaned air back into your kitchen with the CDA extractor range. We provide a comprehensive range of ducting kits and charcoal filters, listed on our accessories pages, to support your preference.



Peripheral aspiration

As well as giving the extractor a minimalist look, peripheral aspiration technology works to draw the air around the edges of the extractor instead of across the whole surface area. This means an ultraefficient, quieter extractor that's also easy to keep clean.



Lighting

Powerful lights provide bright and clear illumination when cooking. Several models feature low energy LED downlights and also ambient lighting to make a visual statement of the extractor in your kitchen.

Quick guide to extractors

Our extensive range of extractors includes integrated and under canopy models, together with a great selection of stylish, contemporary chimney and island extractors for a chic design statement in your kitchen.

Most CDA extractor models have dishwashable aluminium grease filters.

Extraction and noise level measurements

The extraction rate and noise level measurements are displayed in accordance with EN61591 for extraction rates and EN60704 for noise levels. These measurements provide an approximation of real world performance when installed with recommended ducting kits.

Required distance between hob and extractor

Please refer to both your hob and extractor instructions before installation - for legal requirements, the distance between your hob and extractor should be determined by the maximum measurement provided.

Ducting advice

Using ducting of smaller diameter than that recommended may increase the noise level and can reduce the efficiency of your extractor. Where possible, always use the largest diameter ducting you

Functional



CST61

 Standard extractor · Available in stainless steel or white

More details on p90



EIN₆0

 Integrated extractor · Available with acrylic or aluminium grease filters

More details on p90



CCA5/7

- · Under canopy extractor • 50cm and 70cm wide
- More details on p91

Contemporary





- Chimney extractor 60cm, 70cm, 90cm and 100cm wide
- Available in stainless steel or black

More details on p92



ECHK90

· Chimney island extractor 90cm wide

More details on p92



ECP62/72/82/92/ 102/112

- Curved glass extractor
- 60cm, 70cm, 80cm, 90cm,
- 100cm and 110cm wide Available in stainless
- steel or black

More details on p93

Angled



ECA60

- Angled extractor 60cm wide
- More details on p98



- Angled extractor
- · 60cm, 70cm and 90cm

More details on p98



EVG6/9

- Designer extractor
- 60cm and 90cm wide
- Available in stainless steel or black

More details on p99

Designer



EVM9

 Geometric extractor More details on p100



EVQ7 Q-style designer

extractor More details on p102



3U10

 Updraft extractor More details on p103

Functional



- Telescopic extractor
- 60cm wide

More details on p91

Contemporary



EKP60/70/90

- · Curved glass extractor • 60cm, 70cm and 90cm wide with edge lighting
- Available in stainless steel or black

More details on p94



ECPK90

- · Curved glass island extractor 90cm wide
- More details on p93



ECN62/72/92

 Flat glass extractor 60cm, 70cm and 90cm wide

More details on p95

Cylinder



EVPC9

 Corner chimney extractor

More details on p95

Linear



EVP61/91/101/121

· Linear extractor



- 60cm, 90cm, 100cm and 120cm wide

More details on p96



EVPK90

- 90cm wide



- · Linear island extractor
- More details on p97



EVC4

- Cylinder extractor
- Available in stainless steel or black

More details on p101



EVCK4

- · Cylinder island extractor
- Available in stainless steel or black

More details on p101

Designer



EVX101

- Ceiling extractor
- · Remote control

More details on p104



3S10

- Spherical extractor
- Remote control
- · Available in white or black

More details on p105



EDD61/91

- Downdraft extractor Synchronised sliding
- system More details on p106



3D9

- Downdraft extractor
- · Synchronised sliding system

More details on p107

CST61 Standard extractor



Stainless steel



White

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- · Aluminium grease filter
- 1 x 28W halogen light Glass light diffuser

Optional accessories

- · Ducting kit, AED51/53/54
- · Charcoal filter for re-circulation, CHA5 (pack of 1)

Available in


- Stainless steel
- White

Technical specification

- · Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter: 120mm
- Noise level: 65dBA
- Extraction rate: 190m3/h
- Rated electrical power: 123W
- Power supply: 3A

Energy efficiency rating

• Energy rating: D



EIN60 Integrated extractor

Features

- Ducted/re-circulating installation
- 3 speeds
- Slider control
- 1x 28W halogen light

Optional accessories

- Ducting kit, AED51/53/54
- · Charcoal filter for re-circulation, CHA15 (pack of 1)
- Aluminium grease filter, GRE3M
- · Acrylic grease filter, GRE1

Available in

- Silver
- · Silver with aluminium grease filter, EIN60FSI


Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- · Outlet diameter: 120mm
- Noise level: 62dBA
- Extraction rate:
- EIN60: 197m³/h
- EIN60FSI: 203m³/h
- Rated electrical power: 148W
- Power supply: 3A

Energy efficiency rating

• Energy rating: D





CCA5/7 Canopy extractor



CCA7 - 70cm wide



CCA5 - 50cm wide

Features

- installation
- Slider control
- CCA5 acrylic grease filter
- CCA7 aluminium grease filter
- 1 x 28W halogen light (CCA5)
- 2 x 28W halogen lights (CCA7)
- · Glass light diffuser

Optional accessories

- Ducting kit, AED51/53/54
- · Charcoal filter for re-circulation
- CHA1 (pack of 1)
- · CCA5, Aluminium grease filter, GRE2M
- · CCA5, Acrylic grease filter, GRE1

Available in

- CCA5 silver or white
- CCA7 silver

- Ducted/re-circulating
- 3 speeds
- - Outlet diameter: 120mm Noise level:

- CCA5: 195m³/h

• Extraction rate: - CCA7: 313m³/h

- CCA5: 65dBA

- CCA7: 73dBA

700mm (min)

hob: 600mm (min)

- Rated electrical power: - CCA5: 128W


Technical specification

Required height over electric

- CCA7: 256W
- Power supply: 3A

Energy efficiency rating

- Energy rating:
- CCA5: D
- CCA7: E



CTE6 Telescopic extractor

Features

- Ducted/re-circulating installation
- 3 speeds
- Slider control
- Aluminium grease filters
- 2 x 28W halogen lights
- Glass light diffuser

Optional accessories

- Ducting kit, AED51/53/54
- · Charcoal filter for re-circulation, CHA1 (pack of 1)

Available in

· Stainless steel

Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter: 120mm
- Noise level: 65dBA
- Extraction rate: 195m3/h
- Rated electrical power: 156W Power supply: 3A

Energy efficiency rating


Energy rating: E



Open



Closed



ECH61/71/91/101 Chimney extractor



ECH91 - stainless steel



ECH61 - black

Features

- · Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filters
- 2 x 50W halogen lights
- Twin fan motor

Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA24 (pack of 2)

Available in

- · Stainless steel
- Black

Technical specification


- · Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- · Outlet diameter: 150mm
- Noise level: 64dBA
- Extraction rate: 427m3/h Rated electrical power: 240W
- · Power supply: 3A

Energy efficiency rating

Energy rating: E

Fitting note

 Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



ECHK90 Chimney island extractor

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filters
- 2 x 2W LED lights

Optional accessories

- Ducting kits
- 120mm, AED51/53/54
- 150mm, AED61/63/64
- · Charcoal filter for re-circulation, CHA25 (pack of 2)

Available in

· Stainless steel

Technical specification


- · Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- · Outlet diameter: 120mm/150mm
- Noise level: 61dBA
- Extraction rate: 404m3/h
- Rated electrical power: 104W • Power supply: 3A

Energy efficiency rating

Energy rating: D

Fitting note

 Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.





ECP62/72/82/92/102/112 Curved glass extractor



ECP62 - stainless steel



Features

- Ducted/re-circulating installation
- 3 speeds Push button control
- Aluminium grease filters
- 2 x 2W LED lights

Optional accessories

- Ducting kits
- 120mm, AED51/53/54
- 150mm, AED61/63/64
- · Charcoal filter for re-circulation, CHA12 (pack of 1)

Available in

- Stainless steel
- Black

Technical specification


- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- · Outlet diameter:
- 120mm/150mm
- Noise level: 60dBA
- Extraction rate:
- ECP62/72/82: 391m3/h
- ECP92/102/112: 377m3/h
- Rated electrical power: 104W Power supply: 3A

Energy efficiency rating

• Energy rating: D

Fitting note

• Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



ECPK90 Curved glass island extractor

Features

- Ducted/re-circulating installation
- 3 speeds
- · Push button control
- Aluminium grease filters
- 4 x 2W LED lights

Optional accessories

- Ducting kits
- 120mm, AED51/53/54
- 150mm, AED61/63/64
- · Charcoal filter for re-circulation. CHA25 (pack of 2)

Available in

· Stainless steel

Technical specification

- · Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- · Outlet diameter: 120mm/150mm
- · Noise level: 61dBA
- Extraction rate: 387m3/h
- Rated electrical power: 108W Power supply: 3A

Energy efficiency rating

• Energy rating: E

Fitting note

• Please ensure that you check the ceiling height is sufficient

720 (min) · 1030 (max) 540

to allow the required clearance

between the hob and extractor



See page 209 for our matching square and curved glass splashbacks

LED lighting

the EKP range of extractors offers an extra aesthetic detail with edge lighting to make a eal focal point in your kitchen

EKP60/70/90 Curved glass extractor with edge lighting



EKP60 - stainless steel

Red lighting



EKP90 - black



Blue lighting

Features

- Ducted/re-circulating installation
- 3 speeds
- Touch control Aluminium grease filters
- 2 x 3W LED lights
- 3W of edge lighting
- 9 minute timer

Optional accessories

- Ducting kits
- 120mm, AED51/53/54
- 150mm, AED61/63/64
- · Charcoal filter for re-circulation, CHA17 (pack of 2)

Available in

Stainless steel

Green lighting

Black

Technical specification


- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- · Outlet diameter: 120mm
- Noise level: 69dBA
- Extraction rate: 336m3/h
- Rated electrical power: 129W
- Power supply: 3A

Energy efficiency rating

• Energy rating: D

Fitting note

 Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



ECN62/72/92 Flat glass extractor



ECN92

Features

- Ducted/re-circulating installation
- 3 speeds
- · Push button control
- · Aluminium grease filter
- 2 x 2W LED lights

Optional accessories

- Ducting kits
- 120mm, AED51/53/54
- 150mm, AED61/63/64
- · Charcoal filter for re-circulation,

CHA12 (pack of 1)

Available in · Stainless steel

Technical specification


- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- · Outlet diameter:
- 120mm/150mm
- Noise level: 60dBA Extraction rate: 391m³/h
- Rated electrical power: 104W
- Power supply required: 3A

Energy efficiency rating

• Energy rating: D

Fitting note

• Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



EVPC9 Corner extractor

Features

- Ducted/re-circulating installation
- · 3 speeds + intensive
- Touch control
- Aluminium grease filters
- 3 x 20W halogen lights
- Twin fan motor • Filter saturation warning light
- Clean air function
- 15 minute timer

Optional accessorie

- · Ducting kit, AED61/63/64 Charcoal filter for
- re-circulation, CHA2 (pack of 2)

Available in

· Stainless steel

Technical specification


- Required height over gas hob: 650mm (min)
- · Required height over electric hob: 650mm (min) · Outlet diameter: 150mm
- Noise level: 64dBA Extraction rate: 520m³/h
- Rated electrical power: 310W
- Power supply: 3A

Energy efficiency rating

• Energy rating: D

Fitting note

• Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.





EVP61/91/101/121 Linear extractor





Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filters
- 2 x 20W halogen lights
- Twin fan motor
- Filter saturation warning light
- Clean air function
- 15 minute timer

Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA21 (pack of 2)

Available in

Stainless steel

Technical specification


- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter: 150mm
- Noise level: 62dBA
- Extraction rate: 503m³/h
- Rated electrical power: 290W
- Power supply required: 3A

Energy efficiency rating

• Energy rating: D

Fitting note

 Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



EVPK90 Linear island extractor

Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filters
- 4 x 20W halogen lights
- Twin fan motor
- Filter saturation warning light
- Clean air function
- 15 minute timer

Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA21 (pack of 2)

Available in

Stainless steel

Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter: 150mm
- Noise level: 64dBA
- Extraction rate: 520m³/h
- Rated electrical power: 330W
- Power supply required: 3A


Energy efficiency rating

• Energy rating: D

Fitting note

 Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.







Features

- · Ducted/re-circulating installation
- 3 speeds
- Push button control
- · Aluminium grease filter • 2 x 2W LED lights
- · Twin fan motor

Optional accessories

- · Ducting kit, AED51/53/54
- Charcoal filter for re-circulation, CHA15 (pack of 1)

Available in


Black

Technical specification

- Required height over gas hob: 550mm (min)
- Required height over electric hob: 550mm (min)
- Outlet diameter: 120mm
- Noise level: 64dBA
- Rated electrical power: 114W

Energy efficiency rating

 Please ensure that you check the ceiling height is sufficient



EVA60/70/90 Angled extractor





EVA90

Features

- Ducted/re-circulating installation
- 3 speeds
- Touch control
- Aluminium grease filter
- 2 x 2W LED lights
- Twin fan motor
- 15 minute timer

Optional accessories

- · Ducting kit, AED51/53/54
- · Charcoal filter for re-circulation, CHA15 (pack of 1)

Available in

Black

Technical specification


- · Required height over gas hob: 550mm (min)
- Required height over electric hob: 550mm (min)
- · Outlet diameter: 120mm
- · Noise level: 64dBA
- Extraction rate: 350m³/h
- · Rated electrical power: 114W
- Power supply: 3A

Energy efficiency rating

• Energy rating: B

Fitting note

 Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.




- Extraction rate: 350m³/h
- Power supply: 3A

• Energy rating: B

Fitting note

to allow the required clearance between the hob and extractor.



Features

EVG6 - 60cm wide

EVG9 - 90cm wide

Black glass panel

Clear glass panel

EVG6/9 Designer extractor

EVG9 - black

EVG6 - stainless steel

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filter • 2 x 20W halogen lights
- · Twin fan motor
- Filter saturation warning light
- · Clean air function
- 15 minute timer

Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA21 (pack of 2)

Available in

- · Stainless steel
- Black

Technical specification

Clean air function

The clean air function means that your

extractor comes on for ten minutes

every hour, outside of use during

cooking. In these ten minutes the

extractor works to purify the air in

your kitchen, meaning it is not just a

ompanion for your hob; it even works

hard when you are not cooking

- · Required height over CDA gas hob: 450mm (min), otherwise 760mm (min) Required height over CDA
- electric hob: 450mm (min), otherwise 650mm (min)
- Outlet diameter: 150mm
- Noise level: 58dBA
- Extraction rate: 465m3/h Rated electrical power: 290W
- Power supply required: 3A

Energy efficiency rating

• Energy rating: D

Fitting note

• Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



EVG9 halogen lights

_400[>] - 600/900

EVM9 Geometric extractor





Side view

Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- · Aluminium grease filter
- 2 x 20W halogen lights
- Twin fan motor
- Filter saturation warning light Clean air function
- 15 minute timer

Optional accessories

- Ducting kit, AED61/63/64
- · Charcoal filter for re-circulation, CHA2 (pack of 2)
- Chimney section, AEV01SS

Available in

 Stainless steel with black glass fascia.



View from below

Technical specification


- Required height over CDA gas hob: 450mm (min), otherwise 760mm (min)
- Required height over CDA electric hob: 450mm (min), otherwise 650mm (min)
- · Outlet diameter: 150mm
- Noise level: 64dBA
- Extraction rate: 478m³/h
- Rated electrical power: 290W
- Power supply required: 3A

Energy efficiency rating

Energy rating: D

Fitting note

 Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



EVC4 Cylinder extractor



Black

Stainless steel (side view)

Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Soft touch buttons
- · Aluminium grease filter
- 2 x 20W halogen lights
- Filter saturation warning light
- · Clean air function • 15 minute timer
- Peripheral aspiration

Optional accessories

- Ducting kit, AED61/63/64
- · Charcoal filter for re-circulation, CHA2 (pack of 2)

Available in

- · Stainless steel
- Black

Technical specification


- Required height over gas hob: 650mm (min)
- Required height over electric hob: 650mm (min)
- Outlet diameter: 150mm
- Noise level: 62dBA
- Extraction rate: 503m3/h • Rated electrical power: 290W
- Power supply: 3A

Energy efficiency rating

Energy rating: D

Fitting note

• Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



EVCK4 Cylinder island extractor



Stainless steel

Black

Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Soft touch buttons
- · Aluminium grease filter
- 2 x 20W halogen lights
- Filter saturation warning light
- Clean air function
- 15 minute timer
- · Peripheral aspiration

Optional accessories

- Ducting kit, AED61/63/64
- · Charcoal filter for re-circulation, CHA2 (pack of 2)

Available in

- Stainless steel
- Black

Technical specification


- Required height over gas hob: 650mm (min)
- Required height over electric hob: 650mm (min)
- Outlet diameter: 150mm Noise level: 62dBA
- Extraction rate: 503m³/h
- Rated electrical power: 290W
- Power supply: 3A

Energy efficiency rating

• Energy rating: D

Fitting note

· Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



EVQ7 Circular extractor



Co-ordinating products

This extractor matches the 6Q5 single oven, 9Q5 double oven, 4Q4 hob and 4Q5 hob.

Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filter
- 2 x 20W halogen lights • 99 minute variable timer
- Quick start

- Optional accessories
- Ducting kit, AED61/63/64 • Charcoal filter for re-circulation,
- CHA16 (pack of 1)

Available in

 Stainless steel with black glass fascia

Technical specification

- Required height over gas hob: 650mm (min)
- Required height over electric hob: 650mm (min)
- Outlet diameter: 150mm
- Noise level: 71dBA
- Extraction rate: 393m³/h
- Rated electrical power: 238W
- Power supply required: 3A

Energy efficiency rating

• Energy rating: D

Fitting note

• Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.

3U10 Updraft extractor



Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filter
- 1 x 10W LED strip light
- Filter saturation warning light
- 10 minute timer

Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA32 (pack of 2)

Available in

 Stainless steel with black glass fascia.

Technical specification

- Required height over gas hob: 650mm (min)
- Required height over electric hob: 650mm (min)
- Outlet diameter: 150mm
- Noise level: 68dBA
- Extraction rate: 496m³/h Rated electrical power: 90W
- Power supply required: 3A

Energy efficiency rating

Energy rating: C


Fitting note

• Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.





898 glass 892 stainless steel



Extractors

The 3S10 in black has crisp LED downlighting to illuminate your cooking space whilst the 3S10 in white provides an ambient glow with internal neon lights.

EVX101 Ceiling extractor



Features

- Ducted/re-circulating installation
- 8 speeds + intensive
- Soft touch buttons
- Stainless steel grease filters
- 4 x 4W LED lights
- Filter saturation warning light
- Clean air function • 30 minute timer
- · Peripheral aspiration

Accessories

Remote control

Optional accessories

- · Ducting kit, AED61/63/64
- · Charcoal filter for re-circulation, CHA18 (pack of 2)

Available in

Stainless steel



Remote control

Technical specification

- Required height over gas hob: 750mm (min)
- Required height over electric hob: 750mm (min)
- Outlet diameter: 150mm
- Noise level: 64dBA
- Extraction rate: 570m³/h
- Rated electrical power: 286W
- Power supply required: 3A

Energy efficiency rating

• Energy rating: B

Fitting notes

• The extraction outlet can be rotated through 90°, 180° or 270°, allowing for flexible installation.

3S10 Spherical designer extractor





White

Features

- Re-circulating installation
- 3 speeds + intensive
- · Aluminium grease filter • 3S10BL - 1 x 3W LED downlight
- 3S10WH 2 x 40W neon lights
- 10 minute timer

Accessories

- Remote control
- · Charcoal filter for re-circulation, CHA30 (pack of 2)

Available in

- White
- Black



Remote control




3S10BL, elevated view


Technical specification

- Required height over gas hob: 650mm (min)
- Required height over electric
- hob: 650mm (min) Noise level: 48dBA
- Extraction rate: 320m³/h
- Rated electrical power:
- 143W (3S10BL)
- 220W (3S10WH)
- Power supply required: 3A

Fitting notes

• Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.





Downdraft extractors

Sleek and efficient, downdraft extractors slip effortlessly away below the worktop when not in use - the perfect choice for a minimalist, modern kitchen, or for a room where a low ceiling height limits the use of an overhead extractor.

Technical specification

• Outlet diameter: 150mm

Extraction rate: 757m³/h

Rated electrical power: 289W

Power supply required: 3A

Energy efficiency rating

Energy rating: A

Noise level: 68dBA

EDD61/91 Downdraft extractor



EDD91 - black

EDD61 - black



Features

- Ducted/re-circulating
- installation
- EDD61: 4 speeds
- EDD91: 3 speeds + intensive Touch control
- Aluminium grease filters
- 10 minute timer
- Synchronised sliding system · Glass control panel
- Motor included

Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for recirculation
- EDD61, CHA19 (pack of 2)
- EDD91, CHA11 (pack of 2)

Available in

Black

Technical specification

- Outlet diameter: 150mm
- Noise level:
- EDD61: 69dBA
- EDD91: 61dBA
- Extraction rate:
- EDD61: 636m³/h
- EDD91: 605m3/h
- Rated electrical power: 275W
- Power supply required: 3A


Energy efficiency rating

- Energy rating:
- EDD61: A
- EDD91: A+

EDD61 - 60cm wide EDD91 - 90cm wide

Co-ordinating products

The EDD91 extractor matches any of our linear hobs.



3D9 Downdraft extractor



Features

- Ducted/re-circulating installation
- 4 speeds
- Touch control
- Aluminium grease filters
- 1 x 14W neon light
- 10 minute timer
- Synchronised sliding system Glass control panel and side
- panel
- Motor included

Optional accessories

- Ducting kit, AED61/63/64
- · Charcoal filter for re-circulation, CHA14 (pack of 2)


Available in

Black




Co-ordinating products

This extractor matches any of our linear hobs.



Cooling

Our refrigeration range includes everything from American style fridge freezers to under counter fridges, all carefully designed to keep your food under optimum conditions.



Our fridge freezers are available in a combination of configurations, finishes and hinge options offering the perfect centrepiece for any kitchen.

A+ energy efficiency

We are committed to reducing our impact on the environment which is why our entire refrigeration range is at least A+ rated for energy efficiency. A+ rated products use up to 25% less energy than A rated models, meaning lower running costs.



4 star freezers

All CDA freezers come with a 4 star rating, the highest classification available. A 4 star rating allows you to store frozen food for up to 12 months and freeze fresh food efficiently and safely.

LED interior lighting

This eye-catching feature will delight you as soon as you open the door. The LED lights emit no heat and run on very little energy. Plus, the beautifully designed PC900 American style premium frost free four door fridge freezer is bright enough to cast light into every corner of the fridge.





Draught beer dispenser

This unique compact appliance can serve a beautiful pub-style pint of beer or lager in your own kitchen! The professional beer connection kit is pre-assembled on a steel plate ready for positioning below the dispenser. The beer passes through the integral flash chiller before it is dispensed at your preferred temperature.

Quick guide to refrigeration

The CDA refrigeration range includes both integrated and freestanding options.

Integrated models offer a variety of fridge, freezer and combination options to suit your kitchen.

The freestanding range includes the superb American style side-by-sides, under counters, combination fridge freezers and a range of wine coolers.

All CDA fridges have an automatic self-defrosting feature so you never have to spend time defrosting your fridge.

Integrated refrigeration





larder fridge Energy rating: A+ More details on p112



FW253

 Under counter fridge with ice box Energy rating: A+

More details on p112



FW283

· Under counter freezer

• Energy rating: A+ More details on p112

Integrated refrigeration



FW522

- · Three-quarter height larder fridge
- Energy rating: A+ More details on p114



FW582

- · Three-quarter height freezer
- Energy rating: A+ More details on p114



FW821

- Full height fridge
- Energy rating: A+
- More details on p115

Freestanding refrigeration



FF121

- 54cm under counter larder fridge • Energy rating: A+
- More details on p118



FF151

- 54cm under counter fridge with ice box
- Energy rating: A+ More details on p118



FF181

- 54cm under counter freezer
- Energy rating: A+

Freestanding refrigeration



PC52

- · American style sideby-side fridge freezer
- Energy rating: A+ More details on p124



- · American style sideby-side fridge freezer
- Energy rating: A+ More details on p125



PC84

- · American style two door fridge with two drawer freezer
- Energy rating: A+ More details on p126

Integrated refrigeration



FW321

- Energy rating: A+



- Under counter larder fridge
- More details on p113



FW381

- Under counter freezer
- Energy rating: A+



- More details on p113



FW422

- In-column larder fridge Energy rating: A+
- More details on p113



FW482

- In-column freezer • Energy rating: A+
- More details on p114

Integrated refrigeration



FW881

- · Full height freezer
- · Energy rating: A+ More details on p115



FW852

 50/50 fridge/freezer Energy rating: A+ More details on p116



FW872

70/30 fridge/freezer Energy rating: A+ More details on p116



FW951

50/50 frost free fridge/ freezer • Energy rating: A+





FW971

- 70/30 frost free fridge/
- Energy rating: A+ More details on p117

Freestanding refrigeration



FF852

- Freestanding 50/50 fridge/freezer Energy rating: A+
- More details on p119 More details on p119



FF660

- - Energy rating: A+



- Freestanding 60/40 fridge/freezer
- More details on p120



FF770

- Freestanding 70/30 fridge/freezer
- Energy rating: A+ More details on p121



- FF820 • Full height larder fridge
- · Energy rating: A++ More details on p123



FF880

- Full height freezer
- · Energy rating: A++ More details on p122



PC88

- American style four door fridge freezer
- Energy rating: A+ More details on p127



- American style two door fridge with two drawer freezer
- Energy rating: A+ More details on p128



PC900

- American style premium four door fridge freezer
- Energy rating: A+ More details on p129





Wine

coolers

Freestanding and integrated See p132-136

Beer dispenser



BVB4

 Professional fully integrated beer dispenser More details on p137

Refrigeration

FW223 Integrated/under counter larder fridge



Features

- Interior light
- 3 glass shelves
- 1 salad crisper compartment
- 2 in-door balconies
- 1 egg tray

Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- Total useable capacity: 133L
- Noise level: 44dBA

Energy efficiency rating

Energy rating: A+

Energy consumption

 Energy consumption per annum: 115kW.h



FW321 Integrated/under counter larder fridge



Features

- Interior light
- 3 stainless steel edged glass shelves
- 1 salad crisper compartment
- 2 in-door balconies
- 1 egg tray

Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- Total useable capacity: 133L
 net
- Noise level: 44dBA

Energy efficiency rating

• Energy rating: A+

Energy consumption

 Energy consumption per annum: 115kW.h



FW253 Integrated/under counter fridge with ice box



Features

- Interior light
- 2 glass shelves
- 1 salad crisper compartment
- 2 in-door balconies
- 1 egg tray

Ice box features

- 4 star rating
- 1 ice cube tray

Technical specification

- Front adjustable feet
- Reversible doorFixed hinges
- Fridge useable capacity: 98L net
- Ice box useable capacity: 17L net
- Freezing capacity: 2kg/24h

Total useable capacity: 115L net


Noise level: 44dBA

Energy efficiency rating

• Energy rating: A+

Energy consumption

 Energy consumption per annum: 171kW.h



FW381 Integrated/under counter freezer



Features

- 4 star rating
- 3 storage compartments
- 1 ice cube tray

Technical specification


- Height adjustable feet
- Reversible doorFixed hinges
- Freezing capacity: 9kg/24h
- Total useable capacity: 93L net
- Noise level: 44dBA

Energy efficiency rating

Energy rating: A+

Energy consumption

 Energy consumption per annum: 177 kW.h



FW283 Integrated/under counter freezer



Features

- 4 star rating
- 3 storage compartments
- 1 ice cube tray

Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- · Freezing capacity: 9kg/24h
- Total useable capacity: 93L net
- Noise level: 44dBA

Energy efficiency rating

• Energy rating: A+

Energy consumption

 Energy consumption per annum: 177kW.h



FW422 Integrated in-column larder fridge



Features

- Interior light
- 4 glass shelves2 salad crisper drawers
- 3 in-door balconies
- 1 egg tray

Technical specification


- Reversible door
- Fixed hinges
- Total useable capacity: 134L net
- Noise level: 41dBA

Energy efficiency rating

Energy rating: A+

Energy consumption

 Energy consumption per annum: 121kW.h



= airflow

112 www.cua.eu

FW482 Integrated in-column freezer



Features

- 4 star rating
- 4 storage compartments
- 1 ice cube tray

Technical specification


- · Reversible door
- Fixed hinges
- Freezing capacity: 8kg/24h
- Total useable capacity: 99L net
- Noise level: 39dBA

Energy efficiency rating

Energy rating: A+

Energy consumption

 Energy consumption per annum: 195kW.h



FW522 Integrated three-quarter height larder fridge



Features

- LED interior light
- 5 glass shelves
- 1 salad crisper drawer
- 3 in-door balconies
- 1 egg tray

Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- Total useable capacity: 197L
- Noise level: 41dBA

Energy efficiency rating

• Energy rating: A+

Energy consumption

 Energy consumption per annum: 128kW.h



FW582 Integrated three-quarter height freezer



Features

- 4 star rating
- 5 storage drawers
- 1 ice tray
- Fast freeze
- Temperature warning light

Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- Freezing capacity: 6.5kg/24h
- Total useable capacity: 130L net
- Noise level: 41dBA

Energy efficiency rating

• Energy rating: A+

Energy consumption

 Energy consumption per annum: 215kW.h



FW821 Integrated full height larder fridge



Features

- LED interior lighting
- 6 glass shelves
- 2 salad crisper drawers
- 5 in-door balconies
- 1 egg tray


Technical specification

- Front adjustable feet
- Reversible door
- Sliding furniture fixings
- Total useable capacity: 298L net
- Noise level: 39dBA

Energy efficiency rating

Energy rating: A+
 Energy consumption

 Energy consumption per annum: 141kW.h



FW881 Integrated full height freezer

Features

- 4 star rating
- Temperature warning light
- Fast freeze
- 9 storage compartments
- 1 ice cube tray

Technical specification


- Front adjustable feet
- Reversible door
- Sliding furniture fixingsFreezing capacity: 10.5kg/24h
- Total useable capacity: 198L
 net
- Noise level: 39dBA

Energy efficiency rating

• Energy rating: A+

Energy consumption

 Energy consumption per annum: 258kW.h





FW852 Integrated 50/50 combination fridge freezer



Fridge features

- LED interior lighting
- Electronic control
- 3 glass shelves
- 2 salad crisper drawers
- 3 in-door balconies
- 1 egg tray
- Chrome bottle rack

Freezer features

- 4 star rating
- Fast freeze
- 4 storage compartments
- 1 ice cube tray

Technical specification


- Reversible doors
- · Sliding furniture fixings
- Fridge useable capacity: 147L
- Freezer useable capacity: 81L
- Freezing capacity: 4.5kg/24h
- Total useable capacity: 228L
- Noise level: 39dBA

Energy efficiency rating

· Energy rating: A+

Energy consumption

· Energy consumption per annum: 263kW.h



FW872 Integrated 70/30 combination fridge freezer



Fridge features

- LED interior lighting
- Electronic control
- 4 glass shelves
- 2 salad crisper drawers
- · 4 in-door balconies
- 1 egg tray
- · Chrome bottle rack

Freezer features

- 4 star rating
- Fast freeze
- 3 storage compartments
- 1 ice cube tray

Technical specification


- Reversible doors
- Sliding furniture fixings
- Fridge useable capacity: 182L net
- · Freezer useable capacity: 60L
- Freezing capacity: 3.5kg/24h
- Total useable capacity: 242L
- · Noise level: 39dBA

Energy efficiency rating

Energy rating: A+

Energy consumption

· Energy consumption per annum: 260kW.h



FW951 Integrated 50/50 combination frost free fridge freezer



Fridge features

- Multi airflow cooling system
- LED interior lighting
- Super cool function
- Door open alarm Electronic control
- 4 glass shelves
- 1 variable humidity salad
- crisper drawer
- 3 in-door balconies 2 egg trays

Freezer features

- 4 star rating Frost free
- Fast freeze
- 4 storage compartments
- 1 ice cube tray



Technical specification


- Reversible doors
- Fixed hinges
- Fridge useable capacity: 148L
- Freezer useable capacity: 84L
- Freezing capacity: 10kg/24h
- Total useable capacity: 232L
- Noise level: 39dBA

Energy efficiency rating

• Energy rating: A+

Energy consumption

 Energy consumption per annum: 312kW.h



FW971 Integrated 70/30 combination frost free fridge freezer



Fridge features

- Multi airflow cooling system
- LED interior lighting
- Super cool function
- Door open alarm Electronic control
- 5 glass shelves
- 1 variable humidity salad crisper drawer
- 3 in-door balconies
- 2 egg trays

Freezer features

- 4 star rating Frost free
- Fast freeze
- 3 storage compartments
- 1 ice cube tray



Technical specification


- Reversible doors
- Fixed hinges
- Fridge useable capacity: 179L
- Freezer useable capacity: 62L Freezing capacity: 10kg/24h
- Total useable capacity: 241L Noise level: 39dBA

Energy efficiency rating

• Energy rating: A+

Energy consumption

• Energy consumption per annum: 300kW.h



FF121 Freestanding/under counter larder fridge



Features

- Interior light
- 3 glass shelves
- 1 salad crisper drawer
- 3 in-door balconies • 1 egg tray

Available in

White

Technical specification


- Front adjustable feet
- · Reversible door
- Height adjustable feet
- Total useable capacity: 106L
- Noise level: 41dBA

Energy efficiency rating

Energy rating: A+

Energy consumption

· Energy consumption per annum: 115kW.h



FF151 Freestanding/under counter fridge with ice box



Features

- Interior light
- 2 glass shelves
- 1 salad crisper drawer
- 3 in-door balconies
- 2 egg trays

Ice box features

- 1 ice cube tray
- 4 star rating

Available in

White

Technical specification


- Front adjustable feet
- Reversible door
- Fridge useable capacity: 105L net
- Ice box useable capacity: 12L
- Freezing capacity: 2kg/24h
- Total useable capacity: 117L net
- Noise level: 41dBA

Energy efficiency rating

Energy rating: A+

Energy consumption

· Energy consumption per annum: 169 kW.h



FF181 Freestanding/under counter freezer



Features

- 4 star rating

White

- 1 ice cube tray

Available in

- 3 storage compartments

- Front adjustable feet
- · Reversible door
- Freezing capacity: 7.5kg/24h
- Total useable capacity: 71L net

Noise level: 39dBA

Technical specification

Energy efficiency rating • Energy rating: A+

Energy consumption

• Energy consumption per annum: 173kW.h



Top tip

When introducing new food items to the freezer, select the fast freeze function for a maximum of 24 hours to bring food down to a safe storage temperature quickly.

FF852 Freestanding 50/50 combination fridge freezer



Fridge features

- Interior light
- 3 glass shelves
- 2 salad crisper drawers 6 in-door balconies

Freezer features

- 2/4 star rating Fast freeze
- 4 storage compartments
- 1 ice cube tray

Available in

Stainless steel

- - Reversible doors

castors

Freezing capacity: 8kg/24h

Technical specification


• Front adjustable feet/rear

- Fridge useable capacity: 188L
- Freezer useable capacity: 114L
- Total useable capacity: 302L
- Noise level: 44dBA

Energy efficiency rating • Energy rating: A+

Energy consumption

• Energy consumption per annum: 266kW.h



FF660 Freestanding 60/40 combination frost free fridge freezer





Features

- Electronic control with LED display
- Door open signal
- Holiday mode

Fridge features

- Chilled water dispenser
- Multi airflow system
- LED interior lighting
- 4 glass shelves 1 salad crisper drawer
- 2 in-door balconies
- 1 lidded dairy compartment
- 2 egg trays

Freezer features

- 4 star rating
- Fast freeze • 3 storage compartments
- 1 ice cube tray
- Total no frost

Available in

• Stainless steel effect

Technical specification

- Front adjustable feet
- Freezing capacity: 12kg/24h
- Fridge useable capacity: 230L net
- Freezer useable capacity: 92L net
- Total useable capacity: 322L
- Noise level: 42dBA


Energy efficiency rating

• Energy rating: A+

Energy consumption

• Energy consumption per annum: 306kW.h





FF770 Freestanding 70/30 combination frost free fridge freezer





Features

- Electronic control with LED display
- Door open signal
- Holiday mode
- Easy slide drawer runners

Fridge features

- Multi airflow system
- LED interior lighting
- 4 glass shelves
- 1 humidity controlled salad crisper drawer
- 4 in-door balconies
- 2 lidded dairy compartments
- 2 egg trays

Freezer features

- 4 star rating
- Fast freeze
- 3 storage compartments
- Ice cube compartment with twist ice cube maker
- Total no frost

Available in

Stainless steel




Technical specification

- Front adjustable feet
- Freezing capacity: 12kg/24h
- Fridge useable capacity: 285L
- Freezer useable capacity: 98L
- Total useable capacity: 383L
- Noise level: 43dBA

Energy efficiency rating

• Energy rating: A+ Energy consumption

 Energy consumption per annum: 349kW.h



FF880 Freestanding full height frost free freezer



Features

- Electronic control with LED display
- Door open signal
- Temperature rise signal
- 4 star rating
- Fast freeze
- 7 storage compartments
- 2 in-door storage racks
- Ice cube compartment with
- twist ice cube maker
- Frost free

Available in

Stainless steel effect




Technical specification

- Front adjustable feet
- Reversible door
- Freezing capacity: 16kg/24h
- Total useable capacity: 260L net
- Noise level: 45dBA

Energy consumption

 Energy consumption per annum: 244kW.h







FF820 and FF880 joined configuration

FF820 Freestanding full height larder fridge



Features

- Electronic control with LED display
- Door open signal
- Temperature rise signal
- LED interior lighting
 Conditionable place about
- 6 adjustable glass shelves
- 2 salad crispers
- 4 in-door balconies
- 1 lidded dairy compartment2 storage containers

Available in


Stainless steel effect

Technical specification

- Front adjustable feet
- Reversible door
- Total useable capacity: 350L
 net
- Noise level: 43dBA

Energy consumption

 Energy consumption per annum: 107kW.h







FF820, FWC860 and FF880 joined configuration



FF820 and FF880 joined configuration

PC52 American style side-by-side frost free fridge freezer

smart LCD displays.





Stainless steel effect

Black

- Electronic control with LED display
- Temperature rise signal
- · Door open signal

Our refrigeration range has been designed with

options for every requirement. From integrated or

freestanding, to side opening, under counter and

in-column, you will find the model that fits your

lifestyle. Look out for special features in the range

such as ice cube and water dispensers, home bars and

- Standby function
- Energy saving

Holiday mode

Fridge features

- LED interior lighting
- Super cooling
- 5 adjustable glass shelves 2 salad crispers
- 3 in-door balconies • 1 egg tray

Freezer features

- 4 star rating
- Fast freeze
- 2 storage compartments
- 5 adjustable glass shelves
- 4 in-door storage racks
- · Ice cube compartment with twist ice cube maker

Available in

- Stainless steel effect
- Black


Technical specification

- Total no frost
- Freezer useable capacity: 177L
- · Total useable capacity: 518L
- Noise level: 43dBA

Energy rating: A+

Energy consumption

annum: 435kW.h





- Front adjustable feet
- Fridge useable capacity: 341L
- · Freezing capacity: 12kg/24h

Energy efficiency rating

· Energy consumption per



Stainless steel effect

Black

PC71 American style side-by-side frost free fridge freezer with home bar

Features

- Electronic control with LED display
- Automatic ice dispenser
- Chilled water dispenser
- Door open signal
- Standby function
- Safety key lock

· Holiday mode

- Fridge features LED interior lighting
- Super cooling
- Home bar
- 4 adjustable glass shelves
- 2 salad crispers
- 4 in-door balconies

Freezer features

- 4 star rating
- Fast freeze
- 2 storage compartments
- 3 adjustable glass shelves
- 2 in-door storage racks Ice cube compartment

Available in

- Stainless steel effect


Technical specification

- · Front adjustable feet
- Total no frost
- Fridge useable capacity: 375L
- Freezer useable capacity: 175L
- Freezing capacity: 10kg/24h
- Total useable capacity: 550L
- Noise level: 42dBA

Energy efficiency rating • Energy rating: A+

Energy consumption • Energy consumption per

annum: 420kW.h







Automatic ice and water dispenser

PC84 American style two door fridge with frost free two drawer freezer



Features

- Electronic control with LCD display
- Door open signal

Fridge features

- LED interior light
- 3 adjustable glass shelves
- 2 humidity controlled salad crisper drawers
- 7 in-door balconies
- 1 lidded dairy compartment
- Meat drawer

Freezer features

- 4 star rating
- Fast freeze

Available in

Stainless steel effect



Technical specification


- Front adjustable feet
- Total no frost
- Fridge useable capacity: 255L net
- Freezer useable capacity: 95L
 net
- Total useable capacity: 350L net
- Freezing capacity: 10kg/24h
- Noise level: 45dBA

Energy efficiency rating

• Energy rating: A+

Energy consumption

 Energy consumption per annum: 305kW.h



PC88 American style four door fridge freezer





Stainless steel effect

Black

Features

- Electronic control with LED display
- Door open signal
- Holiday mode

Fridge features

- LED interior lighting
- 4 adjustable glass shelves
- 2 salad crispers
- 6 in-door balconies
- 2 lidded dairy compartments

Freezer features

- 4 star rating
- 5 storage compartments
- Ice cube compartment with twist ice cube maker
- Fast freeze

Available in

- Stainless steel effect
- Black

Technical specification


- Front adjustable feet
- Fridge useable capacity: 307L net
- Freezer useable capacity: 149L
 net
- Freezing capacity: 8kg/24h
- Total useable capacity: 456L
 net
- Noise level: 45dBA

Energy efficiency rating

Energy rating: A+

Energy consumption

 Energy consumption per annum: 347kW.h



126 W

Q drink Q drink allows you to set a handy timer and chill bottles quickly in

PC870 American style two door fridge with frost free two drawer freezer





Stainless steel



Black

Features

- Electronic touch control with LED display
- Door open signal
- Holiday mode
- Temperature rise signal
- Standby function
- Energy saving mode
- Safety key lock
- Q drink

Fridge features

LED interior lighting

compartments

- Super cooling
- 3 adjustable glass shelves 2 humidity controlled fruit/veg
- 2 lidded dairy compartments
- 6 in-door balconies
- 1 egg tray
- · Soft close fresh zone drawer

Freezer features

- 4 star rating
- Fast freeze
- 2 storage compartments
- 2 ice cube tray

Available in

- Stainless steel
- Black





Technical specification


- Height adjustable feet
- Total no frost
- Fridge useable capacity: 362L net
- Freezer useable capacity: 167L net
- Freezing capacity: 20kg/24h
- · Total useable capacity: 529L
- Noise level: 45dBA

Energy efficiency rating

• Energy rating: A+

Energy consumption

· Energy consumption per annum: 461kW.h





LED interior lighting

PC900 American style premium frost free four door fridge freezer





Stainless steel



Black

Features

- Electronic touch control with
- LED display
- Flexi-cool zone Door open signal
- Holiday mode
- Temperature rise signal
- Standby function
- Energy saving mode Safety key lock
- Q drink

Fridge features

- LED interior lighting
- · Super cooling
- 3 adjustable glass shelves
- 2 humidity controlled fruit/veg compartments
- 2 lidded dairy compartments
- 6 in-door balconies
- 1 egg tray
- · Soft close fresh zone drawer

4 storage compartments

Freezer features

- 4 star rating
- Fast freeze
- 2 shelves
- 2 ice cube trays

Available in

- Stainless steel
- Black





Flexi-cool zone

The flexi-cool zone is a specialised compartment which allows you to

choose between fridge or freezer

space, according to your food storage requirements.


- Height adjustable feet
- Total no frost
- Fridge useable capacity: 362L net • Freezer useable capacity: 164L net
- Freezing capacity: 13kg/24h
- Total useable capacity: 526L net
- Noise level: 46dBA

Energy efficiency rating

• Energy rating: A+

459kW.h

Energy consumption • Energy consumption per annum:





LED interior lighitng



LED strip lighting

Wine coolers

Using the latest anti-vibration technology, UVprotection and temperature control, CDA wine coolers keep your collection in optimum condition.



Variations in temperature, light and movement can all accelerate the ageing process and damage your collection. Installing a wine cooler is a practical and stylish addition to your kitchen. All models come with the latest technology to provide the perfect storage solution.

UV-protective toughened smoked glass doors

All CDA wine coolers have UV-protective, toughened, smoked glass doors to prevent sunlight spoiling the wine. This also assists thermal efficiency.



Wine cooler glass shelf optional accessory

Our wine cooler glass shelf is perfect for storing smaller items such as bottles and cans - compatible with the FWC303, FWC603, FWC623 and FWC860 models. Please see our accessory section for details.



A rated energy efficiency

As we continually move forward and improve our products in response to new technology, our latest range of wine coolers has improved efficiency ratings to save on energy usage in your home.





Luxury wooden shelving

All models feature luxury solid wooden shelves as standard (excludes 15cm slimline models). The FWV901 integrated model also has the addition of a luxury wooden display shelf (shown above).



Digital temperature control

All CDA wine coolers are designed with electronic temperature control which is adjustable between 5°C and 22°C. The red digital display is easy to use and has a convenient memory function.



Bright LED interior lighting

Bright LED interior lighting illuminates the internal cavity beautifully and makes finding the right bottle quick and easy.

Refrigeratio

FWC152 Freestanding/under counter slimline wine cooler



Black glass

Stainless steel

CDA's FWC152 in black glass or stainless steel comes with the same high specification as our larger models but is the perfect size to fill a kitchen gap with useful functionality.

Features

- Black plinth
- Red digital display
- Single temperature storage zone
- 6 integrated supports
- Electronic temperature control
- UV-protective toughened smoked glass door
- Double glazed door
- LED interior lighting
- Temperature memory function Over temperature alarm
- · Height adjustable plinth section
- Safety key lock

Available in

- Stainless steel
- Black glass

Technical specification


- Reversible door
- · Rated electrical power: 60W
- Power supply required: 13A
- Noise level: 41dBA
- Temperature range: 5°C to 22°C
- · Total bottle storage: 7 (75cL Bordeaux bottles)
- Compressor driven

Energy efficiency rating

Energy rating: B

Energy consumption

· Energy consumption per annum: 186kW.h



FWC303 Freestanding/under counter slimline wine cooler







Black glass

Features

- Black plinth
- · Red digital display
- · Single temperature storage zone
- 5 wooden slide-out shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- · Double glazed door
- LED interior lighting
- · Temperature memory function
- · Over temperature alarm
- · Height adjustable plinth section
- Humidifier to maintain 50-80%
- Safety key lock

Optional accessories

 Glass shelves (pack of 3), AFG31

Available in

- Stainless steel
- Black glass

Technical specification


- · Reversible door
- Rated electrical power: 85W
- · Power supply required: 13A
- Noise level: 39dBA
- Temperature range: 5°C to 22°C
- Total bottle storage: 20 (75cL Bordeaux bottles)
- Compressor driven

Energy efficiency rating

Energy rating: A

Energy consumption

 Energy consumption per annum: 139kW.h



FWC603 Freestanding/under counter wine cooler



Stainless steel



Black glass

Red digital display Electronic temperature control

Features

Black plinth

- Dual temperature storage zones
- 5 wooden slide-out shelves
- UV-protective toughened smoked glass door
- Double glazed door
- LED interior lighting Temperature memory function
- · Over temperature alarm
- Height adjustable plinth section
- Integral heater
- Humidifier to maintain 50-80%
- Safety key lock

Optional accessories

· Glass shelves (pack of 3), AFG61

Available in

- Stainless steel
- Black glass

Technical specification


- Reversible door
- Rated electrical power: 100W
- Power supply required: 13A
- Noise level: 40dBA
- Temperature range in upper zone: 5°C to 22°C
- Temperature range in lower zone: 5°C to 22°C
- Bottle storage in upper zone: 16 (75cL Bordeaux bottles)
- Bottle storage in lower zone: 30
- (75cL Bordeaux bottles)
- Total bottle storage: 46 (75cL Bordeaux bottles)
- Compressor driven

Energy efficiency rating

Energy rating: B

Energy consumption

• Energy consumption per annum: 183kW.h



FWC623 Freestanding/under counter double door wine cooler

Stainless steel

Models like the FWC623 offer two storage zones, allowing you to keep both white and red wines perfectly alongside one another.



Features

- Black plinth
- Red digital display
- Dual temperature storage zones
- 11 wooden slide-out shelves
- Electronic temperature control · UV-protective toughened
- smoked glass doors
- · Triple glazed door LED interior lighting
- Temperature memory function
- Over temperature alarm
- Height adjustable plinth section
- 2 humidifiers to maintain 50-80%
- Safety key lock

Optional accessories

· Glass shelves (pack of 3), AFG31

Available in

· Stainless steel

Black


Technical specification

- Rated electrical power: 100W
- Power supply required: 13A Noise level: 42dBA
- Temperature range in left zone: 5°C to 22°C
- · Temperature range in right zone: 5°C to 22°C
- Bottle storage in left zone: 20 (75cL Bordeaux bottles)
- Bottle storage in right zone: 20 (75cL Bordeaux bottles)
- Total bottle storage: 40 (75cL Bordeaux bottles) Compressor driven

Energy efficiency rating

• Energy rating: B

Energy consumption · Energy consumption per annum: 195kW.h



FWC860 Full height freestanding wine cooler



Features

- Black plinth
- · Red digital display
- · Dual temperature storage zones
- 14 wooden slide-out shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door
- LED interior lighting · Energy saving mode
- Temperature memory function
- Over temperature alarm
- Door open alarm
- Humidifier in upper zone to maintain 50-80% RH Integral heater
- Safety key lock

Optional accessories

- Glass shelves (pack of 3), AFG61
- Joining kit, AFJ61

Available in

Black

Technical specification

- Height adjustable feet
- · Reversible door
- Rated electrical power: 160W
- Power supply required: 13A
- Noise level: 45dBA
- · Temperature range in upper zone: 5°C to 22°C
- · Temperature range in lower zone: 5°C to 22°C
- Bottle storage in upper zone:
- 64 (75cL Bordeaux bottles)
- Bottle storage in lower zone: 62 (75cL Bordeaux bottles)
- Total bottle storage: 126 (75cL Bordeaux bottles)
- Compressor driven

Energy efficiency rating


• Energy rating: B

Energy consumption

· Energy consumption per annum: 225 kW.h



Co-ordinate the FF820, FWC860 and FF880 for the ultimate cooling station. Remember to add an AFJ61 kit containing the joining strips and plinth to seamlessly combine all three appliances.



FWV901 Integrated wine cooler



Black glass

The FWV901 allows you to display your special bottles on a purpose built internal display shelf.

Features

- Red digital display
- · Dual temperature storage zones
- 5 wooden slide-out shelves
- and 1 wooden display shelf Electronic temperature control
- UV-protective toughened
- smoked glass door Triple glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Door open alarm
- Energy saving mode
- Display light function
- · Humidifier to maintain 50-80% RH
- Safety key lock

Accessories

• 1 wooden display shelf

Available in

Black

Technical specification

- · Reversible door
- Rated electrical power: 100W
- Power supply required: 13A Noise level: 41dBA


- · Temperature range in upper zone: 5°C to 22°C
- Temperature range in lower
- zone: 5°C to 22°C Bottle storage in upper zone: 28 (75cL Bordeaux bottles)
- Bottle storage in lower zone: 27 (75cL Bordeaux bottles) 25 when using display shelf
- Total bottle storage: 55 or 53 when using display shelf (75cL Bordeaux bottles)
- Compressor driven

Energy efficiency rating


• Energy rating: B

Energy consumption

• Energy consumption per annum: 195kW.h



FWV451 Integrated compact wine cooler



The FWV451 will integrate seamlessly into your kitchen design.

Features

- Red digital display
- Single temperature storage zone
- 3 wooden slide-out shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Door open alarm · Energy saving mode · Display light function
- Humidifier to maintain 50-80% RH
- Safety key lock

Available in

Black


Technical specification

- Reversible door
- Rated electrical power: 85W
- Power supply required: 13A
- Noise level: 39dBA
- Temperature range: 5°C to 22°C
- Bottle storage: 24 (75cL Bordeaux bottles)
- Compressor driven

Energy efficiency rating

• Energy rating: A

Energy consumption · Energy consumption per annum: 140kW.h





FWV600 Integrated compact wine cooler



Black glass

Features

- Red digital display
- Single temperature storage
- 4 wooden slide-out shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- · Triple glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Door open alarm
- Energy saving mode
- Display light function
- Humidifier to maintain 50-80% RH
- Safety key lock

Available in

Black

Technical specification


- Reversible door
- Rated electrical power: 100W
- Power supply required: 13A
- Noise level: 39dBA
- Temperature range: 5°C to 22°C
- Bottle storage: 40 (75cL Bordeaux bottles)
- Compressor driven

Energy efficiency rating

Energy rating: A

Energy consumption

· Energy consumption per annum: 140kW.h



BVB4 Integrated compact draught beer dispenser



Features

- Professional fully integrated beer dispenser
- Compatible with 10L, 30L and 50L kegs
- Ready to dispense beer within five minutes of installation without chilling the keg in advance
- Supplied with CO₂ canister
- · Temperature controlled by thermostat: 4°C to 8°C
- LED lighting
- Easy cleaning process
- Removable drip tray
- Supplied with S-type connector

Optional accessories

- · Alternative keg connectors, ABC001 (G-type)/ABC005 (A-type)
- CO₂ bottle, ABC002
- Cleaning tablets, ABC003
- Alternative cleaning connectors, ABC004/ABC006



a full professional connecting kit and is designed to fit in a full height unit, which will house the beer keg and connections directly below the built-in dispensing unit.

The line drawing shows the dimensions of the built-in dispensing unit only.



Stainless steel

Technical specification

• Rated electrical power: 190W

Refrigeration

- Power supply required: 13A
- Draught capacity: 40L/h △t 10K
- 14.5L/h ∆t 20K · Cooling capacity: 465W/400kcal/h





Dishwashers

CDA dishwashers have been designed with function and performance in mind, with features like hidden controls to keep your programme selection safe from small hands. Combining energy saving features and intelligent technology they deliver perfect results, every time.



Our intelligent dishwashers sense the level of soiling and select the corresponding temperature and amount of water for the best possible wash performance. Energy, and water usage is optimised by using only the energy required for the job and no more.

Drying

Special features like Active Drying, on models like the WC600, mean that your dishwasher doesn't rely on passive heat to dry the dishes. Instead, it forces air around the cavity using a fan; drying them quickly and efficiently.



Energy efficiency
All our dishwashers are A++ rated for energy efficiency.



Flood protection

All our dishwashers offer leak detection to avoid flood damage in your home. For total peace of mind, the Aquastop system in models like the WC600 dishwasher will automatically cut off the water supply in the event of a leak or flood.



Water consumption

It is a common misconception that dishwashers use more water than hand washing alone. The average household would complete two lots of hand washing per day, using 21 litres of water each time. With CDA dishwashers using between just 9 and 12 litres of water per load, and holding up to 15 place settings, you can take care of the washing up, your energy usage and water consumption all at the same time, whilst being friendly to the environment.

Quick guide to dishwashers

CDA dishwashers combine state-of-the-art technology with meticulous build quality to give you reliable performance for years to come.

All our dishwashers feature:

- A++ rating for energy efficiency
- Cold water fill
- Counter-balanced door
- Upper height-adjustable basket to accomodate larger items
- Concealed heating element to protect the bottom basket
- Delay timer to take advantage of off-peak electricity

Freestanding dishwashers





WF141

- 13 place settings
- 6 programmes
- Delay timer
- Energy rating: A++
- Available in white

More details on p142

WF610

- 15 place settings
- 9 programmes
- Delay timer
- Top level cutlery basket
- · Energy rating: A++
- Available in black More details on p142



Slimline integrated dishwashers

WC432

- 10 place settings
- 6 programmes
- Delay timer
- Energy rating: A++

More details on p143

WC480

- 10 place settings
- 8 programmes
- Delay timer
- Top level cutlery basket
- Half load
- Energy rating: A++ More details on p143

Integrated dishwashers



WC142

- 13 place settings
- 5 programmes
- Delay timer
- Energy rating: A++

More details on p144





WC371

- 13 place settings
- 9 programmes
- Delay timer
- Half load
- Energy rating: A++

More details on p144



WC600

- 15 place settings
- 9 programmes
- Delay timer
- Half load
- Top level cutlery basket
- Energy rating: A++

More details on p145

Dishwashers

WF141 Freestanding dishwasher



Features

- 13 place settings
- 3/6/9/12 hour delay timer
- 2 spray levels
- · LED rinse aid indicator
- LED salt indicator
- · LED progress indicator
- · Electronic softener adjustment
- Levelling feet with front control
- · Height adjustable upper hasket
- White baskets

Programmes

- 6 programmes
- Prewash (cold)
- Quick wash 40°C
- Eco 50°C - Super 50 min 65°C
- Intensive 65°C - Extra intensive 70°C

Available in

White

Technical specification


- Rated electrical power: 1.9kW
- Power supply required: 13A
- Noise level: 49dBA

Energy efficiency rating

- Energy rating: A++
- Wash rating: A
- Drying rating: A

Energy consumption

- · Energy consumption per annum: 285kW.h
- · Water consumption per annum: 3360L
- · Energy consumption per cycle: 1kW h
- · Water consumption per cycle: 12L



WC432 Integrated slimline dishwasher



Features

- 10 place settings
- Half load
- 3/6/9 hour delay timer
- 3 spray levels
- LED rinse aid indicator
- LED salt indicator
- LED progress indicator
- · Acoustic signal for end of programme
- · Electronic softener adjustment
- · Height adjustable upper basket
- Overflow protection
- Levelling feet with front control
- Grey baskets

Programmes


- 6 programmes · Prewash (cold)
- Quick wash 40°C
- ∙ Eco 50°C
- Express 65°C
- Intensive 65°C
- Intensive+ 70°C

Technical specification

- Rated electrical power: 1.9kW
- Power supply required: 13A Noise level: 49dBA

Energy efficiency rating

- Energy rating: A++
- Wash rating: A
- Drying rating: A
- Energy consumption per annum: 211kW.h
- · Water consumption per annum:
- Energy consumption per cycle: 0.73kW.h
- · Water consumption per cycle:



WF610 Freestanding intelligent dishwasher



Features

- 15 place settings
- 1-19 hour delay timer
- 3 spray levels LED interior light
- · LED rinse aid indicator
- · LED salt indicator
- · Acoustic signal for end of programme
- Electronic softener adjustment
- Active drying system
- · Counter balanced door · Height adjustable upper
- Top level cutlery basket with separate removable sections
- Grey baskets

Programmes

baskets

- 9 programmes
- Prewash (cold)
- Quick wash 40°C
- Eco 50°C
- Express 60°C - Auto normal 50-60°C
- Auto intensive 60-70°C
- Auto delicate 30-50°C
- Intensive 60°C - Intensive+ 70°C

Optional accessories


· Variospace wine glass holder, AWG100

Technical specification

- · Rated electrical power: 1.9kW
- · Power supply required: 13A
- Noise level: 45dBA
- Energy efficiency rating
- Energy rating: A++
- · Cleaning rating: A Drying rating: A

Energy consumption

- · Energy consumption per annum: 267kW.h
- Water consumption per annum: 2520L
- · Energy consumption per cycle: 0.94kW.h
- Water consumption per cycle: 91



WC480 Integrated intelligent slimline dishwasher





GlassGuard - wine glass

Features

- 10 place settings
- · Half load operates either upper or lower baskets individually or half load of both baskets
- 1-19 hour delay timer
- 3 spray levels
- LED rinse aid indicator
- LED salt indicator · Acoustic signal for end of
- programme
- · Electronic softener adjustment 3-in-1 function
- · Levelling feet with front control
- · Height adjustable upper basket when loaded
- Overflow protection
- Grey baskets
- · Top level cutlery drawer • GlassGuard - wine glass

supports Programmes

- 8 programmes
- Prewash (cold)
- Quick wash 40°C
- Eco 50°C
- 50 minute express wash 65°C
- Auto normal 50-60°C Auto intensive 60-70°C
- Auto delicate 30-50°C
- Intensive+ 70°C

Optional accessories


· Variospace wine glass holder, AWG100

Technical specification

- Rated electrical power: 1.9kW
- Power supply required: 13A
- Noise level: 45dBA

Energy efficiency rating

- Energy rating: A++
- Wash rating: A Drying rating: A
- Energy consumption per annum: 211kW.h
- Water consumption per annum: 2520L • Energy consumption per cycle:
- 0.73kW.h • Water consumption per cycle:



Features

- 13 place settings
- 3/6/9 hour delay timer
- 2 spray levels
- LED rinse aid indicator
- LED salt indicator
- · Acoustic signal for end of programme
- Electronic softener adjustment
- Levelling feet with front control
- · Height adjustable upper basket
- White baskets

Programmes


- 5 programmes
- · Prewash (cold) Quick wash 40°C
- Eco 50°C
- Super 65°C
- Intensive 70°C

Technical specification

- Rated electrical power: 1.9kW
- · Power supply required: 13A
- · Noise level: 49dBA

Energy efficiency rating

- Energy rating: A++
- Drying rating: A
- Water consumption per annum:
- 0.9kW.h



WC371 Integrated intelligent dishwasher





Features

- 13 place settings
- · Half load operates either upper or lower baskets individually or half load of both baskets
- 1-19 hour delay timer
- 3 spray levels
- · LED rinse aid indicator
- · LED salt indicator
- Acoustic signal for end of programme
- Electronic softener adjustment
- 3-in-1 function
- · Levelling feet with front control
- · Height adjustable upper basket when loaded
- Grey baskets
- GlassGuard wine glass supports

Programmes


- 9 programmes
- Prewash (cold)
- Quick wash 40°C • Eco 50°C
- 55 minute express wash 60°C
- Auto normal 50-60°C
- Auto intensive 60-70°C
- Auto delicate 30-50°C
- Intensive 60°C
- Intensive+ 70°C

Technical specification

- Rated electrical power: 1.9kW
- Power supply required: 13A
- Noise level: 45dBA

Energy efficiency rating

- Energy rating: A++
- · Wash rating: A • Drying rating: A
- · Energy consumption per annum: 261kW.h
- Water consumption per annum: 2520L
- · Energy consumption per cycle: 0.9kW.h
- · Water consumption per cycle:



- Wash rating: A
- · Energy consumption per annum: 261kW.h
- 3360L
- · Energy consumption per cycle:
- Water consumption per cycle: 12L

WC600 Integrated intelligent dishwasher





Features

- 15 place settings
- LED interior light
- · Half load operates either upper or lower baskets individually or half load of both baskets
- 1-19 hour delay timer
- 3 spray levels
- · LED rinse aid indicator
- LED salt indicator
- · Acoustic signal for end of programme
- Electronic softener adjustment
- Active drying system
- 3-in-1 function
- Levelling feet with front control Top level cutlery drawer with separate removable sections
- · Height adjustable upper basket when loaded
- · Grey baskets with easy grip handles
- · Lower basket with folding racks
- Aquastop

Programmes

- 9 programmes
- Prewash (cold)
- Quick wash 40°C - Eco 50°C
- 55 minute express wash 60°C
- Auto normal 50-60°C
- Auto intensive 60-70°C
- Auto delicate 30-50°C - Intensive 60°C
- Intensive+ 70°C

Optional accessories

selects the appropriate temperature and the amount of water required for

the perfect wash.

· Variospace wine glass holder, AWG100

Dishwashers

Technical specification


- Rated electrical power: 1.9kW
- Power supply required: 13A Noise level: 45dBA

Energy efficiency rating

- Energy rating: A++
- Wash rating: A
- Drying rating: A

Energy consumption

- Energy consumption per annum: 267kW.h
- · Water consumption per annum: 2520L
- Energy consumption per cycle: 0.94kW.h
- · Water consumption per cycle: 9L





Top level cutlery basket with easy grip handles



Variospace wine glass holder, AWG100 (optional accessory)



Look out for our models with an Eco-logic feature. These machines can detect smaller loads and will use less water and power accordingly.

Choice

CDA's range consists of both integrated and freestanding washing machines, tumble dryers and washer dryers. All models combine high performance with energy efficiency and are perfect for any home.







Quick was

All our washers come with a quick wash option making life easier for busy families. We have pioneered super quick wash programmes that can do a wash in just 15 minutes on the Cl325, Cl371, Cl925 and Cl971 whilst the Cl261 model takes just 12 minutes!



Advanced technology

The latest technology is used in the development of our high tech laundry products. Intelligent digital sensors that monitor the spin cycle, a choice of up to 15 programmes and special functions such as Quick Wash, Easy Iron and Delicate Wash mean that our machines will deliver great results with every wash load.

Quick guide to laundry

The CDA laundry range includes integrated and freestanding washing machines, washer dryers and tumble dryers.

All CDA washing machines and washer dryers have the following features:

- Robust stainless steel drum
- Safety door lock
- Cold water fill
- Integrated machines take a full height furniture door which can be hinged on the right or left

Freestanding washing machine



CI261

- 1200 spin speed
- 9kg wash load
- Energy rating: A+++
- Available in white or black

Freestanding washer dryer



- More details on p150

CI860

- 1400 spin speed
- 8 + 6kg wash load
- Energy rating: A More details on p150

Integrated washing machines



CI325

- 1200 spin speed
- 6kg wash load
- · Energy rating: A++

More details on p152



CI371

- 1400 spin speed
- 7kg wash load
- · Energy rating: A+

More details on p153

Integrated tumble dryer



CI921

- 7kg dry load
- 8 programmes
- Sensor drying
- Energy rating: C

More details on p155

Freestanding tumble dryer



CI522

- 7kg drying load
- Delicates setting
- Reversible door
- Energy rating: C
- More details on p151

Integrated washer dryers



CI925

- 1200 spin speed
- 6 + 3kg wash load
- Energy rating: B More details on p154



CI971

- 1400 spin speed
- 7 + 4kg wash load
- Energy rating: A More details on p154

CI261 High capacity freestanding washing machine





Black

This washing machine comes with Eco-logic, a half load detection system that uses less power and water accordingly.

Features

- 1200rpm spin speed
- 15 programmes
- 9kg wash load
- Delay timer
- Variable spin speed
- Variable wash temperature
- Eco-logic
- LCD display
- 12 minute quick wash function
- · Delicates wash function
- Twin jet
- Anti-flooding safety
- Safety key lock Anti-crease function
- · Clean pump filter indicator
- Failure detection system

Available in

- White
- Black



Technical specification


- Rated electrical power: 2.2kW
- · Power supply required: 13A
- Noise level: wash 58 / spin 78dBA

Energy efficiency rating

- Energy rating: A+++
- Wash rating: A
- Spin rating: B

Energy consumption

- Energy consumption per cycle: 1.03kW.h
- Water consumption per cycle: 57L
- Energy consumption per annum: 211kW.h
- Water consumption per annum: 12320L



CI860 High capacity freestanding washer dryer



This washing machine comes with eco-logic, a half load detection system that uses less power and water accordingly.

Allergysafe The Allergysafe function on the Cl860 maintains a 60°C water temperature for an extended period of time to remove 7 allergens and 4 types of bacteria from your laundry, including pollen, pet allergens, dust mites, fungal and mould spores

Features

- 1400rpm spin speed
- 15 programmes
- · 8kg wash load 6kg dry load
- Delay timer
- Variable spin speed
- Variable wash temperature
- Eco-logic
- LCD display
- LCD progress indicator
- 15 minute quick wash function
- Extra rinse function
- Easy iron function
- Delicates drying function
- · Condensing dryer
- Overflow protection
- Safety key lock Balance control
- Allergysafe function

Available in

White



Technical specification

- Rated electrical power: 2.2kW
- Power supply required: 13A
- · Noise level: wash 58 / spin 77 / dry 64dBA

Energy efficiency rating

- Energy rating: A
- Wash rating: A

Energy consumption

- · Energy consumption per cycle: 5.44kW.h
- Water consumption per cycle: 112L
- · Energy consumption per annum: 1197kW.h
- Water consumption per annum: 24640L



CI522 Freestanding tumble dryer



Features

- 7kg dry load
- Analogue progress indicator
- Vented dryer Variable drying duration
- Delicates setting
- Reversible door

Available in

White



Technical specification

- Rated electrical power: 2.7kW Power supply required: 13A
- Noise level: 62dBA


Energy efficiency rating

• Energy rating: C

Energy consumption

• Energy consumption per cycle: 4.48kW.h

 Energy consumption per annum: 519kW.h



Cl325 Integrated washing machine





Features

- 1200rpm spin speed
- 11 programmes
- 6kg wash load
- Delay timer
- Variable wash temperature
- Variable spin speed
- 15 minute quick wash function
- Delicates wash function
- Cold wash
- Wool wash
- LED display
- Safety key lock
- Anti-crease function
- Extra rinse function
- Intensive wash function
- Acoustic signal for end of programme

Available in

White

Technical specification

- · Rated electrical power: 2kW
- Power supply required: 13A
- Noise level: wash 57 / spin 75dBA

Energy efficiency rating

- Energy rating: A++
- Wash rating: A
- Spin rating: B

Energy consumption

- Energy consumption per cycle: 0.80kW.h
- Water consumption per cycle: 50L
- Energy consumption per annum: 166kW.h
- Water consumption per annum: 11003L

CI371 Integrated washing machine





Features

- 1400rpm spin speed
- 15 programmes7kg wash load
- 7kg wash loa
 Delay timer
- Variable spin speed
- Intelligent spin control
- Flexible quick wash function
- Delicates wash function
- Cold wash
- Wool wash
- LED display
- Safety key lock
- Anti-crease function
- Extra rinse function
- Easy iron function
- Intensive wash function
- Acoustic signal for end of programme
- Balance control
- Total aquastop

Available in

• White

Technical specification

- Rated electrical power: 2.2kW
- Power supply required: 13A
- Noise level: wash 56 / spin 72dBA


Energy efficiency rating


- Energy rating: A+
- Wash rating: A
- Spin rating: B

Energy consumption

- Energy consumption per cycle: 1.08kW.h
- Water consumption per cycle: 47L
- Energy consumption per annum: 218kW.h
- Water consumption per annum: 10340L







CI925 Integrated washer dryer



Features

- 1200rpm spin speed
- 11 programmes
- 6kg wash load
- 3kg dry load
- Delay timer
- Variable wash temperature
- Variable spin speed
- 15 minute quick wash function
- Intensive wash function
- Extra rinse function
- Drum clean programme
- · Condensing dryer Acoustic signal for end of
- programme • LED display
- Safety key lock

Available in

White




Technical specification

- Rated electrical power: 2kW
- Noise level: wash 59 /

- Wash rating: A

- 108L
- 23760L



CI971 Integrated washer dryer





Features

- 1400rpm spin speed
- 15 programmes
- 7kg wash load
- 4kg dry load
- · Delay timer
- Variable spin speed
- Intelligent spin control
- Flexible quick wash function
- Delicates setting
- LED display
- Anti-crease function
- Extra rinse function
- Easy iron function
- · Intensive wash function
- · Condensing dryer
- Acoustic signal for end of programme
- Variable drying duration
- Safety key lock
- Balance control
- Anti-flooding safety
- Total aquastop

Available in

White





Technical specification


- Rated electrical power: 2.2kW
- · Power supply required: 13A
- Noise level: wash 56 / spin 72 / dry 58dBA

Energy efficiency rating

- Energy rating: A
- Wash rating: A

Energy consumption

- Energy consumption per cycle: 4.76kW.h
- Water consumption per cycle:
- · Energy consumption per annum: 952kW.h
- Water consumption per annum: 19800L




- · Power supply required: 13A
- spin 76 / dry 58dBA

Energy efficiency rating

- Energy rating: B

Energy consumption

- Energy consumption per cycle: 4.85kW.h
- · Water consumption per cycle:
- · Energy consumption per annum: 1065kW.h
- Water consumption per annum:



Features

CI921 Integrated tumble dryer

- 7kg dry load
- Sensor dryer Vented dryer
- 2 heat settings
- Reversible door 8 programmes
- Safety key lock
- Timed drying programme
- Airing programme

Available in

White

7kg dry load

Technical specification

• Rated electrical power: 2kW Power supply required: 13A

load, reducing energy usage


Noise level: 62dBA


Energy efficiency rating

• Energy rating: C

Energy consumption

- Energy consumption per cycle: 4.39kW.h
- Energy consumption per annum: 519kW.h





Our comprehensive sink range offers
maximum impact combined with cutting edge
technology - the KG80 even has Ariapura
where titanium dioxide nanoparticles
actively purify the air around your sink.

Ceramic

Made from incredibly robust, fine fireclay with a hard, glossy finish, these sinks are easy to clean and extremely durable. Our choice of styles includes contemporary single or one and a half bowl sinks, traditional Belfast styles and even ceramic undermount sinks.



Stainless steel

All CDA sinks are constructed from premium 304 grade stainless steel for superb quality. Stainless steel is resistant to heat and household chemicals, and is easy to clean. It has a smooth, non-porous surface making it very practical and hygienic.



Flush-fit

Create a continuous, smooth worktop line throughout your kitchen with a flush fit sink. Unlike an overmount sink this range sits flush with the worktop resulting in an easy to clean, contemporary look.



Glass

The stunning KVL02 is an innovative glass sink which co-ordinates perfectly with our black glass appliances and hobs. It is constructed from robust scratch, stain and heat resistant glass and finished with an elegant bevelled edge.



Composite

Made from a mixture of quartz or granite blended with acrylic resin for durability, our composite sinks are hard wearing and combine the natural look of stone with the benefits of a modern material.

Quick guide to sinks

The CDA range of sinks includes stainless steel, ceramic, composite and even glass models. Undermount sinks are also available in either stainless steel or ceramic materials.

Most CDA sinks are supplied with pipework included and have large 3.5" strainer wastes.

Stainless steel sinks

All stainless steel sinks from CDA are manufactured from premium quality 304 grade steel. This gives the sink a high resistance to corrosion and rust, with the ability to withstand all common household detergents. They are also extremely hygienic and easy to clean.

Ceramic sinks

CDA ceramic sinks have a hard, non-porous surface with a tough, gloss finish. They are extremely durable and are resistant to both chemicals and heat. We offer a variety of styles from contemporary to traditional, including the classic "Belfast" model, available in both a single and double bowl option.

Please note: Ceramic sinks are traditionally made and each one will have individual characteristics. This may cause dimensions to vary from those shown in the brochure by between 2 and 5%.

Composite sinks

Our composite sinks are made of natural granite or quartz combined with acrylic resin to give a durable and hard wearing sink.

Like the natural stone, particles of granite combined with resin give these sinks an authentic flecked finish that is incredibly hard wearing.

Accessories

Look out for the useful optional accessories which are available to help make your life easy. Our accessories are designed to work perfectly with the compatible sinks.

Stainless steel



- Single round drainer
- Fits in 450mm base unit More details on p160



- Single round bowl sink
- Fits in 450mm base unit More details on p160



- Compact single bowl sink
- Reversible
- Fits in 500mm base unit More details on p162



- · One and a half bowl sink
- Reversible
- Fits in 600mm base unit More details on p162



KA71

- Large single bowl sink
- Reversible
- Fits in 600mm base unit More details on p164



- · One and a half bowl sink
- Reversible
- Fits in 600mm base unit More details on p164

Glass



KVL01/KVL01L

- Glass single bowl sink
- · Scratch, stain and heat resistant
- Fits in 600mm base unit More details on p167





- · Glass one and a half bowl sink
- · Scratch, stain and heat resistant
- · Fits in 800mm base unit More details on p167



- - Fits in 600mm base unit
- · Available in anthracite or graphite

More details on p170



More details on p173



- Composite one and a half bowl
- · Granite/quartz construction
- Reversible
- · Available in anthracite or graphite

More details on p170



KC12

- howl sink
- More details on p173



- · Double bowl corner sink
- Polished finish More details on p160



- · Single bowl sink with mini drainer
- Fits in 450mm base unit More details on p163



- · Compact single bowl sink
- Fits in 450mm base unit



Compact single bowl sink

• Fits in 450mm base unit

More details on p161

KA50

Reversible

- Reversible
- More details on p163



- - More details on p163



- Single bowl sink
- Reversible
- Fits in 450mm base unit More details on p161



- · One and a half bowl sink
- Reversible
- · Fits in 600mm base unit







- KVF21R/KVF21L Single bowl flush-fit sink
- Slim top profile
- Fits in 600mm base unit More details on p166

· Composite single bowl sink

Granite/quartz construction

• Fits in 600mm base unit

Composite double bowl

sink with metallic finish

Fits in 900mm base unit

More details on p172

Ariapura technology

More details on p169

KG43

Reversible

KG80



- Slim top profile
- Fits in 600mm base unit

One and a half bowl sink

• Fits in 600mm base unit

More details on p161

Reversible

More details on p166



KG44

- Composite one and a half bowl sink
- Granite/quartz construction
- Reversible
- · Fits in 600mm base unit More details on p169

Ceramic



KC10

- Ceramic Belfast single bowl sink with weir overflow
- · Fireclay construction More details on p173

- Ceramic classic design single bowl sink
- Heavy duty
- Fits in 600mm base unit



- Ceramic classic design one and a half bowl sink
- Reversible
- Fits in 600mm base unit



Also available but not shown in detail here:



See p176-185



undermount sink range



- **KG73** Composite single bowl
- · Granite/quartz construction
- Fits in 600mm base unit
- Reversible



- · Ceramic Belfast single bowl sink
- Fireclay construction



- Ceramic Belfast double
- · Fireclay construction



More details on p165

· Composite one and a

• Fits in 600mm base unit

More details on p168

· Avaliable in white or cream

Composite one and a half bowl

· Granite/quartz construction

· Fits in 600mm base unit

· Available in anthracite or

sink with stainless steel drainer

· Composite granite construction

half bowl sink

AS2

Reversible

KG82

Reversible

graphite

Composite

· Fits in 500mm base unit

More details on p165



Single bowl sink

Reversible

- Composite single bowl sink
- · Composite granite construction
- · Fits in 450mm base unit
- Reversible · Avaliable in white or cream More details on p168



- Composite single bowl sink with stainless steel drainer bars
- Granite/quartz construction Fits in 600mm base unit
- Reversible
- · Available in anthracite or graphite

More details on p171





Heavy duty

Reversible

- · Ceramic single bowl sink
- Fits in 600mm base unit More details on p174



KC24

· Ceramic one and a half bowl sink

Heavy duty

 Reversible • Fits in 600mm base unit More details on p174



- Reversible
- More details on p175





More details on p175

Features

Polished finish

Accessories

Waste kit

Plumbing pack


Optional accessories

Waste disposer, AKD01/AKD02

 Space saver plumbing pack, PP1

Available in

Stainless steel



KR21 Stainless steel round single bowl sink



Features

Polished finish

• Fits in 450mm base unit

Accessories

Waste kit

Plumbing pack

Optional accessories

Stainless steel basket, AKB05


 Wooden chopping board, AKW05

Waste disposer, AKD01/AKD02

 Space saver plumbing pack, PP1

Available in

Stainless steel



CCP3 Stainless steel corner double bowl sink



Features

Polished finish

 1mm heavy gauge stainless steel construction

Optional accessories


• Wooden chopping board, TRE

• Waste disposer, AKD01/AKD02

 Space saver plumbing pack, PP2

Available in

Stainless steel



KA20 Stainless steel compact single bowl sink



Optional accessory

The AKW20 wooden chopping board is the perfect accessory for the KA20, KA21 and KA22 sinks.



Features

- Polished finish
- Reversible
- Fits in 450mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Wooden chopping board, AKW20
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

· Stainless steel



KA21 Stainless steel single bowl sink



Optional accessory

The AKW20 wooden chopping board is the perfect accessory for the KA20, KA21 and KA22 sinks.



Features

- Polished finish
- Reversible
- Fits in 450mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Wooden chopping board, AKW20
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

Stainless steel



KA22 Stainless steel one and a half bowl sink



Optional accessory

The AKW20 wooden chopping board is the perfect accessory for the KA20, KA21 and KA22 sinks.



Features

- Polished finish
- Reversible
- Fits in 600mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Wooden chopping board, AKW20
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in

Stainless steel



160



Features

- Polished finish
- Reversible
- Fits in 500mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Sliding wooden chopping board, AKW38
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, pp1

Available in

· Stainless steel



Optional accessory

The AKW38 sliding wooden chopping board is the perfect accessory for the KA30.



KA32 Stainless steel one and a half bowl sink



Features

- Polished finish
- Reversible
- Fits in 600mm base unit

Accessories

- Waste kit
- Plumbing pack

Optional accessories

- Sliding wooden chopping
- board, AKW38
- Stainless steel basket, AKB38
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack,

Available in


Stainless steel

Optional accessories

The AKB38 stainless steel basket and AKW38 sliding wooden chopping board are the perfect accessories for the KA32.







KA55 Stainless steel single bowl sink with mini drainer



Optional accessories

The AKW57 wooden chopping board and AKB57 stainless steel basket are the perfect accessories for the KA55, KA50 and KA52 sinks.





Features

- Polished finish
- Reversible
- Fits in 450mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Wooden chopping board, AKW57
- Stainless steel basket, AKB57
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

· Stainless steel



KA50 Stainless steel compact single bowl sink



Optional accessories

The AKW57 wooden chopping board and AKB57 stainless steel basket are the perfect accessories for the KA55, KA50 and KA52 sinks.





Features

- Polished finish
- Reversible
- Fits in 500mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Wooden chopping board, AKW57
- Stainless steel basket, AKB57
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

Stainless steel



KA52 Stainless steel one and a half bowl sink



Optional accessories

The AKW57 wooden chopping board and AKB57 stainless steel basket are the perfect accessories for the KA55, KA50 and KA52 sinks.





Features

- Polished finish
- Reversible
- Fits in 600mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Wooden chopping board, AKW57
- Stainless steel basket, AKB57
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in

• Stainless steel



162

KA71 Stainless steel large single bowl sink



Features

- Polished finish
- Reversible
- Extra large bowl
- Fits in 600mm base unit

Accessories

- Waste kit
- · Plumbing pack

Optional accessories

- Wooden chopping board, AKW03
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1


Available in

Stainless steel

Optional accessory

The AKW03 wooden chopping board is the perfect accessory for the KA71 sink.





KA72 Stainless steel one and a half bowl sink



Features

- Polished finish
- Reversible
- Fits in 600mm base unit

Accessories

- Waste kit
- Plumbing pack

Optional accessories

- · Wooden chopping board,
- AKW57
- Stainless steel basket, AKB57
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack,

Available in


• Stainless steel

Optional accessories

The AKW57 wooden chopping board and AKB57 stainless steel basket are the perfect accessories for the KA72 sink.







KA80 Stainless steel single bowl sink



Optional accessories

Optional accessories

Features

- Polished, satinised finish for an extra smooth, easy to clean surface
- Reversible
- Fits in 500mm base unit
- Larger bowl
- Recessed water-safe perimeter profile

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Sliding wooden chopping board, AKW38
- Stainless steel basket, AKB38
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

• Stainless steel



KA82 Stainless steel one and a half bowl sink

The AKB38 stainless steel basket and AKW38 sliding wooden chopping

board are the perfect accessories for the KA80 and KA82 sinks.

The AKB38 stainless steel basket and AKW38 sliding wooden chopping

board are the perfect accessories for the KA80 and KA82 sinks.



Features

- Polished, satinised finish for an extra smooth, easy to clean surface
- Reversible
- Fits in 600mm base unit
- Recessed water-safe perimeter profile

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Sliding wooden chopping board, AKW38
- Stainless steel basket, AKB38
- Waste disposer, AKD01/AKD02Space saver plumbing pack,
- PP2

Available in

Stainless steel



KVF21 Single bowl flush-fit sink





KVF21L

Optional accessory

The AKC12 stainless steel main bowl colander is the perfect accessory for KVF21 and KVF22 sinks. This colander is designed to fit the main bowl only.



Features

- Extra large bowl
- · Flush-fit, slim top profile
- Fits in 600mm base unit
- 1mm heavy gauge stainless
- steel construction Noise deadening pads

Accessories


- · Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

- Stainless steel main bowl colander, AKC12
- Waste disposer, AKD01/AKD02
- · Space saver plumbing pack,

Available in

- Stainless steel right hand drainer, KVF21R
- · Stainless steel left hand drainer, KVF21L



Sleek Lines

This heavy grade, minimally

styled sink is designed to

fit flush with your worktops

creating a stylish and

contemporary look.

KVF22 One and a half bowl flush-fit sink





KVF22L

Noise deadening pads Accessories

Features

Concealed overflow

steel construction

• Flush-fit, slim top profile

• Fits in 600mm base unit

• 1mm heavy gauge stainless


- Waste kit
- Plumbing pack

Optional accessories

- · Stainless steel main bowl colander, AKC12
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in

- Stainless steel right hand drainer, KVF22R
- · Stainless steel left hand drainer, KVF22L



KVL01 Glass single bowl sink



Strong, toughened glass for a robust scratch and heat resistant draining surface.

Optional accessory

The AKC12 stainless steel main bowl colander is the perfect accessory for KVL01 and KVL02 sinks.



Features

- Extra large bowl
- Toughened glass
- Scratch, stain and heat resistant
- Fits in 600mm base unit
- Noise deadening pads

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

- Stainless steel main bowl colander, AKC12
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack,


Available in

- Black right hand drainer, KVL01
- Black left hand drainer, KVL01L



KVL02 Glass one and a half bowl sink





Features

- Toughened glass
- Scratch, stain and heat resistant
- Fits in 800mm base unit
- Noise deadening pads

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

- Stainless steel main bowl colander, AKC12
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in

- Black right hand drainer, KVL02
- · Black left hand drainer, KVL02L



Optional accessory

The AKC12 stainless steel main bowl colander is the perfect accessory for KVF21 and KVF22 sinks. This colander is designed to fit the main bowl only.



Optional accessory

The AKC12 stainless steel main bowl colander is the perfect accessory for KVL01 and KVL02 sinks.



AS1 Composite single bowl sink



Features

- Composite granite construction
- Scratch resistant
- Reversible
- Fits in 450mm base unit

-360--

Accessories

- Waste kit
- · Plumbing pack

Optional accessories

- Accessory pack: stainless steel main bowl basket, wooden chopping board, PA1
- Waste disposer, AKD01/AKD02
- · Space saver plumbing pack, PP1

Available in



Optional accessories



The PA1 sink accessory pack contains a stainless steel main bowl basket and wooden chopping board.



The PA2 sink accessory pack contains a stainless steel main bowl

basket, stainless steel half bowl basket and wooden chopping board.

Features

- Composite granite construction
- Scratch resistant
- Reversible
- Fits in 600mm base unit


Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Accessory pack: stainless steel main bowl basket, small stainless steel basket, wooden chopping board, PA2
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in





KG43 Composite single bowl sink



Features:

- Granite/quartz construction
- Scratch resistant
- Tough and hygienic Super smooth metallic finish
- Reversible
- Fits in 600mm base unit
- New and exclusive strainer design

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Available in:

Anthracite

Optional accessories:

- · Black glass chopping board, AKG47
- Stainless steel main bowl colander, AKC48
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1



Optional accessories

The AKG47 glass chopping board and AKC48 stainless steel main bowl colander make preparing food quick and easy.



KG44 Composite one and a half bowl sink



Features:

- Granite/quartz construction
- Scratch resistant
- Tough and hygienic
- Super smooth metallic finish Reversible
- Fits in 600mm base unit
- New and exclusive strainer design

Accessories

- Concealed overflow
- Waste kit
- Plumbing pack

Available in:


Anthracite

Optional accessories:

- Black glass chopping board, AKG47
- Stainless steel main bowl colander, AKC48
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2







Optional accessories

The AKG47 glass chopping board and AKC48 stainless steel main bowl colander make preparing food quick and easy.



Optional accessories

KG73 Composite single bowl sink



Anthracite



Graphite

Optional accessories



Features:

- Granite/quartz construction
- Scratch resistant
- · Tough and hygienic
- Super smooth metallic finish
- Reversible
- Fits in 600mm base unit
- New and exclusive strainer design

Accessories

- Concealed overflow
- Waste kit
- Plumbing pack

Available in:


- Anthracite
- Graphite

Optional accessories:

- · Black glass chopping board, AKG47
- · Stainless steel main bowl colander, AKC48
- Waste disposer, AKD01/AKD02
- · Space saver plumbing pack, PP1



Our optional sink accessories save space and make food preparation quick and easy.



The AKG47 glass chopping board and AKC48 stainless steel main bowl colander make preparing food quick and easy.



KG74 Composite one and a half bowl sink



Anthracite



Graphite





Features:

- · Granite/quartz construction
- Scratch resistant
- · Tough and hygienic
- · Super smooth metallic finish
- Reversible
- Fits in 600mm base unit
- · New and exclusive strainer design

Accessories

- Concealed overflow
- Waste kit
- Plumbing pack

Available in:

- Anthracite
- Graphite

Optional accessories:

- · Black glass chopping board, AKG47
- · Stainless steel main bowl colander, AKC48
- Waste disposer, AKD01/AKD02
- · Space saver plumbing pack, PP2

KG81 Composite single bowl sink with stainless steel drainer bars



Anthracite



Features:

- Granite/quartz construction
- Scratch resistant
- Tough and hygienic
- Super smooth metallic finish
- Reversible
- Fits in 600mm base unit
- New and exclusive strainer design
- · Stainless steel drainer bars

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Available in:

- Anthracite
- Graphite

Optional accessories:

- · Black glass chopping board, AKG47
- Stainless steel main bowl colander, AKC48
- Waste disposer, AKD01AKD02
- Space saver plumbing pack,



Available in:

Optional accessories:

Stainless steel main

bowl colander, AKC48

· Black glass chopping board,

Waste disposer, AKD01/AKD02

· Space saver plumbing pack,

Anthracite

Graphite

AKG47

PP2

Optional accessories

The AKG47 glass chopping board and AKC48 stainless steel main bowl colander make preparing food quick and easy.



KG82 Composite one and a half bowl sink with stainless steel drainer bars



The AKG47 glass chopping board and AKC48 stainless steel main

bowl colander make preparing food quick and easy.

Anthracite



Optional accessories

Graphite

Features:

- · Granite/quartz construction
- Scratch resistant
- Tough and hygienic
- Super smooth metallic finish Reversible
- Fits in 600mm base unit
- · New and exclusive strainer design
- · Stainless steel drainer bars


Accessories

- Concealed overflow
- Waste kit Plumbing pack



A built-in stainless steel trivet finishes off the design perfectly as well as offering a practical trivet for cookware.





Optional accessories

The AKG47 glass chopping board and AKC48 stainless steel main bowl colander make preparing food guick and easy.





CDA's KG80 sink is the only product on the market with Ariapura technology. The composition includes titanium dioxide that actively purifies the air around your sink using natural light, transforming pollutants into harmless mineral salts. It also provides antibacterial protection, supporting the cleanliness of your home environment.

KG80 Composite double bowl sink



Optional accessories



Black glass chopping boards AKG80BL

Feature

- Granite/quartz construction
- Scratch resistant
- Tough and hygienic
- Super smooth metallic finish
- Antibacterial protection for a cleaner, safer sink
- Contains titanium microparticles to purify the air around the sink for extreme
- freshness
 Fits in 900mm base unit

Accessories

- Waste kit
- Plumbing pack

Optional accessories


- Pack of 2 glass chopping boards (black), AKG80BL
- Stainless steel colander, AKC80
- Strainer waste cover, AKS80


Available in

Black



Strainer waste cover, AKS80





KC10 Ceramic Belfast sink



With a weir overflow located at the side of this model and a straight sided bowl, the KC10 is a true "Belfast" sink in design. Combine with a TT56 bridge tap for definitive traditional style.

Features

- Classic design
- Fireclay construction
- Suitable for over or under mounting

Accessories


- Waste kit
- Plumbing pack

Optional accessories

 Space saver plumbing pack, PP1

Available in

White



KC11 Ceramic Belfast style sink



A handmade fireclay sink is very hard wearing. It is traditionally made, and each one will have individual characteristics. The dimensions may vary slightly and there are likely to be natural marks under the glaze giving real character.

Features

- Classic design
- Fireclay construction

Accessories


- Waste kit
- Plumbing pack

Optional accessories

 Space saver plumbing pack, PP1

Available in

White



KC12 Ceramic Belfast style double bowl sink



Features

- Classic design
- Fireclay construction

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer and adaptor, AKD01/AKD02 and AKD03
- Space saver plumbing pack, PP2

Available in

White





A handmade fireclay sink is very hard wearing. It is traditionally made, and each one will have individual characteristics. The dimensions may vary slightly and there are likely to be natural marks under the glaze giving real character.

Features

- Classic design
- Heavy duty
- Reversible
- Fits in 600mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer and adaptor, AKD01/AKD02 and AKD03
- Space saver plumbing pack, PP1

Available in

• White



KC24 Ceramic one and a half bowl sink



Features

- · Classic design
- Heavy duty
- Reversible
- Fits in 600mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer and adaptor, AKD01/AKD02 and AKD03
- Space saver plumbing pack, PP2

Available in

White



KC73 Ceramic single bowl sink



Features

- Classic design
- Heavy duty
- Large bowl
- Reversible
- Fits in 600mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer and adaptor, AKD01/AKD02 and AKD03
- Space saver plumbing pack, PP1

Available in

White



KC74 Ceramic one and a half bowl sink



Features

- Classic design
- Heavy dutyReversible
- Fits in 600mm base unit

Accessories

Waste kit


Plumbing pack

Optional accessories

- Waste disposer and adaptor, AKD01/AKD02 and AKD03
- Space saver plumbing pack, PP2

Available in

White



Full undermount sinks range

CDA undermounts are available in a wide variety of sizes, styles and materials, to suit most kitchen designs.

Stainless steel



KCC21

- Half bowl undermount sink
- Polished finish
- Easy fixing system More details on p178



KCC2

- Three quarter bowl undermount sink
- Polished finish
- Easy fixing system
 More details on p178



KCC2

- Single bowl undermount sink
- Polished finish
- Easy fixing system
 More details on p178



KCC2

- Rectangular bowl undermount sink
- Polished finish
- Easy fixing system
 More details on p179



KCC27

- One and a half bowl undermount sink
- Noise deadening pads
- Easy fixing system
 More details on p179



KCC28

- One and a half bowl undermount sink
- Noise deadening pads
- Easy fixing system
 More details on p179

Stainless steel



KSC2

- Half bowl undermount sink
- Noise deadening pads
 More details on p180



KSC22

- Three quarter bowl undermount sink
- Noise deadening pads
 More details on p180



KSC23

- Single bowl undermount sink
- Noise deadening pads
 More details on p180



KSC24

- Single bowl undermount sinkNoise deadening pads
- More details on p181



KSC2!

- Large single bowl undermount sink
- Noise deadening pads
 More details on p181

Stainless steel



- KVC30R/KVC30L
 One and a half bowl undermount sink
- Noise deadening pads
 More details on p183



- KVC35R/KVC35L
- One and a half bowl undermount sink
- Noise deadening pads
 More details on p183

Composite



- KMG24
- Single bowl undermount/inset
 sink
- Tough and hygienic
- Granite/quartz construction
- Available in anthracite or graphite

More details on p184



KMG30

- One and a half bowl undermount/inset sink
- Tough and hygienic
- · Granite/quartz construction
- Reversible
- Available in anthracite or graphite

More details on p184

Ceramic



KC41

- Ceramic undermount/inset half bowl sink
- Fireclay construction
 More details on p185



KC42

- · Ceramic undermount/inset
- single bowl sink
 Fireclay construction
 More details on p185

176

Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Stainless steel colander, AKC04
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

Stainless steel



KCC22 Stainless steel undermount three quarter bowl sink



Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

Stainless steel



KCC23 Stainless steel undermount single bowl sink



Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Stainless steel basket, AKB10
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

Stainless steel



KCC24 Stainless steel undermount rectangular single bowl sink



Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack,
 pp1

Available in

Stainless steel



KCC27 Stainless steel undermount right-hand one and a half bowl sink



Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in

Stainless steel



KCC28 Stainless steel undermount left-hand one and a half bowl sink



Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in

Stainless steel



178

KSC21 Stainless steel undermount half bowl sink



Features

- 1mm heavy gauge stainless steel construction
- Noise deadening pads
- Square strainer design

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

 Space saver plumbing pack, PP1

Available in

Stainless steel



KSC22 Stainless steel undermount three quarter bowl sink



Features

- 1mm heavy gauge stainless steel construction
- Noise deadening pads
- Square strainer design

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

 Space saver plumbing pack, PP1

Available in

Stainless steel



KSC23 Stainless steel undermount single bowl sink



Features

- 1mm heavy gauge stainless steel construction
- Noise deadening pads
- Square strainer design

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

 Space saver plumbing pack, PP1

Available in

Stainless steel



KSC24 Stainless steel undermount single bowl sink



Features

- 1mm heavy gauge stainless steel construction
- Noise deadening pads
- Square strainer design

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

 Space saver plumbing pack, PP1

Available in

Stainless steel



KSC25 Stainless steel undermount large single bowl sink



Features

- 1mm heavy gauge stainless steel construction
- Noise deadening pads
- Square strainer design

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories


 Space saver plumbing pack, PP1

Available in

Stainless steel



180 www.cda.







KVC30L

经济发展的

Features:

- Satin finish
- Noise deadening pads
- New and exclusive strainer design

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Available in:

- Stainless steel right hand half bowl, KVC30R
- Stainless steel left hand half bowl, KVC30L

Optional accessories:

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack,



KVC35 Stainless steel undermount one and a half bowl sink



KVC35R



Features:

- Satin finish
- Noise deadening pads
- New and exclusive strainer design

Accessories


- Concealed overflow Waste kit
- Plumbing pack

Available in:

- Stainless steel right hand half bowl, KVC35R
- Stainless steel left hand half bowl, KVC35L

Optional accessories:

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2



KMG24 Composite undermount/inset single bowl sink



Anthracite



Graphite

Features:

- Granite/quartz construction
- Tough and hygienic
- Super smooth metallic finish
- Reversible
- Fits in 600mm base unit
- New and exclusive strainer design
- Can be undermount or inset
- Both undermount and inset clips included

Accessories


- Concealed overflow
- Waste kitPlumbing pack

Available in:

- Anthracite
- Graphite

Optional accessories:

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1



KMG30 Composite undermount/inset one and a half bowl sink



Anthracite



Features:

- Granite/quartz construction
- Tough and hygienic
- Super smooth metallic finish
- Reversible
- Fits in 800mm base unit
- New and exclusive strainer design
- Can be undermount or inset
- Both undermount and inset clips included

Accessories

- Concealed overflow
- Waste kit
- Plumbing pack




KMG30 Anthracite.

Available in:

- Anthracite
- Graphite

Optional accessories:

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2



KC41 Ceramic undermount/inset half bowl sink



A handmade fireclay sink is very hard wearing. It is traditionally made, and each one will have individual characteristics. The dimensions may vary slightly and there are likely to be natural marks under the glaze giving real character.

Features

- Classic design
- Fireclay construction
- · Can be undermount or inset

Accessories

- Waste kit
- Plumbing pack


Optional accessories

- · Waste disposer and adaptor,
- AKD01/AKD02 and AKD03
 Space saver plumbing pack,

Available in

White

PP1



KC42 Ceramic undermount/inset single bowl sink



Features

- Classic design
- Fireclay construction
- Can be undermount or inset

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer and adaptor,
- AKD01/AKD02 and AKD03
- Space saver plumbing pack, PP1

Available in

White





Our range includes taps to suit every kitchen from minimalist styles in stainless steel, chrome or nickel to traditional mixer taps, filter and an instant hot water tap.

Filter tap

Our TF55 tap filters mains tap water to improve its taste, clarity and odour. Mains water is passed through a cartridge concealed under the sink and is controlled through the tap by a simple lever action.



Professional chef style taps

A pull-out spray is a useful helping hand on some of our contemporary taps. Use the spray for thorough rinsing of fruit and vegetables, for fast defrosting, to fill large vases or buckets, or for countless other kitchen jobs.



Hot water on demand

Speed up cooking and making hot drinks by installing a TH100 instant hot water tap. With an under-counter heating tank, this useful kitchen appliance can produce around 1.5 litres of hot water per minute, supporting many culinary tasks.





Quick guide to taps

The range of taps from CDA covers a wide spectrum of designs, from stylish, functional taps through to cutting-edge, contemporary designer taps to make a bold statement in your kitchen.

Flow restrictors

Where building regulations (Part G) or ECO-design requirements stipulate maximum flow rates, we offer flow reducers (ATF002/ATF003), which are designed to be fitted inside the supply tails of the tap.

Guidance on minimum operation pressure Taps with a minimum operating pressure of 0.4Bar, or less, are compatible with low pressure hot water systems.

Check your supply pressure before purchasing taps requiring 0.5Bar or higher.

Contemporary taps



TC10 Details on p190



TC15 details on p190



TC20 Details on p190

TC65 Details on p192



TC66
Details on p193



TC75
Details on p193

Contemporary taps



TV7Details on p199



 Available in chrome or black
 Details on p199

Pull-out taps



TC56
Details on p192



TM1 Details on p196



Details on p197

Contemporary taps



TC28
Details on p191



TC41 Details on p191



TC55Available in chrome or nickelDetails on p191



TC57 Details on p192



TC77 Details on p193



TV5 Details on p198



TV6Details on p198

Traditional taps



TT25
Details on p194



TT41Available in chrome or nickelDetails on p194



Details on p195



Details on p195

Pull-out taps



TV11 Details on p200



TV12 Details on p200



3-in-1 instant hot water tap



TF55Details on p200



TH100Details on p201

TC10 Standard single lever tap



Features


- Single flow
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Ceramic disc valve

Accessories

Supplied with flexible tail pipes

Available in





TC15 Classic single lever tap




- Single flow
- Minimum pressure: 0.3Bar
- WRAS approved
- Ceramic single lever valve

Accessories

 Supplied with rigid copper tail pipes

Available in





TC20 Standard quarter turn monobloc tap



Features


- Single flow
- Minimum pressure: 0.1Bar
- 360° spout rotation
- Ceramic disc ¼ turn valves

Accessories

Supplied with flexible tail pipes

Available in





TC28 Contemporary quarter turn monobloc tap



Features


- Single flow
- Minimum pressure: 0.4Bar
- Ceramic disc ¼ turn valves
- 360° spout rotation

Accessories

Supplied with flexible tail pipes

Available in





TC41 Quarter turn cross handle monobloc tap



Features

- Dual flow
- Minimum pressure: 0.3Bar
- WRAS approved
- · Ceramic disc 1/4 turn valves


Accessories

 Supplied with rigid copper tail pipes

Available in



Chrome



TC55 Monobloc tap with swan neck spout



Features

- Dual flow
- Minimum pressure: 0.3Bar
- Ceramic disc ¼ turn valves

Accessories

• Supplied with rigid copper tail pipes


Available in



Chrome (as shown)



Nickel



TC56 Monobloc tap with pull-out spout



Features

- Single flow
- Minimum pressure: 0.75Bar
- Pull-out spout
- Ceramic disc ¼ turn valves
- Hose extends up to 500mm


Accessories

 Supplied with rigid copper tail pipes

Available in



Chrome



TC57 Side single lever tap with swan neck spout



- Single flow
- Minimum pressure: 0.5Bar
- Ceramic single lever valve


Accessories

Supplied with flexible tail pipes

Available in



Chrome



TC65 Monobloc tap with quad spout



Features

- Dual flow
- Minimum pressure: 0.3Bar
- Ceramic disc 1/4 turn valves


Accessories

 Supplied with rigid copper tail pipes

Available in



Chrome



TC66 Side single lever tap with quad spout



Features

- Single flow
- Minimum pressure: 0.5Bar
- Ceramic single lever valve


Accessories

• Supplied with flexible tail pipes

Available in



Chrome



TC75 Contemporary single lever tap



Features


- Single flow
- Minimum pressure: 0.4Bar
- Ceramic single lever valve

Accessories

• Supplied with flexible tail pipes

Available in





TC77 Contemporary slant monobloc tap



Features


- Single flow
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Ceramic disc ¼ turn valves

Accessories

• Supplied with flexible tail pipes

Available in





Features


- Dual flow
- Minimum pressure: 0.3Bar
- WRAS approved
- Compression valves

Accessories

• Supplied with rigid copper tail

Available in





TT41 Traditional quarter turn lever monobloc tap



Features

- Dual flow
- Minimum pressure: 0.2Bar
- WRAS approved
- Ceramic disc 1/4 turn valves

Accessories

 Supplied with rigid copper tail pipes



Chrome (as shown)



Available in

Optional accessories

· Interchangeable handles:

- White/chrome, ATT01WH

- White/nickel, ATT02WH

- Black/chrome, ATT01BL


- Black/nickel, ATT02BL



Black handles



White handles



TT50 Traditional dual lever monobloc tap



Features


- Single flow
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Ceramic disc 1/4 turn valves

Accessories

• Supplied with flexible tail pipes

Available in





TT56 Traditional quarter turn bridge mixer tap

Features

- Single flow
- Minimum pressure: 0.3Bar
- Ceramic disc ¼ turn valves

Accessories

• Supplied with adjustable inlet

Optional accessories

- Interchangeable handles: - White/chrome, ATT01WH
- Black/chrome, ATT01BL

Available in



Chrome


Choose white or black interchangeable handles as an optional accessory.



Black handles



White handles



Co-ordinating products

This tap is ideal for installation with a Belfast style sink.

Professional style This professional coil tap with pullout spray is perfect for rinsing food, filling large pans and making your sink a flexible work space.

TM1 Contemporary single lever tap with pull-out spray



Features

- Single flow
- Minimum pressure: 1Bar
- Pull-out spray
- Ceramic disc valve

Accessories

• Supplied with flexible tail pipes


Available in



Chrome

Fitting note

• Please ensure that your supply pressure is adequate.



TM30 Single lever professional style coil tap with pull-out spray



Features

- Solid stainless steel construction
- Single flow
- Minimum pressure: 1Bar
- Pull-out spray
- 360° spout rotation
- Ceramic disc single lever valve

Accessories

• Supplied with flexible tail pipes


Available in



Stainless steel

Fitting note

 Please ensure that your supply pressure is adequate.



Features

- Single flow
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Ceramic disc single lever valve


Accessories

• Supplied with flexible tail pipes

Available in







TV7 Contemporary side single lever tap with swivel spout



Features

- Single flow
- Minimum pressure: 0.75Bar
- 360° spout rotation
- Swivel aerator for precise flow control
- Ceramic disc single lever valve

Accessories

• Supplied with flexible tail pipes


Available in



Chrome



Swivel spout for precise flow control



TV6 Round tower single lever tap



Features

- Single flow
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Ceramic disc single lever valve


Accessories

• Supplied with flexible tail pipes

Available in



Chrome



TV9 Contemporary square side single lever tap



Features

- Single flow
- WRAS approved
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Ceramic disc single lever valve


Accessories

Supplied with flexible tail pipes

Available in







TV11 Single lever tap with black pull-out spray



Features

- Solid stainless steel construction
- Single flow
- Minimum pressure: 1.5Bar
- Pull-out spray
- 360° spout rotation
- Ceramic disc valve


Accessories

Supplied with flexible tail pipes

Available in



Stainless steel



Fitting note

months.

TF55 Monobloc filter tap with swan neck spout





Filters the water

Features

- Dual flow
- Minimum pressure: 0.4Bar
- 2 way ceramic disc valve
- WRAS approved

Accessories

- Filter and installation kit
- Supplied with rigid copper tail

Optional accessories

Replacement filter, ATF001

Available in



Chrome

We recommend that you

replace the filter every six

TV12 Slimline single lever tap with pull-out spray



Features

- Single flow
- Minimum pressure: 1.3Bar
- Pull-out spray
- Ceramic disc ¼ turn valves
- 360° spout rotation
- Ceramic disc valve

Accessories

Supplied with flexible tail pipes

Available in




Chrome

Brushed steel (as shown)

Fitting note

 Please ensure that your supply pressure is adequate.



Fitting note

 Please ensure that your supply pressure is adequate.



Features

- Non-pressurised tank for increased reliability
- Electronic display on tank
- Minimum pressure: 1Bar • 170° spout rotation
- 2.4L tank
- Filter included
- 1.4 1.9L/min flow rate
- Dispenses 1.25L before the temperature drops
- Rapid 7-8 minutes initial heat up from cold supply
- Unique heating system, allows several cups of 98°C water to be dispensed

Accessories

Standard hot

Push lever back for hot

98°C water

and cold supply

• Supplied with flexible tail pipes

Available in



Chrome



WRAS approved

- Please ensure that your supply pressure is adequate.
- The filter must be replaced every 6 months to prevent limescale build-up.


Instant hot water

Stop waiting for kettles and pans to boil. Make hot drinks instantly and speed up cooking with this useful kitchen appliance.

Fitting note



Under counter heating tank



Oven accessories

Code	Contents	Compatible with
C3OL	2 side panels and 1 back panel	RC9322 ¹ , RV1061 ¹ , RV1002 ¹
C5OL	2 side panels and 1 back panel	RV701 ¹ , RV1200 ²
C6OL	2 side panels	RV701 ³ , RV1200 ³ , DK751 ³ , DK951 ³ , 9Q6 ³
C7OL	2 side panels and 1 back panel	DK751 ¹
C9OL	2 side panels and 1 back panel	SK381
C10OL	2 side panels and 1 back panel	6Q5, 9Q6 ¹ , DK1151, DK951 ¹
C12OL	2 side panels and 1 back panel	SK451




Telescopic shelf kits

Code	Contents	Compatible with
TSK3	3 shelves and side rails 6 height positions	SK110, SK210, SK310, SK410

Recommended by CDA

When you're busy making your magic in the kitchen, that's when accidents can happen. Reduce this risk by having a professional shelving system on your oven.

Our telescopic shelf kits allow dishes to slide forward and back with ease and











¹main oven only. ² main and second ovens only. ³ top oven only.

Please check product pages for compatibility.

Extractor accessories

AED51 125mm x 1m flexible ducting kit

- White wall outlet
- 2 cable ties
- 1m flexible hose
- Fixing kit



AED53 125mm x 6m flexible ducting kit

- White wall outlet
- 2 cable ties
- 6m flexible hose
- Fixing kit



Accessories

AED54 125mm x 3m rigid ducting kit

- White wall outlet
- 2 x 1m rigid ducting
- 500mm rigid ducting
- Wall plate
- Connector
- 125mm elbow bend
- 2 threaded hose connectors
- 1m flexible hose
- Horizontal bend
- Fixing kit



AED61 150mm x 1m flexible ducting kit

- White wall outlet
- 2 cable ties
- 1m flexible hose
- Fixing kit



AED63 150mm x 6m flexible ducting kit

- White wall outlet
- 2 cable ties
- 6m flexible hose
- Fixing kit



AED64 150mm x 3m rigid ducting kit

- White wall outlet
- 2 x 1m rigid ducting
- 350mm rigid round ducting
- Wall plate
- Connector
- 125mm elbow bend
- 2 threaded hose connectors
- 1m flexible hose
- Horizontal bend
- Round to rectangular adaptor
- Fixing kit



Extractor accessories



CHA1 charcoal filter (pack of 1)

CTE6, CCA5



CHA2 charcoal filter (pack of 2) EVC4, EVCK4, EVM9, EVPC9



CHA4 charcoal filter (pack of 1) ECH61/71/91/101



CHA5 charcoal filter (pack of 1)



CHA11 charcoal filter (pack of 2)



CHA12 charcoal filter (pack of 1) ECN62/72/92, ECP62/72/82/92/102/112



CHA14 charcoal filter (pack of 2)



CHA15 charcoal filter (pack of 1



CHA16 charcoal filter (pack of 2)



CHA17 charcoal filter (pack of 2) EKP60/70/90



CHA18 charcoal filter (pack of 2)



CHA19 charcoal filter (pack of 2)
EDD61



CHA21 charcoal filter (pack of 2) CCA7, EVG6/9, EVP61/91/101/121, EVPK90



CHA24 charcoal filter (pack of 2) ECH61/71/91/101



CHA25 charcoal filter (pack of 2) ECHK90, ECPK90



CHA30 charcoal filter (pack of 2)



CHA32 charcoal filter (pack of 2)



GRE1 acrylic grease filter CCA5, EIN60



GRE2M metal grease filter



GRE3M metal grease filter

AEV01SS chimney section

Refrigeration and dishwasher accessories













AFJ61 Joining kit

The AFJ61 joining kit contains a steel frame, plinths and joining strips to seamlessly combine the FF820, FWC860 and FF880 appliances to make the ultimate cooling station.



Wine cooler glass shelves

Code	Contents	Compatible with	
AFG31	Glass shelves (pack of 3)	FWC303, FWC623	
AFG61	Glass shelves (pack of 3)	FWC603, FWC860	

Our wine cooler glass shelves are perfect for storing smaller items such as bottles and cans.



D: 1				
Dishwasher	wine	ดเลรร	noider	

Code	Contents	Compatible with
AWG100	Variospace wine glass holder	WC600, WF610

Sink accessories



AKW20 wooden chopping



AKW05 wooden chopping board KR21

AKW20 wooden chopping board
KA20, KA21, KA22

AKW38 wooden chopping board KA30, KA32, KA80, KA82



AKW57 wooden chopping board KA55, KA50, KA52, KA72



TRE wooden chopping board

CCP3





AKG47 black glass chopping board KG43, KG44, KG73, KG74, KG81, KG82

















Sink accessories

Sink accessory packs

Code	Contents	Compatible with
PA1	Wooden chopping board and stainless steel basket	AS1
PA2	Wooden chopping board and stainless steel baskets	AS2



Accessories

Maximise your kitchen workstation with our sink accessory packs. Increase work space with a chopping board and keep your sink bowl looking new with a matching sink basket.





Plumbing packs

Code	Contents	Compatible with
PP1	Space saver plumbing pack	All single bowl sinks
PP2	Space saver plumbing pack	All one and a half bowl sinks

Waste covers

Code	Contents	Compatible with
AKS80	Circular waste cover	KG80

Sink accessories

Waste disposers

Code	Contents	Compatible with
AKD01	380W waste disposer	All sinks except KSC models and KC10
AKD02	550W waste disposer	All sinks except KSC models and KC10
AKD03	Waste disposer adaptor	All ceramic sinks using AKD01 or AKD02



AKD01

- Easy to install
- Convenient
- Clean and hygenic
- Time saving
- Smell free
- Mess free
- Needs no regular maintenance
- Cheap to run











AKD03


Heating accessories

APH01SS Plinth heater

- Stainless steel finish
- 3 heat settings: cold (fan only), warm, hot
- On-off switch with neon indicator
- Automatic safety cut out
- Rated electrical power: 2kW
- Power supply required: 13A

Our 2kW slimline plinth heater provides instant heat where space is at a premium and discreet yet effective heating is required.

Cleverly concealed in the 'kick space' beneath kitchen units, stairwells and fitted furniture, a plinth heater eliminates the need for a separate radiator, allowing better use of the kitchen space.



Splashbacks

Square metal splashbacks

Size	Stainless steel	Black
600W x 750H	CSB6SS	CSB6BL
700W x 750H	CSB7SS	CSB7BL
900W x 750H	CSB9SS	CSB9BL
1000W x 750H	CSB10SS	CSB10BL
1200W x 750H	CSB12SS	CSB12BL



Stainless steel

Square glass splashbacks

Size	Black	Grey
600W x 750H*	ASG6BL	ASG6GR
700W x 750H*	ASG7BL	ASG7GR
900W x 750H*	ASG9BL	ASG9GR
1000W x 750H*	ASG10BL	ASG10GR
1200W x 750H*	ASG12BL	ASG12GR



Blac

Curved glass splashbacks

Size	Black	Grey	Compatible with
600W x 750H*	ASG62CBL	ASG62CGR	ECP62/72/82, EKP60/70/90
700W x 750H*	ASG72CBL	ASG72CGR	ECP62/72/82, EKP60/70/90
800W x 750H*	ASG82CBL	ASG82CGR	ECP62/72/82
900W x 750H*	ASG92CBL	ASG92CGR	ECP92/102/112
900W x 750H*	ASG92KBL	ASG92KGR	EKP90
1000W x 750H*	ASG102CBL	ASG102CGR	ECP92/102/112
1100W x 750H*	ASG112CBL	ASG112CGR	ECP92/102/112




 $^{^{*}}$ Our toughened glass splashbacks are handmade, so dimensions shown may vary by up to 5mm.

Accessories

Tap accessories

Product	Code	Compatible with
Ceramic filter	ATF001	TF55
Black tap handles	ATT01BL	TT41CH, TT56CH
White tap handles	ATT01WH	TT41CH, TT56CH
Black tap handles	ATT02BL	TT41NI
White tap handles	ATT02WH	TT41NI
Flow rate restrictors*	ATF002	All taps with rigid copper tail pipes
Flow rate restrictors*	ATF003	All taps with flexible tail pipes



TT41 tap handles









TT56 tap handles

Website

You'll find the latest news and product information at www.cda.eu.

You can also locate your nearest CDA retailer, register your purchase or contact our customer care team.

From time to time our products are changed, specifications updated and new products launched. Visit our website for all up to date information and specifications.

www.cda.eu



Guarantee

Terms and conditions of guarantee

- · Parts are defined as mechanical/electrical parts only.
- Products registered outside of the 30 day period will receive 12 months parts and labour.
- · Proof of date of purchase must be supplied.
- To qualify for free parts they must be fitted by a CDA appointed engineer.
- Any attempts to modify or repair an appliance by an unauthorised person will render all guarantees invalid.
- A charge will be made for attending a reported fault that transpires to be due to misuse or mis-installation.
- CDA retains the right to invalidate the guarantee in the event of physical or verbal abuse towards any member of staff.
- CDA guarantees cover domestic use only commercial use is not covered.
- Guarantees in whole or part are not transferable.
- Taps During the first year, at our discretion we may pay for refitting (on receipt of the faulty part/tap, once inspected and deemed faulty) up to a maximum defined cost.
- The provision of services under the guarantee neither extends the term of the guarantee nor sets in motion a new guarantee period.
 The guarantee period for spare parts fitted ends with the expiry of the guarantee on the appliance as a whole. The guarantee remains effective from the date of purchase.
- On the occasion that a product is over 2 years old and is considered to be beyond repair, or uneconomical to repair, then we will offer a replacement appliance and charge an appropriate monetary offset in respect of the period of use already enjoyed.
- Guarantees apply in the UK and Southern Ireland only.

What is not covered

- Transport damage for which CDA is not responsible.
- Improper installation and assembly.
- Improper use including where an appliance has been used in a nondomestic environment, or poor maintenance, or failure to observe the operating instructions.
- · Faults due to accidental damage or misuse.
- Damage caused by the appliance coming into contact with unsuitable materials.
- Claims in respect of compensation for consequential loss, except where such liability is legally mandatory.
- Consumables and cosmetic parts such as glass, bulbs, seals, fuses, filters, external hoses, cosmetic parts, baskets, trays, burner caps, burner bases etc.
- Damage to, or during, the replacement of any light bulbs or removable parts of glass and plastic.
- ${\scriptstyle \bullet}$ Gas leaks not related to a CDA appliance.
- TH100 3-in-1 instant hot water tap is guaranteed for 2 year parts and 2 year labour.

Details of extended warranties are available on request.

This table shows where the guarantee is restricted due to non-domestic conditions:

	5 year parts, 2 year labour	2 year parts, 2 year labour	1 year parts, 1 year labour
Normal domestic sale and use	1		
Rental or service apartment (non-students)		✓	
Students (communal living and non-communal) not new build		1	
Students (communal living and non-communal) new build		1	
Students (non-communal) one student per kitchen	✓		
Semi-commercial e.g. school domestic science lab			1

E & O E • ALL DIMENSIONS AND ILLUSTRATIONS ARE PROVIDED FOR GUIDANCE ONLY. CDA RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE.

WEEE PRODUCER REGISTRATION NUMBER: WEE/FD0074UR.

Oven symbols
Oven light
X Defrost
e Conventional oven
$\overline{\nabla}$
Fan assisted oven
Fan oven
Fan cooking with lower heat
Fan cooking with upper heat
Fan with lower heat
T dil Will House
Browning oven
Warming oven
Grill/Half grill
[****]
Turbo grill
Fanned electric grill/Half fanned electric grill
Rotisserie electric
Rotisserie fanned grill
Rotisserie conventional
Steam oven
Clean function
Pyrolytic cleaning
Gas oven
Fanned gas oven
Rotisserie gas
Microwave/Microwave and grill function
Microwave and fan oven





For more information please contact:

The Sales Department on **01949 862010**The Customer Care Department on **01949 862012**