



components **limited**



Our Vision

To continue our dedication of supplying high-quality furniture fittings and fixtures to the trade whilst maintaining our truly excellent customer service.

Our Values

To be an industry leader through commitment to people, quality, innovation and service, while respecting the environment and environments in which we work.



Welcome to

SPL

components limited

SPL Components Limited was established in 1994 and has continued its rapid expansion over the past 20 years to become a market leader in supplying components to the UK furniture manufacturers.





Look for FSC®
certified products
The mark of
responsible forestry
FSC® C007915



We strongly believe in comprehensive staff training and screening to ensure our workforce is efficient, friendly and knowledgeable. Further development in sales, marketing and research enable us to offer a superlative standard of

customer service which is second to none, even sourcing and manufacturing specialist products if a particular customer requires a bespoke item. We have already proved to manufacturers that we offer tangible advantages



by continually introducing new innovative products to our portfolio that combine the latest cutting edge technology with stunning aesthetics. We pride ourselves on being a leader in our field.

Contents

Section 1 Handles

Contemporary Handles	8-12
Traditional Handles	13-15
Bedroom Handles	16
Bathroom Handles	17-18

Section 2 Kitchen Storage

Soft Close Wirework	20-21
Wirework Accessories	22-24

Section 3 Kitchen Accessories

Waste Bins	26-27
Miscellaneous	28
Worktop Profiles	29-31
Flooring Profiles	32-34

Section 4 Kitchen Profiles

Linear Gola Profiles	36-37
Linear Gola Accessories	38-39
Glass	40

Section 5 Lighting

COB LED Cabinet Lighting	42
Diffused High Output LED Cabinet Lighting	43
Designer High Output LED Cabinet Lighting	44
LED Plinth Lighting	45
High Output Cuisine LED Cabinet Lighting	46
SMD High Output LED Cabinet Lighting	47
SMD Diffused GX53 Cabinet Lighting	48
SMD Diffused LED Link Lighting	49
T5 Fluorescent Lighting	50

LED Shelves	51
IP65 Flexible LED Strip Lighting	52-53
12Vdc LED Power Converters	54
Remote Sensors and Dimmers	55
Switches and Dimmers	56
Pop Up Audio Unit	57
Power Tech Module with USB Ports	58
Evoline Port Cuisine	59
Fire Rated COB Dimmable LED IP65 Downlight	60
Anti Glare COB LED IP65 Downlight	61
5W and 9W LED Downlights	62-63
LED Lamps	64

Section 6 Drawer Box

Soft Close Drawer Installation Guide	66
Soft Close Drawers	67-68
Drawer Box Accessories	69-70
Soft Close Drawer Dimensions	71
Drawer Box Accessories	72-74

Section 7 Hinges & Mounting Plates

Click Hinges and Mounting Plates	76-78
----------------------------------	-------

Section 8 Furniture Fittings

Packing	80-81
Cover Caps	82-83
Shelf Supports	84-85
Door Buffers	86
Door Catches	87
Cams and Dowels	88-89
Miscellaneous	90-92
Brackets and Fixings	93-96
Stays	97
Screws	98-101
Wall Hanging Brackets	102
Carcase Legs, Feet and Supports	103-105

Section 1

Handles




Contemporary Handles	8-12
Traditional Handles	13-15
Bedroom Handles	16
Bathroom Handles	17-18

Contemporary Handles

T Bar Handle




Brushed Nickel		CC (mm)
SY9939H	H32mm x L124mm	64
SY9940H	H32mm x L156mm	96
SY9941H	H32mm x L188mm	128
SY9942H	H32mm x L237mm	177
SY9943H	H32mm x L316mm	256
SY9944H	H32mm x L337mm	277
SY9945H	H32mm x L387mm	327
SY9946H	H32mm x L437mm	377
SY9947H	H32mm x L510mm	450



T Bar Handle




Polished Chrome		CC (mm)
SY9969	H32mm x L188mm	128
SY9970	H32mm x L237mm	177
SY9971	H32mm x L337mm	277



Boss Handle




Brushed Nickel		CC (mm)
SY9713	H43mm x L181mm	156
SY9714	H43mm x L281mm	256
SY9715	H43mm x L332mm	306
SY9716	H43mm x L382mm	356
SY9717	H43mm x L481mm	456
SY9718	H43mm x L667mm	632
SY9719	H43mm x L786mm	758



Designer Bar Handle




Brushed Nickel		CC (mm)
SY10032	H36mm x L140mm	128
SY10033	H36mm x L173mm	160
SY10034	H36mm x L205mm	192
SY10035	H36mm x L245mm	232
SY10036	H36mm x L365mm	352
SY10037	H36mm x L493mm	480



Bow Handle




Brushed Nickel		CC (mm)
SY9958H	H30mm x L153mm	128
SY9959H	H32mm x L188mm	160
SY9960H	H32mm x L221mm	192
SY9961H	H32mm x L297mm	256
SY9962H	H36mm x L364mm	320



Bow Handle




Polished Chrome		CC (mm)
SY9953H	H30mm x L153mm	128
SY9954H	H32mm x L188mm	160
SY9955H	H32mm x L221mm	192
SY9956H	H32mm x L297mm	256
SY9957H	H36mm x L364mm	320



Slimline Bar Handle




Polished Chrome		CC (mm)
SY9964H	H27mm x L120mm	96
SY1020	H27mm x L152mm	128
SY9965H	H27mm x L190mm	160
SY9966H	H27mm x L222mm	192
SY9967H	H27mm x L290mm	256
SY9968H	H27mm x L358mm	320



Slimline Bar Handle




Brushed Nickel		CC (mm)
SY1014	H27mm x L120mm	96
SY1015	H27mm x L152mm	128
SY1016	H27mm x L190mm	160
SY1017	H27mm x L222mm	192
SY1018	H27mm x L290mm	256
SY1019	H27mm x L358mm	320



Curved Bow Handle




Polished Chrome		CC (mm)
SY9909H	H31mm x L182mm	160



Square Knob




Brushed Nickel		CC (mm)
SY9963BN	H24mm x L42mm	32



Square Knob



Polished Chrome		CC (mm)
SY9963H	H24mm x L42mm	32



Designer Knob




Brushed Nickel		CC (mm)
SY9150	H23mm x L29mm	


Contemporary Handles




Polished Chrome CC (mm)
SY9910H H30mm x L180mm 160



Brushed Nickel CC (mm)
SY9910BN H30mm x L180mm 160




Chrome with Black Insert CC (mm)
SY9908HBLK H30mm x L202mm 160/192



Polished Chrome CC (mm)
SY9932H H30mm x L240mm 160

Brushed Nickel
SY9933H H30mm x L240mm 160


Titanium
SY9934H H30mm x L240mm 160



Polished Chrome CC (mm)
SY9963HA H24mm x L75mm 64

Brushed Nickel
SY9963HB H24mm x L75mm 64


Titanium
SY9963HC H24mm x L75mm 64



Polished Chrome CC (mm)
SY9935HA H18mm x L50mm 32

Brushed Nickel
SY9935HB H18mm x L50mm 32


Titanium
SY9935HC H18mm x L50mm 32



Classic D Handle



Matt Nickel CC (mm)
SY10107 H26mm x L206mm 160/192



Shaker Knob




Satin Nickel
SY9891 H28mm x L36mm

Shaker Cup Handle




Satin Nickel CC (mm)
SY9893 H24mm x L103mm 64



Classic Cup Handle



Brushed Nickel CC (mm)
SY10121 H30mm x L95mm 64



Dimpled Knob




Brushed Nickel
SY9085BN H26mm x L32mm

D Handle



Brushed Nickel CC (mm)
SY9781 H30mm x L156mm 128




Contemporary Handles

Flat Width Curved Bow Handle




Brushed Nickel CC (mm)
SY9915H H25mm x L172mm 160
SY9916H H33mm x L240mm 224



Flat Width Curved Bow Handle




Polished Chrome CC (mm)
SY10110 H23mm x L141mm 128
SY10109 H23mm x L172mm 160
SY10108 H23mm x L235mm 224



Chunky D Handle



Stainless Steel Effect CC (mm)
SY9906H H32mm x L138mm 128



If you cannot find what you are looking for please contact our experienced sales team on 0113 271 3200 who can source your requirements.




Traditional Handles




Cast Iron CC (mm)
SY9898 H34mm x L34mm 96



Cast Iron
SY9899 H29mm x L38mm



Cast Iron
SY10118 H28mm x L42mm






Cast Iron CC (mm)
SY10113 H34mm x L146mm 96



Cast Iron CC (mm)
SY10114 H25mm x H160mm 96
SY10115 H25mm x L192mm 128




Cast Iron CC (mm)
SY10120 H32mm x L156mm 128



Traditional Handles




Cast Iron CC (mm)
SY10116 H30mm x L85mm 64




Cast Iron
SY10117 H30mm x L34mm




Antique Pewter CC (mm)
SY10150 H28mm x L156mm 128




Antique Pewter CC (mm)
SY10151 H26mm x L163mm 96



Antique Pewter CC (mm)
SY10152 L22mm x H140mm 96
SY10153 L35mm x H182mm 128




Antique Pewter CC (mm)
SY10111 H30mm x L180mm 128



D Handle




Antique Brass CC (mm)
SY10101 H30mm x L180mm 128



D Handle




Antique Brass CC (mm)
SY10104 H22mm x L126mm 96



D Handle




Antique Brass CC (mm)
SY10105 H22mm x L126mm 96



Pitted D Handle



Antique Brass CC (mm)
SY10102 H25mm x L156mm 128



Pitted Knob



Antique Brass
SY10103 H27mm x L35mm

Indent Knob




Antique Brass
SY10106 H26mm x L30mm


Bedroom Handles




Polished Chrome CC (mm)
SY10123 H29mm x L182mm 160
SY10122 H31mm x L363mm 320




Brushed Nickel CC (mm)
SY10125 H29mm x L182mm 160
SY10124 H31mm x L363mm 320




Brushed Nickel CC (mm)
SY10141 H30mm x L136mm 128
SY10140 H30mm x L168mm 160
SY10139 H30mm x L200mm 192
SY10138 H30mm x L288mm 288



Polished Chrome CC (mm)
SY10148 H30mm x L168mm 160
SY10147 H30mm x L200mm 192
SY10146 H30mm x L296mm 288



Polished Chrome CC (mm)
SY10045 H32mm x L250mm 244




Antique Pewter
SY10149 H26mm x L31mm

Bathroom Handles

Square Pull Handle



Polished Chrome CC (mm)
SY9935HA H18mm x L50mm 32



Square Pull Handle




Polished Chrome
SY9833 H20mm x L25mm

Slab Pull Handle




Polished Chrome CC (mm)
SY9830 H27mm x L42mm 32



Pull Handle



Polished Chrome CC (mm)
SY9865 H20mm x L77mm 32



Pull Knob




Polished Chrome
SY9832 H22mm x L34mm

Square Knob



Polished Chrome CC (mm)
SY9831 H25mm x L34mm 16




Bathroom Handles

D Handle




Polished Chrome CC (mm)
SY9835 H25mm x L136mm 128



Square D Handle



Polished Chrome CC (mm)
SY9834 H27mm x L103mm 96



Slalom Traditional Knob



Polished Chrome
SY9750 H23mm x L32mm

If you cannot find what you are looking for please contact our experienced sales team on 0113 271 3200 who can source your requirements.



Section 2

Kitchen Storage



Soft Close Wirework

20-21

Wirework Accessories

22-24

Soft Close Wirework

Unhanded Corner Organiser



D485mm x W864mm x H550/690mm
SY10010 (900mm carcass width)

- High quality chrome baskets
- Heavy duty frame
- Pull out corner with gas piston
- Reversible right and left with four baskets
- For door minimum 450mm

soft
close

Soft Close
Pull Out Bottle Rack



D425mm x W260/268mm x H525mm
SY9633SC (300mm carcass width)
D475mm x W110mm x H570mm
SY9627SC (150mm carcass width)

soft
close

Pull Out Column



D450mm x W245mm x H1900/2100mm

SY9602SC Tall Unit (300mm carcass width)

D450mm x W455mm x H1900/2100mm

SY9603SC Tall Unit (500mm carcass width)

D450mm x W405mm x H1200/1450mm

SY10011 Mid High Unit (450mm carcass width)

D450mm x W445mm x H1200/1450mm

SY10012 Mid High Unit (500mm carcass width)

D450mm x W550mm x H1200/1450mm

SY10013 Mid High Unit (600mm carcass width)

- Metallic grey column frame with full extension slide shelf mounted
- Fully adjustable with stroke end loading capacity 25 kg per shelf
- Upper and below automatic returns with piston individually packed per unit
- Capacity 100kg with chrome baskets
- Available in tall and mid high units
- Tall unit comes complete with 4 door brackets and 6 chrome baskets
- Mid high unit comes complete with 4 door brackets and 4 chrome baskets

soft
close

Octo Unit - base pull out



Grey/Chrome

D870mm x W460mm x H240mm

SY10008LH 500mm LH pull out

SY10008RH 500mm RH pull out

D890mm x W500mm x H230mm

SY10009LH 600mm LH pull out


SY10009RH 600mm RH pull out

- Shelf mounted
- Loading capacity 25 kg per shelf
- Individually packed per unit

soft
close

Wirework Accessories

Soft Close Pull Out Baskets



D440mm x W265mm x H140mm
SY9999 (300mm carcass width)

D440mm x W365mm x H140mm
SY10000 (400mm carcass width)

D440mm x W465mm x H140mm
SY10001 (500mm carcass width)

D440mm x W565mm x H140mm
SY10002 (600mm carcass width)

D440mm x W765mm x H140mm
SY10003 (800mm carcass width)

D440mm x W865mm x H140mm
SY10004 (900mm carcass width)

- Pull out basket with full extension

soft
close

Carousel Set



SY9637

- 3/4 carousel
- 710mm diameter
- 2 level with pole fitting
- 270 degree


Half Carousel Set



SY9611

- Half carousel
- 750mm diameter
- 2 level with pole fitting
- 180 degree

Single Spice Rack



Chrome

D55mm x W300mm x H60mm

SY7701

D55mm x W400mm x H60mm

SY7702

Triple Spice Rack



Chrome


D55mm x W300mm x H60mm

SY7703

D55mm x W400mm x H60mm

SY7704

Single Wire Basket



Chrome


D100mm x W400mm x H78mm

SY7705

D225mm x W400mm x H78mm

SY7706

Wine Holder



Chrome

D220mm x W460mm x H20mm


SY7709

D220mm x W260mm x H20mm

SY7710

Wirework Accessories

Utensil Rack



Chrome
SY7707

- 400mm Utensil Rack with 6 fixed hooks

Rail with Loose Hooks



Chrome
SY7708

- 1000mm Utensil Rack with 10 fixed hooks

Basket



Wicker

W354mm x D419mm x H190mm

SY9621 (400mm cabinet width)

W454mm x D419mm x H190mm

SY9620 (500mm cabinet width)

W554mm x D419mm x H190mm

SY9622 (600mm cabinet width)

- Carcase thickness 18mm
- Complete with two runners
- Individually boxed

Round
Breakfast Bar
Legs



SY0402CC

60mm Dia x 870mm high

SY0403CC

60mm Dia x 710mm high

- Chrome
- Box Quantity 1

SY0402NI

60mm Dia x 870mm high

SY0403NI

60mm Dia x 710mm high

- Brushed Nickel
- Box Quantity 1

Section 3

Kitchen Accessories

Waste Bins	26-27
Miscellaneous	28
Worktop Profiles	29-31
Flooring Profiles	32-34

Waste Bins

12 Litre Waste Bin



D290mm x W290mm x H340mm
SY7750

- Made from plastic and stainless steel

40 Litre Waste Bin



D480mm x W350 x H430mm
SY7753









- 1 x 20 litre compartment
- 2 x 10 litre compartments
- Minimum cabinet width = 400mm

30 Litre Waste Bin



D480mm x W265 x H420mm
SY7754

- 1 x 20 litre compartment
- 1 x 10 litre compartments
- Will fit 300mm unit






30 Litre Waste Bin



D480mm x W265 x H420mm
SY7755

- 3 x 10 litre compartments
- Will fit 300mm unit






68 Litre Waste Bin



D480mm x W465 x H490mm
SY7756

- 1 x 34 litre compartment
- 2 x 17 litre compartments
- To fit 500mm unit only
- Runners to be fit to the side of the cabinet
- Door fix bin







68 Litre Waste Bin



D494mm x W529 x H540mm
SY7757
SY7757SC (soft close)

- 1 x 34 litre compartment
- 2 x 17 litre compartments
- To fit 600mm unit



Miscellaneous

Under Sink Liner



Patterned Aluminium

W764mm x D500mm

SY9875 (800mm cabinet width with notch)

W864mm x D500mm

SY9876 (900mm cabinet width with notch)

W464mm x D500mm

SY9877 (500mm cabinet width)

W1164mm x D500mm

SY9878 (1200mm cabinet width with notch)

W564mm x D500mm

SY9879 (600mm cabinet width)

W964mm x D500mm

SY9880 (1000mm cabinet width with notch)

- Sealed rubber edges

Splashback



Stainless Steel

W600mm x H750mm

SY9634

W800mm x H750mm

SY9640

W900mm x H750mm

SY9635

Ducting Kit



1m round 4" Hose Kit with Gravity Grille
SY0710WH

100mm Flat Channel Ducting Kit
SY0713WH

100mm Flat Channel Ducting Kit with Horizontal Band
SY0714WH

1m Round 5" Hose Kit with Gravity Grille
SY0741WH

Appliance Filler



Stainless Steel

W596mm x D5.5mm x H18.5mm

SY0729

Vent Grill



Aluminium silver anodised finish

W550mm x H80mm

SY0731

W600mm x H52mm

SY7711

Appliance Grill



Stainless Steel

1 x L598mm x H40mm pierced

1 x L598mm x H21mm

SY0730 2 piece including fixings

- Instructions included

Built Under Oven Support



White

H38mm x W50mm x D488mm

SY0849 2 piece bracket support pack

Coat Hook



Polished Stainless Steel

W35mm x D42mm x H39mm

SY0061 Coat Hook with Fixing

- Cocealed fixing

Towel Rail



Aluminium


460mm

SY9628 2 arm towel rail


Worktop Profiles




SPL Components offer a bespoke packaging service. Your trims can be packed in your own personalised sleeving where volumes permit. Please ask our staff for further details.




Worktop Profiles




30mm Standard End Cap R12
AE30R12SBL Black
AE30R12SET Satin Silver




30mm Bull Nose End Cap R6
AE30R7BBL Black
AE30R7BET Satin Silver




40mm Bull Nose End Cap R10
AE40R10BBL Black
AE40R10BET Satin Silver




40mm Standard End Cap R12
AE40R12SBL Black
AE40R12SET Satin Silver




40mm Bull Nose End Cap R3
AE40R3BBL Black
AE40R3BET Satin Silver
40mm Bull Nose End Cap R6
AE40R6BBL Black
AE40R6BET Satin Silver




30mm Standard Corner R12
AC30R12SBL Black
AC30R12SET Satin Silver




30mm Bull Nose Corner R6
AC30R6BBL Black
AC30R7BET Satin Silver




40mm Bull Nose Corner R10
AC40R10BBL Black
AC40R10BET Satin Silver




40mm Standard Corner R12
AC40R12SBL Black
AC40R12SET Satin Silver




40mm Bull Nose Corner R3
AC40R3BBL Black
AC40R3BET Satin Silver
40mm Bull Nose Corner R6
AC40R6BBL Black
AC40R6BET Satin Silver




30mm Standard T Joint R12
AT30R12SBL Black
AT30R12SET Satin Silver




30mm Bull Nose T Joint R6
AT30R7BBL Black
AT30R7BET Satin Silver



40mm Bull Nose T Joint R10
AT40R10BBL Black
AT40R10BET Satin Silver




40mm Standard T Joint R12
AT40R12SBL Black
AT40R12SET Satin Silver



40mm Bull Nose T Joint R3
AT40R3BET Satin Silver
40mm Bull Nose T Joint R6
AT40R6BET Satin Silver


Flooring Profiles

AVT050 Vinyl Edge




- Used where there is a difference in heights up to 4mm
- 900mm or 2700mm lengths in bright gold or silver

AVT060 Narrow Vinyl Cover




- 25mm wide
- Unobtrusive profile for joining two hard floor coverings of equal height
- 900mm or 2700mm lengths in bright gold or silver

AVT010 Single Nap




- Designed to finish the edge of a carpet where the adjoining floor is solid wood, vinyl or tile
- 900mm or 2700mm lengths in bright gold or silver

AVT030 Twin Grip




- Designed to finish the join between two carpets
- 900mm or 2700mm lengths in bright gold or silver

AVT080 Carpet to Laminate




- For when there is a height variance of up to 9mm
- 900mm or 2700mm lengths in bright gold or silver

AVT040 Carpet Cover




- With teeth designed to dig in and hold the carpet
- Used between two carpets/doorways
- 900mm or 2700mm lengths in bright gold or silver

AVT140 Angle Edge



- Can also be used as a wall edge protector
- 900mm or 2700mm lengths in bright gold or silver


AVT060 Vinyl Cover



- Used between two hard floor coverings of equal height
- 900mm or 2700mm lengths in bright gold or silver


Flooring Profiles

AVT070 Extra Wide Cover




- 38mm wide for covering frayed or damaged carpet edges
- 900mm or 2700mm lengths in bright gold or silver

AVT120 Matwell Edge




- For the surround of a matwell or edging for floor height variance of 15mm or more
- 900mm or 2700mm lengths in bright gold or silver

AVT090 Round Edge



- For joining wood to different levels of adjacent flooring between 0 - 4mm

AVT100 Double Edge



- For joining wood/laminate flooring 7 - 8mm

Section 4

Kitchen Profiles



Linear Gola Profiles	36-37
Linear Gola Accessories	38-39
Glass	40



Linear Gola Profiles

Sycamore offer a system of gola profiles that, thanks to their versatility, make it possible to satisfy every aesthetic and construction needs of the contemporary kitchens.

Also available in black, white and chrome.

Art 1730



Aluminium Finish

L3900mm

SY0776

Gola profile for hanging cabinets without soft lip shock absorber - to be used with 18mm thick panels.

Art 8006



Aluminium Finish

L3900mm

SY0777

Gola horizontal profile top trim

Art 8007



Aluminium Finish

L3900mm

SY0778

Gola horizontal profile mid trim matching.

Art 8012



Aluminium Finish

L3900mm

SY0779

Intermediate Gola vertical profile for column cabinets

Art 8018



Aluminium Finish

L3900mm

SY0780

Lateral Gola vertical profile for column cabinets



Linear Gola Profiles - Accessories

AG8006



Aluminum finish
SY0781
Gola Internal Corners

CF8006TPI



Aluminum finish
SY0782
Gola End Caps left hand

CF8006TPI




Aluminum finish
SY0782RH
Gola End Caps right hand

CF8007TPI



Aluminium finish
SY0783
Gola End Caps

SU106



Black
SY0784
Gola Fixing Clips

SG8006



Aluminum finish
SY0785
Gola External Corners

AG8007



Aluminum finish
SY0786
Internal Corner - Mid Trim

SG8007



Aluminum finish
SY0787
External corner 90°



Glass



SPL Components offer a variety of glass to customer requirements. Product can be made as a bespoke item, or mass produced with the benefit of our stockholding facilities.

Toughened

- Tempered Glass
- Ceramic Hot Plate
- Float Glass
- Flat Glass
- Curved Glass
- Clear Glass

Finishes


- Screen Printed
- Polished Edges
- Arrised Edges
- Drilled Holes
- Odd Shapes
- Logo Printed

Cabinet Glass Shelving

D250mm x W461mm x H6mm

SY0846 Cabinet width 500mm

- Toughened with polished edges



Section 5

Lighting

COB LED Cabinet Lighting	42
Diffused High Output LED Cabinet Lighting	43
Designer High Output LED Cabinet Lighting	44
LED Plinth Lighting	45
High Output Cuisine LED Cabinet Lighting	46
SMD High Output LED Cabinet Lighting	47
SMD Diffused GX53 Cabinet Lighting	48
SMD Diffused LED Link Lighting	49
T5 Fluorescent Lighting	50
LED Shelves	51
IP65 Flexible LED Strip Lighting	52-53
12Vdc LED Power Converters	54
Remote Sensors and Dimmers	55
Switches and Dimmers	56
Pop Up Audio Unit	57
Power Tech Module with USB Ports	58
Evoline Port Cuisine	59
Fire Rated COB Dimmable LED IP65 Downlight	60
Anti Glare COB LED IP65 Downlight	61
5W and 9W LED Downlights	62-63
LED Lamps	64

COB LED Cabinet Lighting

The new COB LED Cabinet Light uses the most up to date LED technology in the market place, with unrivalled output and levels of efficiency.



Power supply **12VDC**
 Colour appearance **Neutral White**
 Colour temperature **4000-4500k**




**Brushed Nickel
 Die Cast Fitting**

D150mm x W126mm x H50mm

SY7567 2 Light Kit

SY7553 Additional Light

Colour rendering index	Ra 85
Luminous efficacy	79 lm/W
IP rating	IP44
Wattage	3.3W



**Brushed Nickel or Polished Chrome
 Die Cast Fitting**

Dia65mm x D14mm

SY7568 2 Light Kit

SY7550 Additional Light

Colour rendering index	Ra 85
Luminous efficacy	79 lm/W
IP rating	IP44
Wattage	3.3W



**Brushed Nickel or Polished Chrome
 Die Cast Fitting**

Dia65mm x H16mm

SY7569 2 Light Kit

SY7551 Additional Light

Colour rendering index	Ra 85
Luminous efficacy	79 lm/W
IP rating	IP44
Wattage	3.3W

2 Light Kit consists of 1 x 15W Driver plus 2 fittings (Maximum No. 4)

Diffused High Output LED Cabinet Lighting

The new Diffused High Output LED Cabinet Light has a 120 degree beam angle which fills the cabinet and eliminates dark spots.



Power supply **12VDC**
 Colour appearance **Warm White/
 Neutral White**
 Colour temperature **3000-3500k/
 4000-4500k**

NEW

Diffused LED Slimline Triangle Light

**Brushed Nickel
 Die Cast Fitting**
 D140mm x W170mm x H26mm
SY7465 2 Light Kit
SY7464 Additional Light

Colour rendering index	Ra 84
Luminous efficacy	50 lm/W neutral white 48 lm/W warm white
IP rating	IP44
Wattage	2.6W

NEW

Diffused LED Recessed Light

57mm

**Brushed Nickel or Polished Chrome
 Die Cast Fitting**
 Dia65mm x D15mm
SY7560 2 Light Kit
SY7453 Additional Light

Colour rendering index	Ra 84
Luminous efficacy	50 lm/W neutral white 48 lm/W warm white
IP rating	IP44
Wattage	2.6W

NEW

Diffused LED Surface Light

**Brushed Nickel or Polished Chrome
 Die Cast Fitting**
 Dia65mm x H16mm
SY7463 2 Light Kit
SY7462 Additional Light

Colour rendering index	Ra 84
Luminous efficacy	50 lm/W neutral white 48 lm/W warm white
IP rating	IP44
Wattage	2.6W

2 Light Kit consists of 1 x 8W Driver plus 2 fittings (Maximum No. 3)
 Polished Chrome only available in Neutral White

Designer High Output LED Cabinet Lighting

These unique Cabinet Lights are at the forefront of modern design.




Power supply **12VDC**
 Colour appearance **Neutral White**
 Colour temperature **4000-4500k**



NEW

Diffused LED Slimline Square Light



Brushed Nickel or White Metal/Plastic Fitting

L100mm x W100mm x H6mm

SY7625 2 Light Kit

SY7543 Additional Light

Colour rendering index	Ra 83
Luminous efficacy	44 lm/W
IP rating	IP20
Wattage	6W

NEW

Diffused LED Circular Light



Opal Surface Mounted Plastic Fitting

Dia80mm x H12.5mm

SY7502 2 Light Kit

SY7487 Additional Light

Colour rendering index	Ra 85
Luminous efficacy	52 lm/W
IP rating	IP20
Wattage	2.5W

NEW

Diffused LED Over Cabinet Light



Polished Chrome Die Cast Fitting

D107mm x W90mm x H24mm

SY7626 2 Light Kit

SY7490 Additional Light

Colour rendering index	Ra 86
Luminous efficacy	44 lm/W
IP rating	IP44
Wattage	4W

2 Light Kit consists of 1 x 20W Driver plus 2 fittings

2 Light Kit consists of 1 x 8W Driver plus 2 fittings

2 Light Kit consists of 1 x 15W Driver plus 2 fittings

LED Plinth Lighting

To match COB Cabinet Light, Diffused Cabinet Light and High Output Cabinet Light.



Power supply
Colour appearance
Colour temperature

12VDC
Warm White/
Neutral White
3000-3500k/
4000-4500k




**Brushed Nickel
Plastic Fitting**

L35mm x W35mm x H6mm

SY7523 3 Light Kit

SY7524 Additional Light

Colour rendering index	Ra 80
Luminous efficacy	45 lm/W
IP rating	IP20
Wattage	1.5W



**Brushed Nickel
Die Cast Fitting**

Dia32mm x D10mm

SY7295BN 4 Light Kit

Colour rendering index	Ra 80
Luminous efficacy	15 lm/W
IP rating	IP44
Wattage	1W

Available in Neutral White only



**Brushed Nickel
Die Cast Fitting**

Dia32mm x D10mm

SY7521 4 Light Kit

Colour rendering index	Ra 80
Luminous efficacy	36 lm/W
IP rating	IP44
Wattage	1W

3 Light Kit consists of 1 x 8W Driver plus 3 fittings

4 Light Kit consists of 1 x 8W Driver plus 4 fittings

4 Light Kit consists of 1 x 8W Driver plus 4 fittings

High Output Cuisine LED Cabinet Lighting

This high output LED is the most cost effective solution to replace the Halogen Cabinet Light.



Power supply **12VDC**
 Colour appearance **Warm White/
 Neutral White**
 Colour temperature **3000-3500k/
 4000-4500k**

NEW

High Output LED
Triangle Light



Brushed Nickel

D150mm x W126mm x H50mm

SY7585 2 Light Kit

SY7582 Additional Light

Colour rendering index	Ra 84 neutral white Ra 84 warm white
Luminous efficacy	75 lm/W
IP rating	IP44
Wattage	1.8W

NEW

High Output LED
Recessed Light



Brushed Nickel

Dia65 x D10mm

SY7583 2 Light Kit

SY7580 Additional Light

Colour rendering index	Ra 84 neutral white Ra 84 warm white
Luminous efficacy	75 lm/W
IP rating	IP44
Wattage	1.8W

NEW

High Output LED
Surface Light



Brushed Nickel

Dia65mm x H16mm

SY7584 2 Light Kit

SY7581 Additional Light

Colour rendering index	Ra 84 neutral white Ra 84 warm white
Luminous efficacy	75 lm/W
IP rating	IP44
Wattage	1.8W

2 Light Kit consists of 1 x 8W Driver plus 2 fittings (Maximum No. 3)

SMD High Output LED Cabinet Lighting

These Designer Cabinet Lights are a must in all modern kitchens.



Power supply
Colour appearance
Colour temperature

12VDC
Neutral White
4000-4500k

SMD Designer Square Light



Polished Chrome

L80mm x W80mm x H9mm

SY7201 2 Light Kit

SY7196 Additional Light

Colour rendering index	Ra 85
Luminous efficacy	48 lm/W
IP rating	IP20
Wattage	2.5W

SMD Square LED Cabinet Light



Stainless Steel

L65mm x W65mm x H13.5mm

SY7531 2 Light Kit

SY7525 Additional Light

Colour rendering index	Ra 85
Luminous efficacy	48 lm/W
IP rating	IP20
Wattage	3W

SMD Round Glass Light



Brushed Nickel/Glass

Dia100mm x D138mm x H45mm

SY7368 2 Light Kit

SY7288 Additional Light

Colour rendering index	Ra 84
Luminous efficacy	54 lm/W
IP rating	IP20
Wattage	3W

SMD Over Cabinet Light



Brushed Nickel or Polished Chrome Die Cast Fitting

D63mm x W120mm x H22mm

SY7372 2 Light Kit

SY7267 Additional Light

Colour rendering index	Ra 80
Luminous efficacy	58 lm/W
IP rating	IP44
Wattage	1.7W

2 Light Kit consists of 1 x 15W Driver plus 2 fittings

2 Light Kit consists of 1 x 15W Driver plus 2 fittings

2 Light Kit consists of 1 x 8W Driver plus 2 fittings

SMD Diffused GX53 Cabinet Lighting

These GX53 Cabinet Lights are easy to install and produce market leading outputs. These fittings are mains voltage so no drivers are required.

EMC SELV       ROHS



Power supply 240V
Colour appearance Warm White/
 Neutral White
Colour temperature 3000–3500k/
 4000–4500k



Brushed Nickel
 D154mm x W185mm x H50mm
SY7300 Single Light Kit (inc. lamp)
 Colour rendering index Ra 80
 Luminous efficacy 86 lm/W
 IP rating IP20
 Wattage 5.5W



Aluminium
 Dia96mm x D21mm
SY7303 Single Light Kit (inc. lamp)
 Colour rendering index Ra 80
 Luminous efficacy 86 lm/W
 IP rating IP20
 Wattage 5.5W



Aluminium
 Dia96mm x H32mm
SY7303 Single Light Kit (inc. lamp)
 Colour rendering index Ra 80
 Luminous efficacy 86 lm/W
 IP rating IP20
 Wattage 5.5W

SMD Diffused LED Link Lighting

The SMD LED Link Light is a perfect alternative to fluorescent link lights. The link lights come complete with a diffused cover and have no visible LED points which provides a wide flood of light. The fittings are individually switched and fully linkable for ease of use and can be butt jointed to make longer lengths if desired.


EMC SELV     CE  ROHS



Power supply 240V
Colour appearance Neutral White
Colour temperature 4000-4500k
Cable length 1.5m



SY7450 3W 222mm
SY7451 8.4W 525mm
SY7452 12W 904mm
 Colour rendering index Ra 80
 Luminous efficacy 100 lm/W
 IP rating IP20
 Wattage as listed



SY9564 Master control switch for link light range

- Can switch a bank of up to 6 lights from 1 point
- Ideal for installation that doesn't need to be controlled from the wall plate switch. Cuts down on wiring
- Simple plug in connector system
- No need for an electrician

Accessories

- SY9324 500mm Connecting Cable
- SY9556 1000mm Connecting Cable
- SY9325 3000mm Connecting Cable
- SY7496 1000mm Mains Cable with UK Plug

T5 Fluorescent Link Lighting

Available in a variety of lengths, the T5 Fluorescent link light range is sure to offer an option for many different installations. They are also fully linkable with the cables included in the pack, or can be directly linked to each other to make longer lengths if desired.

EMC SELV 

Power supply 240V
Colour appearance Warm White
Colour temperature 3000-3500k
Cable length 1.8m



T5 Fluorescent Link Light

SY9300 6W 267mm
SY9301 8W 343mm
SY9303 13W 571mm
SY9304 18W 640mm
SY9305 24W 948mm
SY9306 28W 1204mm
 Colour rendering index Ra 86
 Luminous efficacy 51 lm/W
 IP rating IP20
 Wattage as listed


Accessories

- SY9324 500mm Connecting Cable**
- SY9556 1000mm Connecting Cable**
- SY9325 3000mm Connecting Cable**
- SY7496 1000mm Mains Cable with UK Plug**

SY9564 Master control switch for link light range

- Can switch a bank of up to 6 lights from 1 point
- Ideal for installation that doesn't need to be controlled from the wall plate switch. Cuts down on wiring
- Simple plug in connector system
- No need for an electrician





Dimensions are given in mm

LED Shelves

EMC SELV       ROHS

The Diffused LED Shelf uses ground breaking technology to give smooth ambient light.



Power supply 240V
Colour appearance Neutral White*
Colour temperature 4000-4500k
Cable length 2m

* Excluding Multi Point Glass Shelf

NEW

LED Diffused Floating Shelf



Aluminium

D206mm x L600mm x H72mm
SY7417 10W Floating LED Shelf

D206mm x L900mm x H72mm
SY7418 15W Floating LED Shelf

IP rating IP20
 Wattage as listed
 Maximum load 3kg

NEW

LED Diffused Box Shelf




Aluminium

D200mm x L600mm x H47.5mm
SY7499 Floating LED Shelf

IP rating IP20
 Wattage 11W
 Maximum load 3kg

LED Multi Point Floating Glass Shelf



* only available in Cool White

Aluminium

D60mm x L500mm x H65mm
SY9538A/WH 2.2W Floating LED Glass Shelf

D60mm x L600mm x H65mm
SY9495A/WH 2.6W Floating LED Glass Shelf

D60mm x L900mm x H65mm
SY9539A/WH 4.1W Floating LED Glass Shelf

IP rating IP20
 Wattage as listed
 Maximum load 3kg

IP65 Flexible LED Strip Lighting

IP65 Flexible LED Strip




Power supply 12VDC
Colour appearance Warm White/
 Neutral White/
 Cool White
Colour temperature 3000-3500k/
 4000-4500k/
 5000-6000k
Cable length as listed
LED per metre 60

SY7338A 3528 12VDC 500mm
SY7339A 3528 12VDC 1 metre
SY7340A 3528 12VDC 2 metre
 Colour rendering index Ra 86
 Luminous efficacy 51 lm/W
 IP rating IP65
 Wattage 4.8W per metre

Suitable LED Power Converters

SY7350A 20W/12VDC LED Power Converter
(maximum 4m)
SY7351B 48W/12VDC LED Power Converter
(maximum 10m)



Flexible LED Strip is ideal for lighting many different areas in the kitchen. It can be used as plinth lighting, under cabinet lighting, under the worktop, and even on the top of cabinets to shine towards the ceiling. Aluminium extrusions are available to create a sleek look, which is particularly useful on kitchens without a pelmet. Our LED strip is available in 500mm, 1 and 2 metre lengths, and the last strip on a run can be cut to size at intervals at 50mm if required. Our experienced sales department can assist with LED Strip design and plans if required, please contact us for details.

Available in warm white, neutral white or cool white LED.

Accessories

SY7341A 100mm Corner

- o) **SY7342A 500mm Bridge Cable**
(strip to strip connection)
- o) **SY7343A 1M Bridge Cable**
- o) **SY7344A 2M Bridge Cable**
- o) **SY7345A 5M Bridge Cable**
- b) **SY7347A Y Splitter**
- c) **SY7348A Electronic Door Sensor**

SY7349A Pack of 10 U Brackets



Aluminium Extrusion

- o) **SY7388A 1M Recessed Extrusion**
(including diffuser and caps)
- o) **SY7392A 2M Recessed Extrusion**
(including diffuser and caps)
- b) **SY7367 1M Surface Mounted Extrusion**
- c) **SY7482 2M Surface Mounted Extrusion**
(including diffuser and caps)
- d) **SY7389 1M Angled Extrusion**
(including diffuser and caps)
- d) **SY7409 2M Angled Extrusion**
(including diffuser and caps)



LED Strip Kits

2m LED Starter Kit SY7337A/WW, NW or CW

- Kit includes -
- 1 x 1m LED Strip
 - 2 x 500mm LED Strips
 - 1 x 20W LED Power converter
(including distributor cable)
 - 1 x pack of 10 U Brackets

12VDC LED Power Converters

All our LED drivers are produced for high quality and are compatible with all our 12Vdc Cabinet Lights.

EMC SELV       ROHS

Power supply

12VDC

8W 12VDC LED
Power Converter



L95mm x W46mm x D20mm
SY9980B

Wattage 8W max
Complete with:
• 3 way amp block

15W 12VDC LED
Power Converter



L123mm x W43mm x D20mm
SY9739A/MF

Wattage 15W max
Complete with:
• 6 way amp block

20W 12VDC LED
Power Converter



L147mm x W44mm x D23mm
SY7350A/MF

Wattage 20W max
Complete with:
• 6 way amp block

Accessories

SY7496 1000mm Mains Cable with UK Plug (cables compatible with SY9739 A/MF and SY7350 A/MF)

Remote Sensors and Dimmers

Our new 4 zone dimming remote control unit allows you to dim the brightness of our 12VDC LED lighting from 0-100% and is 4 channel, which enables one remote control to control 4 different areas/zones.

It transmits on radio frequency, up to an impressive 20 metres so your receivers can be out of sight, for example behind plinths or on top of cabinets. Dimming is achieved with simple installation and it also allows you to switch your lighting on and off with a remote control. The unit requires 2 x AAA batteries which are included.

Power supply

12VDC/24VDC
12 Amp (max)

4 Zone Remote Control Receiver



SY7544A Receiver & Remote Control

SY7545 Additional Receiver

Wattage

144W max
(across 2
circuits, 72W
per circuit)

4 Zone Remote Control



Switches and Dimmers

All our switches are compatible with all our Cabinet fittings (excluding mains voltage GX53).



Power supply
Cable length
Mounting

12VDC
1m
Surface

Touch Sensor Switch with Night Light



Silver

D10mm x W30mm x L70mm

SY7194

IP rating
Wattage

IP20
30W max

Infra Red Door Sensor Switch



Silver

D10mm x W30mm x L70mm

SY7195

IP rating
Wattage

IP20
30W max

Slide Touch Dimmer



Aluminium

D10mm x W45mm x L94mm

SY7287

IP rating
Wattage

IP20
40W max

(can also be recessed)

Pop Up Audio Unit

The new motorised Pop Up Audio is a unique space saving idea, featuring 1 x UK socket, 1 X USB port, plus a bluetooth speaker suitable for linking up via your smart phone or tablet. This stunning new model will add an attractive yet functional touch to any office or kitchen space.




Pop Up Audio Unit



Silver Top

SY7714/A

Motorised pop up audio with
1 x UK socket, 1 USB port and speaker
Cut out size 102mm



Power Tech Module with USB Ports


The Power Tech Module is a cost effective way of introducing sockets in to kitchen without the need of an electrician.



**Silver, Black or Stainless Steel effect
SY7192SI, BK or SS**

3 x UK Sockets
2 x 1 amp USB Ports (5V)
(suitable for charging iPhones)
Cut out size 102mm

Power Tech Module with USB Ports



Evoline Port Cuisine


Port Cuisine, the vertically or horizontally retractable power strip with three 60° sockets, is the perfect upgrade for kitchens of the highest standards. The high-quality aluminum housing can be raised with the press of the finger and lowered, flush with the working surface, even while in use. The see-saw cover allows room for the cords. All the plugs are accessible – but not in the way. This model is available with silver top, or stainless steel, but various finishes and colour options are available for special order, please contact our sales team with your requirements.



Evoline Port Cuisine



Silver or Stainless Steel Top
SY9737 (silver top)
SY9737SS (stainless steel top)
3x UK Sockets
Cut out size 100 - 102mm



Fire Rated COB Dimmable LED IP65 Downlight

Featuring a COB LED in either 3000k or 4000k colour renditions this new downlight offers a complete range of features all from one fitting. It is fully dimmable from most standard wall dimmers, is fire rated, IP65 rated and includes the power converter, which also has an IP65 rating.

The light output from the luminaire is equivalent to a 50W GU10 halogen lamp but due to the latest COB technology it uses 85% less energy, helping to save money and the environment.



Fire Rated COB Dimmable LED IP65 Downlight




Each box contains a replacement cover in White, Polished Chrome and Brushed Nickel

Power supply	230V
Colour appearance	Warm White/ Neutral White
Colour temperature	3000-3500k/ 4000-4500k
Colour rendering index	Ra80
Luminous efficacy	60 lm/W
Luminous flux	480 lm
IP rating	IP65
Wattage	8W

SY7578/3000 IP65 Fire Rated COB Dimmable LED Downlight 3000k

SY7578/4000 IP65 Fire Rated COB Dimmable LED Downlight 4000k



Anti Glare COB LED IP65 Downlight

This new downlight features a COB LED in either 3000k or 4000k colour renditions and is IP65 rated making it suitable for use within a bathroom.

The light output from the luminaire is equivalent to a 50W GU10 halogen lamp, but due to the latest COB technology it uses 85% less energy, helping to save money and the environment.



Anti Glare COB LED IP65 Downlight



Power supply	230V
Colour appearance	Warm White/ Neutral White
Colour temperature	3000-3500k/ 4000-4500k
Colour rendering index	Ra80
Luminous efficacy	60 lm/W
Luminous flux	480 lm
IP rating	IP65
Wattage	7W

Brushed Nickel


SY7597BN/3000 IP65 COB LED Downlight
3000k

SY7597BN/4000 IP65 COB LED Downlight
4000k

Chrome

SY7597CC/3000 IP65 COB LED Downlight
3000k

SY7597CC/4000 IP65 COB LED Downlight
4000k



Cut out size = 58mm

5W COB LED Downlights


This range of COB LED Downlights is a cost effective way of introducing up to date technology in to every room.




Power supply	240V
Colour appearance	Neutral White
Colour temperature	4000-4500k
Colour rendering index	Ra82
Luminous efficacy	65 lm/W
Luminous flux	352 lm
IP rating	IP44 fixed IP20 tilt
Wattage	5W



White
Dia90mm x D52mm
SY7416WH




White
Dia85mm x D42mm
SY7415WH



SY7586 Emergency Pack for 5W and 9W Ceiling Lights (SY7413/4/5/6)

- For use only with SY7413/4/5/6 ceiling lights
- 3 hour emergency battery pack
- Plug in installation



9W COB LED Downlights

This 9W COB LED Downlight is a direct replacement for 50w low voltage.




Power supply	240V
Colour appearance	Neutral White
Colour temperature	4000-4500k
Colour rendering index	Ra83
Luminous efficacy	54 lm/W
Luminous flux	599 lm
IP rating	IP48 fixed IP20 tilt
Wattage	9W

NEW

9W COB LED Fixed Anti-Glare Ceiling Light



White
Dia90mm x D52mm
SY7414WH




NEW

9W COB LED Tilt Ceiling Light




White
Dia85mm x D42mm
SY7413WH



SY7586 Emergency Pack for 5W and 9W Ceiling Lights (SY7413/4/5/6)

- For use only with SY7413/4/5/6 ceiling lights
- 3 hour emergency battery pack
- Plug in installation



LED Lamps



Power supply 240V
Colour appearance Warm White/
 Neutral White/
 Cool White*
Colour temperature 3000-3500k/
 4000-4500k/
 5000-5500k*

* excluding GX53 Diffused Lamp

COB LED 4W Non Dimmable GU10 Lamp



Dia50mm x D55mm
SY7549WW, NW or CW
 Colour rendering index Ra 80 warm white
 Ra 80 neutral white
 Ra 80 cool white
 Luminous efficacy 55 lm/W warm white
 57 lm/W neutral white
 57 lm/W cool white
 Luminous flux 230 lm
 Wattage 4W

COB LED 6W Non Dimmable GU10 Lamp



Dia50mm x D54mm
SY7534WW, NW or CW
 Colour rendering index Ra 80 warm white
 Ra 83 neutral white
 Ra 80 cool white
 Luminous efficacy 75 lm/W warm white
 78 lm/W neutral white
 85 lm/W cool white
 Luminous flux 430 lm
 Wattage 6W

COB LED 6.5W Dimmable GU10 Lamp



Dia50mm x D57mm
SY7456WW, NW or CW
 Colour rendering index Ra 80 warm white
 Ra 83 neutral white
 Ra 80 cool white
 Luminous efficacy 72 lm/W warm white
 73 lm/W neutral white
 85 lm/W cool white
 Luminous flux 475 lm
 Wattage 6.5W

GX53 LED Diffused Lamp



Dia74.5mm x D28mm
SY7278WW or NW
 Colour rendering index Ra 86 neutral white
 Luminous efficacy 86 lm/W
 Luminous flux 473 lm
 Wattage 5.5W

Section 6

Drawer Box




Soft Close Drawer Installation Guide	66
Soft Close Drawers	67-68
Drawer Box Accessories	69-70
Soft Close Drawer Dimensions	71
Drawer Box Accessories	72-74

Soft Close Drawer Installation Guide


Assembly/Parts Diagram

All following parts are included in 1 boxed set:

- 1 - Drawer runners L/R
- 2 - Drawer sides L/R
- 3 - Rear connecting brackets L/R
- 4 - Front fixing brackets
- 5 - Side cover plate




Hole Positions for the Sides (mm)



Installation Dimensions (mm)

LW Internal cabinet width



Soft Close Drawers

Inset Pantry Drawer
Sets 1 and 2



The following accessories can be added to to make a Pantry Drawer. Options are available for 86mm height drawers (set 1), or 204mm height drawers (set 2).

Set 1

Metal Drawer front & 2 front corner brackets for 86mm Soft Close Drawer.

SY6127 Set 1 for 450mm width

SY10080 Set 1 for 500mm width

SY6130 Set 1 for 600mm width

SY6132 Set 1 for 800mm width

SY6134 Set 1 for 900mm width

SY6136 Set 1 for 1000mm width

Set 2

Metal Drawer front, rail, 2 front corner brackets & dark grey handle for 204mm Soft Close Drawer.

SY6128 Set 2 for 450mm width

SY6129 Set 2 for 500mm width

SY6131 Set 2 for 600mm width

SY6133 Set 2 for 800mm width

SY6135 Set 2 for 900mm width

SY6137 Set 2 for 1000mm width

Please note for the 204mm version you will also need to order the set of additional drawer sides (SY10042), the set of rear brackets (SY10043), and a set of gallery rails (SY10044).

Soft Close Drawers

* For installation and technical data please see pages 66 + 71

Soft Close Drawer Box



D270mm x W86mm

SY6100 Soft Close Drawer

D450mm x W86mm

SY10041 Soft Close Drawer

SY10042 Set of additional drawer sides to make 204mm overall height

SY10043 Set of rear brackets to adjust height of SY10042 to 204mm

SY10044 Set of gallery rails to fit SY10042 for high sides

soft
close



Drawer Box Accessories

Dividing Gallery Kits
Set 6



soft
—**close**

Set 6

Inter Dividing Gallery Kit includes 2 horizontal rails, 3 cross rails, 4 T Connectors, 6 clips & 6 ends.

SY6149 Set 6 for 600mm width

Metal Backs
Set 7



soft
—**close**

Set 7

Metal Backs 86mm.

- SY6107** Metal back for 300mm width
- SY6107A** Metal back for 350mm width
- SY6109** Metal back for 400mm width
- SY6111** Metal back for 450mm width
- SY6113** Metal back for 500mm width
- SY6117** Metal back for 600mm width
- SY6119** Metal back for 800mm width
- SY6121** Metal back for 900mm width
- SY6123** Metal back for 1000mm width
- SY6125** Metal back for 1200mm width


Set 7

Metal Backs 204mm.

- SY6108** Metal back for 300mm width
- SY6110** Metal back for 400mm width
- SY6112** Metal back for 450mm width
- SY6114** Metal back for 500mm width
- SY6116** Metal back for 550mm width
- SY6118** Metal back for 600mm width
- SY6120** Metal back for 800mm width
- SY6122** Metal back for 900mm width
- SY6124** Metal back for 1000mm width
- SY6126** Metal back for 1200mm width

Drawer Box Accessories

Acrylic Drawer Side Hanging Panels
Set 3



soft
close

Set 3

Acrylic drawer side hanging panel set includes 2 pieces of acrylic glass panels plus 4 pieces of connectors. Please note this will make 164mm height only.

SY6139 Set 3 for 450mm depth drawer

SY6141 Set 3 for 550mm depth drawer

Please note you will also need to order the set of rear brackets (SY10043), and a set of gallery rails (SY10044). The metal backs are an optional extra.

Vertical & Horizontal Dividing Kits
Sets 4 and 5



soft
close

Set 4

Vertical & Horizontal Dividing Kit includes 1 Panel and 2 connectors.

SY6143 Set 4 for 500mm width

SY6144 Set 4 for 600mm width

SY6145 Set 4 for 800mm width

SY6147 Set 4 for 1000mm width

Set 5


Vertical Dividing Panel includes 1 Panel & 2 connectors

SY6148 Set 5 for Soft Close Drawer


Soft Close Drawer Dimensions

Drawer Back and Bottom Dimensions (mm)

(for 16mm board thickness)




KB Cabinet width
LW Internal cabinet width
NL Nominal length



Installation Dimensions (mm)


Nominal Slide Length=NL
Internal Cabinet Depth=LT=NL+3



Drawer Installation Dimensions (mm)


Front section

Back




- $\varnothing 2 \times 12$
- Wood screw
- M3.5x15
- $\varnothing 10 \times 12$
- Anchor bolt
- M10x10

Drawer Box Accessories




SY6160

- Size: 300mm (actual 422mm x 200mm)
- Quantity: 25 per pack




SY6161

- Size: 400mm (actual 422mm x 300mm)
- Quantity: 25 per pack




SY6162

- Size: 450mm (actual 422mm x 350mm)
- Quantity: 25 per pack




SY6163

- Size: 500mm (actual 422mm x 400mm)
- Quantity: 25 per pack




SY6164

- Size: 600mm (actual 422mm x 500mm)
- Quantity: 25 per pack




SY6165

- Size: 800mm (actual 422mm x 700mm)
- Quantity: 10 per pack



SY6166

- Size: 900mm (actual 422mm x 800mm)
- Quantity: 10 per pack



SY6167

- Size: 1000mm (actual 422mm x 900mm)
- Quantity: 10 per pack


Drawer Box Accessories

Metal Sided Drawers



RAL9010

- L300mm x H86mm **SY0389R** 10 Sets
- L400mm x H86mm **SY0541** 10 Sets
- L500mm x H86mm **SY0542** 10 Sets
- L450mm x H86mm **SY0154R** 10 Sets
- L450mm x H150mm **SY0156R** 10 Sets
- L400mm x H150mm **SY0540** 10 Sets



Can be fixed using Chipboard or Euroscrews

- Self closing system, anti noise epoxy powder treated
- Includes 64mm front fixing bracket with 1.5mm horizontal adjustment and 1.5mm vertical adjustment
- Can be fixed using chipboard or euroscrews


Metal Drawer Runners





White RAL 9010

- 450mm **SY0157R** 20 Sets
- 400mm **SY0372R** 20 Sets
- 350mm **SY0641** 20 Sets
- 300mm **SY0640** 20 Sets


Drilling Diagram



Adjustment




Extension Loss



- Bottom fix

Section 7

Hinges & Mounting Plates



Click Hinges and Mounting Plates 76-78

Click Hinges and Mounting Plates

95° Clip on Hinge and Mounting Plate



SY0135S

- For 18mm carcass
- Complete with euro screws
- Plate height 2mm
- Cup drilling 35mm

165° Clip on Hinge and Mounting Plate



SY0150S

- For 18mm carcass
- Complete with euro screws
- Plate height 2mm
- Cup drilling 35mm

95° Slide on Hinge and Mounting Plate



SY0134S

- For 18mm carcass
- Complete with euro screws
- Plate height 2mm
- Cup drilling 35mm

165° Slide on Hinge and Mounting Plate



SY0136S

- For 18mm carcass
- Complete with euro screws
- Plate height 2mm
- Cup drilling 35mm

165° Soft Close Clip on Hinge and Mounting Plate



SY0733

- For 18mm carcass
- Complete with euro screws
- Plate height 2mm
- Cup drilling 35mm

95° Soft Close Clip on Hinge and Mounting Plate



SY0732S

- For 18mm carcass
- Complete with euro screws
- Plate height 2mm
- Cup drilling 35mm

Arm cover cap



SY0732AC

- Arm cover for SY0732S

Cover cap



SY0732CC

- Cup cover for SY0732S

Bi fold Hinge and Mounting Plate



SY0841 Bi fold Hinge
SY0841/P Mounting Plate

- For 18mm carcass
- Complete with euro screws
- Plate height 2mm
- Cup drilling 35mm

Glass Door Hinge Pack



SY0931

- For glass doors
- Plate height 2mm
- Cup drilling 26mm

Pack contents:
2 hinges with cup fitting
2 plates

Face Flush Hinge



SY0449

- 110° opening
- Box quantity 100

95° Boss Straight Arm Hinge



SY0140

- For 15mm carcass
- Cup drilling 26mm

Click Hinges and Mounting Plates

26mm Boss Hinge with
8mm Crank



SY0141

- For 15mm carcass
- 8mm cranked
- Cup drilling 26mm

26mm Boss Hinge with
15mm Crank



SY0142

- For 15mm carcass
- 15mm cranked
- Cup drilling 26mm

Mounting Plate for Boss
Hinges



SY0143

- For 15mm carcass
- Complete with euro screws
- Plate height 4mm

Dowel Fix Two Way Hinge
and Mounting Plate



SY9863

- For 15mm carcass
- Plate height 4mm
- Cup drilling 26mm
- 10mm dowel fix
- Slide on



If you cannot find what you are looking for please contact our experienced sales team on 0113 271 3200 who can source your requirements.

Section 8

Furniture Fittings


Packing	80-81
Cover Caps	82-83
Shelf Supports	84-85
Door Buffers	86
Door Catches	87
Cams and Dowels	88-89
Miscellaneous	90-92
Brackets and Fixings	93-96
Stays	97
Screws	98-101
Wall Hanging Brackets	102
Carcase Legs, Feet and Supports	103-105

Packing

SPL Components Ltd have invested heavily in machinery and equipment to offer a bespoke packaging service for our components.

Whatever the mix or quantity of components we can offer packs to suit every combination, from the component packs, to the hinge packs, to the handle packs.

With our image printing facility we can produce packs that have customer detail, including barcode if required.





Cover Caps

Hole Cover Cap



Plastic

SY0019 A6mm x B8mm x C3mm

SY0018 A7mm x B9mm x C4mm


SY0002 A8mm x B10mm x C5mm

- Various colours available
- Box Quantity 10,000 each

SY0001 A5mm x B8mm x C4mm

SY0003 A10mm x B12mm x C3mm

- Various colours available
- Box Quantity 20,000 each




Hinge Hole Cover Cap



Plastic

SY0004 A35mm x B38mm x C7mm

- Various colours available
- Box Quantity 1,000




Hinge Hole Cover Cap Winged



Plastic

SY0005

- Various colours available
- Box Quantity 500




Screw Cover Cap –Pozi



Plastic

SY0008

- Various colours available
- Box Quantity 500




Screw Cover Cap – Confirmat



Plastic
SY0009

- Various colours available
- Box Quantity 10,000



Screw Cap Cover – Fold Over



Plastic
SY0074

- Various colours available
- Box Quantity 10,000




Cam Cover Cap



Plastic
SY0088 18mm

- Various colours available
- Box Quantity 5,000




Cover Cap



Grey
SY0651 18mm x 8mm

- Box Quantity 1000



Shelf Supports

Shelf Support




Plastic

5mm hole diameter

SY0012BR Dark Brown

SY0012WH White

- Box Quantity 10,000 each



Shelf Support




Clear Plastic, Metal Pin

SY0102 5mm

SY0102/3mm 3mm

- Box Quantity 1,000 each



Shelf Support with Nail




Plastic with Nail

SY0302BE Beige

SY0302BR Brown

SY0302WH White

- Box Quantity 1,000 each




Shelf Support



Metal

SY0329 5mm Zinc Plated


- Box Quantiv 2.000



Metal

SY0318 5mm Zinc L Shaped

- Box Quantity 1,000



Anti-tip Support



SY0433

- For 5mm hole diameter
- Box Quantity 6,500


Anti-tip Support



Clear Glass

SY0341

- For 5mm hole diameter
- Box Quantity 1,000




Angled Shelf Support



White
SY0452

- Box Quantity 1,000



Shelf Retainer



Transparent
SY0606


- Box Quantity 2,000

Shelf Support



Metal
SY0317 Zinc shelf support

- For 5mm hole diameter
- Box Quantity 5,000



Shelf Retainer



SY0830

- For 16mm board
- For 5mm hole diameter
- Box Quantity 1,000

Door Buffers

Transparent Door Buffer



- SY0011** S/A Door Buffers (in 2's)
 • Box Quantity 10,000

Transparent Door Buffer –
Domed



- SY0015A** 9mm diameter s/a sheet of 49
SY0235 8mm diameter s/a in 2's
SY0360 10mm s/a Clear Door Buffer
 • Box Quantity 10,000 each

Door Buffer – Soft Close



- SY0436** Salice Side Mount Door Damper
SY0437 Salice Mounting Bracket
 • Box Quantity 1,000 each

Door Damper and Catch



- SY0770A** Grey
SY0770WH White
 • Box Quantity 1,000 each

Door Buffer




- SY0103** Clear
 • Box Quantity 1,000

Clear Door Buffer



- SY0807** Clear Door Buffer, 11.1mm in 2's
SY0808 Clear Door Buffer, 16mm in 2's
 • Box Quantity 1,000 each



Door Catches

Roller Catches



SY0126A Roller Catch White

- Box Quantity 250

SY0126B Plate for SY0126A White

- Box Quantity 1,000

Double Roller Catch Plate



L32mm W28mm H14mm

SY0255ZP Zinc

- Box Quantity 1,000

Magnetic Door Catch Plate



SY0127WH Magnetic Catch White (3-4kg)

- Box Quantity 1,000

If you cannot find what you are looking for please contact our experienced sales team on 0113 271 3200 who can source your requirements.




Cams and Dowels

Bright Zinc Cams



- SY0914** X12mm x Y10mm mini cam
- SY0344** X15mm x Y13mm x TH18mm
- SY0415A** X15mm x Y12mm x TH15mm
- Box Quantity 2,000 each




Dowel



- Green Twister**
- SY0416** X24mm x Y8mm, Thread Euro
- SY0417** X34mm x Y8mm, Thread Euro


- Metal**
- SY10029** X34mm x Y8mm, Thread Euro
- Box Quantity 2,000 each



Fast Assembly Dowel




- Metal and Plastic**
- SY0721** 20mm x 10.5mm x TH8mm
- Box Quantity 2,000



Dowel




- SY0883** System 6 dowel
- O/L 20mm, 10.5mm, 8mm, 8mm Thread
- Box Quantity 2,000



Dowel



- SY0882** 7x24mm twinstart dowel
- SY0881** 7x34mm twinstart dowel
- Box Quantity 2,000 each




Dowel




- SY0909** O/L 68mm x Dia7mm
- Box Quantity 2,000




SY0911 7x24mm M6 zinc dowel
SY0910 7x34mm M6 steel dowel
 • Box Quantity 2,000 each



SY0896 24x10mm quick fit dowel
 • Box Quantity 2,000



SY0048 Dia6 x L30mm
SY0081 Dia8 x L30mm
SY0090 Dia5 x L25mm
SY0179 Dia8 x L35mm
SY0180 Dia10 x L40mm
SY0181 Dia10 x L30mm
SY0273 Dia6 x L40mm
SY0330M Dia8 x L25mm
SY0754M Dia8 x L28mm
SY10090 Dia5 x L30mm



If you cannot find what you are looking for please contact our experienced sales team on 0113 271 3200 who can source your requirements.



Miscellaneous

Modesty Blocks



SY0006


- Available in:- Beech, Beige, Black, Dark Brown, White, Light Grey, RAL 900
- Box Quantity 1,000 each

Worktop Blocks



SY0010

- Available in:- Beige, Brown, Special Grey, White
- Box Quantity 4,000 each



KD Blocks



SY0007


- White
- Box Quantity 1,000

Barrel Nut



SY0043

- White
- Box Quantity 5,000



Snap Fix Support



Plastic

- SY0752** snapfix support 16-5
- White
 - Box Quantity 1,000

Metal

- SY0753** screw for snapfix support
- Box Quantity 1,000

Child Lock



Plastic

- SY0884** Child Lock Set
- Box Quantity 5


Nylon Insert



Plastic

SY0913 M6X11X11 Nylon Insert for 10mm Hole

- Box Quantity 1,000



Pocket Router Cap Covers



Plastic

SY0643 Limed Oak

SY0644 Cherry

SY0645 Putty

SY0646 Cream

SY0647 Light Oak

SY0648 White

SY0649 Montana Larch

- Box Quantity 2,000 each
- Also available in packs of 500

Insert Caps



Plastic

38x38x25mm square with 10mm hole

SY0894 Black

25x25x20mm square

SY0924 Grey

40x20x25mm rectangular


SY0926 Black

25x25x25mm square block

SY0927 Black

- Box Quantity 1,000 each

Plinth Seal Strip



Plastic

SY9870 1500mm (for board 15/16mm)

SY9871 2400mm (for board 15/16mm)

SY9872 2800mm (for board 15/16mm)

SY9873 3050mm (for board 18/19mm)

- Box Quantity 200 each

Miscellaneous

Cavity Wall Fixing



SY0116 Ankadrive Cavity Wall Fixing 8mm

- Box Quantity 100

Screw Cup



SY0312 No 8 Screw Cup EB

- Box Quantity 4,000

PVA Glue Sachet



SY0073 15g PVA Glue Sachet

- Box Quantity 1,000

SY0073/TUBE 15g PVA Glue Tube

- Box Quantity 1,000

Jointing Biscuit



SY0340 No 10 Jointing Biscuit

SY0263 No 20 Jointing Biscuit

- Box Quantity 250

Brackets and Fixings

Metal Corner Bracket



SY10047 50mm x 50mm Corner Bracket,
Zinc Plated
• Thickness 1mm

Door Connector



SY0130RA 190mm x 19mm RAL9001
SY0130ZP 190mm x 19mm
Zinc Plated
• Thickness 3mm

Metal 'L' Bracket



SY0045 40 x 40 x 16mm Bracket
Self Colour
• Thickness 1.8mm

Zinc Metal 'L' Bracket



SY0635 25 x 25 x 17mm Bracket
• Thickness 1.6mm

Zinc Metal 'L' Bracket



SY0435 68 x 43 x 20mm Bracket
• Thickness 2mm

Zinc Metal 'L' Bracket



SY0042 19 x 19mm Bracket
• Thickness 1.2mm

Brackets and Fixings

Zinc Metal 'L' Bracket



SY0636 32mm x 13mm x 14mm Bracket
• Thickness 1.2mm

Self Colour Flushmount Bracket



SY0131 36mm x 35mm Bracket
• Thickness 1.1mm
• Two fittings interlock to make lift off mounting plate

Zinc Wall Plate



SY0046 63mm x 39mm Wall Plate
• Thickness 1.6mm

Zinc Wall Plate



SY0657 48mm x 35mm Wall Plate
• Thickness 1.6mm

Zinc Snap Off Wall Plate



SY0639 130mm x 25mm Wall Plate
• Thickness 2mm

Zinc Pointing Plate



SY0632 50mm x 38mm Pointing Plate
• Thickness 2mm

Zinc Left Hand & Right Hand Bracket



SY0701LH
SY0701RH
47mm x 24mm x 18mm Bracket
• Thickness 1.5mm

Zinc Stretcher Plate



SY0047 38mm x 25mm x 28mm
Stretcher Plate
• Thickness 1.5mm

Nickel Door Stop Bracket



SY0637 32mm x 16mm Bracket
• Thickness 2mm

Dap Rail & Bracket



SY0736 1000mm Dap Rail (Satin Anodised Rail)
SY0737 50mm Bracket to suit Dap Rail

Worktop Bolts



SY0044 65mm Length
SY0021 150mm Length

Plinth Clip



SY0642 Plinth Clip – Sprung Metal

Brackets and Fixings

Chrome Wardrobe Rail



SY0756 30mm x 15mm Oval Tube

- Length 3 metres

SY0760 30mm x 15mm 90° Bend
Oval Tube

- Length 1.5 metres

Chrome Oval End Support



SY0107CH Oval End Support

- Box Quantity 1,000 each

Chrome Oval Centre Support



SY0473CH Oval Centre Support

- Box Quantity 50

Chrome Wardrobe rail and Fittings



SY0274 Chrome Wardrobe Rail

- Length 2.5 metres
- Diameter 19mm

SY0685 End Supports

- Diameter 19mm

Stays

Lift Up Flap Stay –
Right Hand



- SY0163** 206mm x 9mm
- End bracket 44 x 14mm
 - Nickel finish
 - Box Quantity 100

- SY0164** Housing
- End bracket 14 x 45mm
 - White
 - Box Quantity 100

Duo Stay



- SY0556** Duo Stay Nickel Plated with Brackets
- Assembly example
 - Diverse fixing positions allow different opening angles
 - Box Quantity 1

Top Box Hinge



- SY0075** LH Sprung
SY0076 RH Sprung
SY0077 RH Unsprung
- Opening 175°
 - Box Quantity 100

Gas Stay/Piston



- AGASPIST50N** 50N
AGASPIST80N 80N
AGASPIST100N 100N
AGASPIST120N 120N
AGASPIST150N 150N
- Box Quantity 100

Slide Bolt



- SY9864** 70mmx 16mm
- Nickel finish
 - Box Quantity 100


Strike Plate



- SY9866**
- Strike plate for SY9864
 - Nickel finish
 - Box Quantity 100


Screws

Bright Zinc Plated Screws




	Imperial Dia x L (")	Metric Dia x L (mm)		Imperial Dia x L (")	Metric Dia x L (mm)
SY0196	4 x 1/2	2.5 x 13	SY0058	8 x 2 1/2	4 x 63
SY0280	5 x 1/2	3 x 13	SY0079	8 x 3	4 x 75
SY0557	5 x 5/8	3 x 16	SY0063	10 x 2	5 x 50
SY0198	6 x 3/4	3.5 x 20	SY0064	10 x 2 1/2	5 x 64
SY0023	6 x 1	3.5 x 25	SY0027	10 x 3	5 x 75
SY0025	6 x 1 1/4	3.5 x 20	SY0201	10 x 4	5 x 100
SY0024	6 x 1/2	3.5 x 12	SY0570	-	18 x 5.5
SY0034	6 x 5/8	3.5 x 15	SY0571	-	4 x 20
SY0051	6 x 1 1/2	3.5 x 38	SY0576	-	4 x 40
SY0052	6 x 1 3/4	3.5 x 45	SY0577	-	4 x 50
SY0337	6 x 2	3.5 x 50	SY0578	-	4 x 70
SY0558	7 x 3/4	-	SY0579	-	5 x 90
SY0199	7 x 1	-	SY0875	-	3.5 x 35
SY0202	8 x 1/2	-	SY0876	-	6 x 33.5
SY0053	8 x 5/8	4 x 15	SY0934	-	4.7 x 18.7
SY0054	8 x 3/4	4 x 20	SY0980	-	4 x 70
SY0033	8 x 1	4 x 25	SY0981	-	4 x 80
SY0224	8 x 1 1/8	4 x 28	SY0982	-	4 x 90
SY0056	8 x 1 1/4	4 x 30	SY0983	-	4.5 x 50
SY0057	8 x 1 1/2	4 x 38	SY0984	-	5 x 30
SY0200	8 x 1 3/4	4 x 45	SY0985	-	5 x 35
SY0026	8 x 2	4 x 50			
SY0282	8 x 2 1/4	4 x 56			

Zinc & Yellow Passivated Screws




	Imperial Dia x L (")	Metric Dia x L (mm)
SY0082	6 x 5/8	3.5 x 16
SY0206	8 x 1 1/4	4 x 30

Zinc Plated Pan Head Screws




	Imperial Dia x L (")	Metric Dia x L (mm)
SY0032	6 x 5/8	3.5 x 16
SY0292	8 x 1/2	4 x 12
SY0085	8 x 3/4	4 x 20

Zinc Plated Round Head Screws




	Imperial Dia x L (")	Metric Dia x L (mm)
SY0216	6 x 1/2	3.5 x 12
SY0285	6 x 5/8	3.5 x 15
SY0272	6 x 3/4	3.5 x 20
SY0858	8 x 1/2	4 x 12
SY0460	8 x 5/8	4 x 15

Zinc Plated Flange Head Screws - Self Tappers



	Imperial Dia x L (")	Metric Dia x L (mm)
SY0029	-	4 x 25
SY9869	-	8 x 25


Nickel Connecting Screws Tubetti



	Metric L (mm)	Thread	Box qty
SY0119	27	M4	10,000
SY0120	16	M4	2,500


• Steel

Confirmat Screw




	Metric Dia x L (mm)	Colour
SY0022	6.3 x 50	Zinc
• Pozi Head		
SY0022HEX	6.3 x 50	Zinc
SY0022HEXBLK	6.3 x 50	Black
SY0567	7 x 50	Zinc
SY0568	7 x 54	Zinc
SY0569	7 x 50	Black
SY0596	7 x 70	Zinc
SY0597	7 x 70	Black
• Hex Head		

Allen Key



		Metric Dia (mm)
SY0172	L Shaped Allen Key	4
SY0908	S Shaped Allen Key	4


M4 Handle Bolts



	Metric L (mm)	Thread
SY0091	12	M4
SY0178	18	M4
SY0065	20	M4
SY0066	22	M4
SY0316	24	M4
SY0408	26	M4
SY0067	25	M4
SY0068	28	M4
SY0069	30	M4
SY0070	16	M4
SY0071	35	M4
SY0072	40	M4


Screws

M4 Snap Off Screws




	Metric L (mm)	Thread
SY0096	45	M4

Washers



	Metric od x id (mm)	Material
SY0030	20 x 8	Steel
SY0358	18 x 6	Steel
SY0932	20 x 6	Steel
SY0870	24 x 9	Steel
SY10096	12 x 7	Steel
SY10098	16 x 8	Steel


Carcase Assembly Screws



	Imperial Dia x L (")	Metric Dia x L (mm)	Head
SY0232	8 x 1 ³ / ₁₀	4 x 33	Bugle
SY0050	8 x 1 ³ / ₄	4 x 45	Bugle
SY0171	8 x 1 ³ / ₄	4 x 45	Funnel


• Black Hardened Finish

Bright Zinc Plated Euro Screws



	Metric Dia x L (mm)	Head
SY0168	6.3 x 11	Counter Sunk
SY0194	6.3 x 13	Counter Sunk
SY0197	6.2 x 10.5	With Collar
SY0607	6.3 x 16.2	Pozi
SY0771	6.3 x 13	Pozi


Hospa Screw



	Metric Dia x L (mm)
SY0028	3.5 x 15

• Zinc


Spax Screw



	Metric Dia x L (mm)	Head
SY0055	4 x 30	Flange

• Zinc

Conbolt Black



	Metric		
	Dia x L (mm)	Thread	Description
SY0559	6 x 35	M6	Black
SY0561	6 x 40	M6	Black
SY0562	6 x 50	M6	Black
SY0563	6 x 53	M6	Black
SY0173	4 x 35	M6	Black
SY0297	8 x 30	M8	Black
SY0298HEX	6 x 35	M6	Square

Dynafix Insert



	Metric		
	Dia x L (mm)	Thread	
SY0589	6 x 25	M6	
SY0590	8 x 25	M8	
SY0591	10 x 25	M10	

Capnut



- SY0083** M6 Thread x 8 x 9
- 12 x 4 flat
 - Zinc

Pin/Nail



- | | Metric | |
|---------------|--------------|--------|
| | Dia x L (mm) | |
| SY0573 | 1.7 x 20 | |
| SY0574 | 1.5 x 20 | |
| SY0853 | 2 x 25 | Bright |
| SY0861 | 4 x 17 | |
| SY0589 | 2.65 x 50 | |
- Galvanised Round Wire Nails

Wall Hanging Brackets

Wall Hanging Bracket



SY0151WH Universal Bracket

- Code RAL 9010
- Box Quantity 200

Wall Hanging Bracket



SY0144WH

- 3 Hole
- Universal
- RAL 9010
- Box Quantity 200

Concealed Wall Hanging Bracket



SY0704

- Zinc
- Universal
- Box Quantity 100

SY0434 Trasher Cap

- Box Quantity 1,000

Wall Hanging Bracket



SY0145

- LH Mechanism
- Box Quantity 200

Wall Hanging Bracket



SY0146

- RH Mechanism
- Box Quantity 200

Wal Bracket Cover



SY0147

- For SY0145
- Nickel
- LH Mechanism
- Box Quantity 200

SY0148

- For SY0146
- Nickel
- RH Mechanism
- Box Quantity 200

Carcase Legs, Feet and Supports

Polished Chrome Adjustable Leg



SY0401 40mm round,
150mm high

SY0401A 40mm round,
200mm high

Polished Chrome Adjustable Leg



SY0810 40mm square,
150mm high

SY0811 40mm square,
200mm high

Carcase Legs, Feet and Supports

Heavy Duty Cabinet Foot



Stainless Steel

Dia50mm x H100mm

SY10038 Cabinet Foot with Fixing Plate
90x90mm

- Heavy Duty

150mm & 100mm
Screw Fix Leg Set



SY0152 150mm Screw Fix Leg Set

SY0152A 100mm Screw Fix Leg Set

- Box Quantity 50 sets
- Contains 4 x legs, 4 x screw on blocks,
2 x 10mm plinth clips

Foot Leveller



Black/Zinc

SY0869 M8 x 26mm

Adjustable Feet



Grey/Zinc

SY0918 M8 x 25 x 25mm RAL7024

Adjustable Feet



Grey/Zinc

SY0920 M8 x 25 x 38mm RAL7024

Furniture Foot



- D60mm x W60mm x H20mm
SY10089 Toughened Furniture Foot
90x90mm
- Screw Fix

Furniture Foot



- Black**
SY9867 Base Foot
SY9868 Base Cover
- Sold separately

Castor



- SY0160** Twin Wheel Castor 50mm
- With Fixing Plate 40x40mm
 - Non Brake
 - 40kg Weight Load

Castor



- SY0915** Twin Wheel Castor 50mm
- M8 Thread
 - Non Brake
 - 30kg Weight Load

- SY0867A** Full Height Castor 50mm
- M8 Thread
 - Non Brake
 - 45kg Weight Load

If you cannot find what you are looking for please contact our experienced sales team on 0113 271 3200 who can source your requirements.

Glossary of icons for Lighting

	Indicates the compliance with the low voltage and electromagnetic compatibility
	Class I lighting: includes earth protection as a complementary security measure against electrical shocks
	Class II lighting: includes a reinforced or double insulation as a protection against electrical shocks
	Class III lighting: the protection against electrical shocks comes from the supply of very low voltage tension
	Suitable for installation on normally combustible surfaces
	Suitable for use in furniture
	For indoor use only
	WEEE Compliant
ROHS	ROHS compliant
SELV	Product certified through the respective certifying body
EMC	Product certified through the respective certifying body
TUV	Product certified through the respective certifying body
ITS	Product certified through the respective certifying body

ERP Directive

From the 1st February 2013, minimum energy efficiency requirements for directional lamps and LED lamps came into effect (EG 1194/2012). Furthermore the energy labelling for lamps will be newly regulated and broadened in scope and will be introduced for luminaires from the 1st March 2014 (EG 874/2012). A typical ERP label is shown.



Number of hours

All our figures are based on the product emitting 70% of its initial lumen output (ie when new) after the stated hourly rated lamp life.

Colour appearance & colour temperature

The most common terminology is to classify colour temperature as one of three options. These being warm white (approx 3000k), natural white (approx 4000k) and cool white (approx 5500k). See page 4 for more information.

Colour Rendering Index (CRI)

This is a figure that indicates the accuracy of the reflective surface colour of an object when subjected to artificial light. For example an object in daylight on a reasonably sunny day will be subject to a CRI of 100 from the light source, which in this case would be daylight, the sun. Theoretically the colour of an object will be 100% true.

Once the same object is placed into a dark room and a light fitting with a CRI of 85 is illuminating it, then the colour of that object will be 85% of its true colour. Therefore the higher the CRI, the more accurate the colour.

Colour temperature has a bearing on this as a white object would appear "yellow" if illuminated by a warm white light source. Careful consideration has to be taken to ensure that the correct type of light with the correct CRI & colour temperature is selected for any given installation.

CRI of 80 is the minimum standard.

Luminous Efficacy

This relates to the amount of light (lumens) emitted from a light fitting in relation to the amount of power it uses to create this output. There are now regulations in place that state minimum lumens per watt criteria and any lights that do not conform aren't able to be used in certain applications. Advice should always be taken to ensure that the correct lighting is used on any installation.

Terms and Conditions

- DEFINITIONS:** a) The “seller” means SPL Components Ltd. b) The “buyer” means the person who buys or agrees to buy the goods from the seller. c) The “goods” means all items which the buyer agrees to buy from the seller. means all items which the buyer agrees to buy from the seller.
- GENERAL:** Orders are only accepted subject to the Conditions of Sale set out below and the seller shall not be bound by any other terms, written, verbal or implied, or which are conditions customary in the trade and whether contained in customer’s order or not. These conditions shall apply unless expressly varied by the seller in writing.
- TERMS:** Credit accounts are nett strictly within 30 days. Interest at a rate of 3% per annum above National Westminster Bank plc base rate, together with any expenses incurred in collecting payments, will be added to the agreed price in respect of any part thereof not paid, on or before the due date. Where a new account is to be opened two trade references are required. The seller has the right to discontinue delivery without notice if the buyer defaults in payment, or if circumstances warrant such discontinuance. The seller also has the right to refuse credit terms to a buyer for any reason. Pro-forma orders will only be delivered when the seller has received payment in full, including confirmed clearance of any cheque.
- PRICES:** Whilst every endeavour will be made to deliver at the prices quoted, the seller reserves the right to invoice at the price ruling at the date of delivery. All prices are subject to VAT at the rate prevailing at the date of invoice.
- RISK AND DELIVERY:** a) Goods are delivered to the buyer when the seller makes them available to the buyer (or any agent of the buyer) at the seller’s premises or other delivery point agreed by the seller and risk in the goods passes when they are delivered to the buyer. B) The seller shall not be liable for any penalty, loss, injury, damage or failure in delivery from any cause at all nor shall any such delay or failure entitle for any buyer to refuse to accept any delivery or to repudiate the contract. C) Any dates quoted by the seller for delivery of the goods are approximate only and shall not form part of the contract and the buyer acknowledges that in the performance expected of the seller no regard has been paid to any quoted delivery dates.
- CARRIAGE AND ADMINISTRATION CHARGES:** A small order management charge of £10 will be applicable on all orders under £100. Carriage charges will be subject to size/weight of the consignment. All offshore islands and EC countries will incur a separate delivery charge, based on the weight of the total order. Please note that administration and delivery charges are subject to change without prior notice.
- CLAIMS:** Claims must be notified in writing within seven days of receipt, otherwise responsibility cannot be accepted. The seller’s liability shall be limited to, at the seller’s option, replacing the goods or refunding the price of the goods. Under no circumstances shall the liability of the seller exceed the price of the goods. Replacements for damaged goods will be charged and credit issued on the return of the damaged goods to the seller in the original packaging.
- RETENTION OF TITLE:** a) In spite of delivery having been made, property in the goods shall not pass from the seller until payment in full of the price by the buyer. B) Notwithstanding delivery, property in the goods shall not pass from the seller until all other sums owed by the buyer to the seller have been paid in full. C) Until payment in full for the goods, the buyer shall hold the goods on a fiduciary basis as a bailee for the seller. D) Whilst the buyer has the right to dispose of the goods in the ordinary course of business on a bona fide sale without notice to the customer of the seller’s rights hereunder, the entire proceeds of sale or otherwise of the goods shall be held in trust for the seller until payment in full for the goods. E) Until payment in full for the goods the buyer hereby grants the seller the right to enter any premises where the goods are stored in order to re-possess or inspect them.
- BREACH AND INSOLVENCY:** If the buyer breaches any condition of this contract or becomes subject to an Administration Order or becomes bankrupt or has a receiver appointed for or distress is levied on any part of its assets or business or goes into liquidation or makes any composition with its creditors, the seller shall be entitled (whether in respect of this contract or any other) to: a) Withhold any further deliveries to the buyer and/or cancel the contract without liability; b) Appropriate any payment made by the buyer to such of the goods (whether supplied under this contract or any other) as the seller shall think fit; c) Immediate payment of all sums whatever, owing by the buyer to the seller notwithstanding any previous agreement to the contrary; d) Exercise any of its right pursuant to clause 8 above.
- PRODUCT INFORMATION:** Although the seller shall use its best endeavours to ensure that the information contained in the seller’s catalogue is correct at the time of going to press, the seller shall not be under any liability for any damage, loss or expense resulting from any error or omission contained in the seller’s catalogue. Goods supplied may vary in detail from the illustrations, drawings and descriptions (which are approximate and for guidance only) in the seller’s catalogue as a result of improvements or modifications. Colour finishes will be maintained as accurately as possible, but matching cannot be guaranteed.
- FORCE MAJEURE:** The seller shall not be liable for any default due to any act of God, war, strikes, lock-outs or other industrial action, difficulties in obtaining labour or parts, government or other restrictions or regulations or other event beyond the reasonable control of the seller.
- LAW AND JURISDICTION:** All disputes arising out of or in connection with the contract shall be governed by English law and the buyer accepts the jurisdiction of the Courts Of England.
- RETURN AND RESTOCKING:** When goods are agreed for a return or cancellation the buyer shall pay a handling or restocking charge to cover administration and inspection charges involved in reprocessing products back into stock. The charge will be subject to change without prior notice but is currently 25% of the invoiced value of the goods. Non standard and special items ordered by the buyer cannot be accepted for return.
- LIGHTING GUARANTEES:** Terms and conditions apply to the guarantees, and lamp life of our products. Please refer to our website for further details.
- LIGHTING CUT OUT SIZES AND DIMENSIONS:** These are correct at time of printing. We do not recommend any holes are cut until goods are received and checked.



SPL Components Limited,
Unit 5-6 Lockwood Park Industrial Estate,
Leeds, West Yorkshire, LS11 5UX

Tel: +44 (0) 113 271 3200

Fax: +44 (0) 0113 276 1195

sales@splcomponentsltd.co.uk

www.splcomponentsltd.co.uk